

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>C12N 15/12, C07K 14/47, C12N 15/11, C12Q 1/68, C07K 16/18, G01N 33/68, A61K 38/17</b>		A2	(11) International Publication Number: <b>WO 00/00610</b>  (43) International Publication Date: 6 January 2000 (06.01.00)
(21) International Application Number: PCT/US99/14484 (22) International Filing Date: 25 June 1999 (25.06.99) (30) Priority Data: 60/090,762           26 June 1998 (26.06.98)       US 60/094,983           31 July 1998 (31.07.98)       US 60/102,686           1 October 1998 (01.10.98)      US 60/112,129           11 December 1998 (11.12.98)   US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Applications US                               60/090,762 (CIP) Filed on                       26 June 1998 (26.06.98) US                               60/094,983 (CIP) Filed on                       31 July 1998 (31.07.98) US                               60/102,686 (CIP) Filed on                       1 October 1998 (01.10.98) US                               60/112,129 (CIP) Filed on                       11 December 1998 (11.12.98) (71) Applicant (for all designated States except US): INCYTE PHARMACEUTICALS, INC. [US/US]; 3174 Porter Drive, Palo Alto, CA 94304 (US).		(72) Inventors; and (75) Inventors/Applicants (for US only): LAL, Preeti [IN/US]; 2382 Lass Drive, Santa Clara, CA 95054 (US). TANG, Y., Tom [CN/US]; 4230 Ranwick Court, San Jose, CA 95118 (US). GORGONE, Gina, A. [US/US]; 1253 Pinecrest Drive, Boulder Creek, CA 95006 (US). CORLEY, Neil, C. [US/US]; 1240 Dale Avenue #30, Mountain View, CA 94040 (US). GUEGLER, Karl, J. [CH/US]; 1048 Oakland Avenue, Menlo Park, CA 94025 (US). BAUGHN, Mariah, R. [US/US]; 14244 Santiago Road, San Leandro, CA 94577 (US). AKERBLUM, Ingrid, E. [US/US]; 1234 Johnson Street, Redwood City, CA 94061 (US). AU-YOUNG, Janice [US/US]; 1419 Kains Avenue, Berkeley, CA 94702 (US). YUE, Henry [US/US]; 826 Lois Avenue, Sunnyvale, CA 94087 (US). PATTERSON, Chandra [US/US]; 490 Sherwood Way #1, Menlo Park, CA 94025 (US). REDDY, Roopa [IN/US]; 1233 W. McKinley Drive, Sunnyvale, CA 94086 (US). HILLMAN, Jennifer, L. [US/US]; 230 Monroe Drive #12, Mountain View, CA 94040 (US). BANDMAN, Olga [US/US]; 366 Anna Avenue, Mountain View, CA 94043 (US). (74) Agents: BILLINGS, Lucy, J. et al.; Incyte Pharmaceuticals, Inc., 3174 Porter Drive, Palo Alto, CA 94304 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	
(54) Title: HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS			
(57) Abstract			
<p>The invention provides human signal peptide-containing proteins (HSPP) and polynucleotides which indentify and encode HSPP. The invention also provides expression vectors, host cells, antibodies, agonists, and antagonists. The invention also provides methods for diagnosing, treating, or preventing disorders associated with expression of HSPP.</p>			
BEST AVAILABLE COPY			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS

5

### TECHNICAL FIELD

This invention relates to nucleic acid and amino acid sequences of human signal peptide-containing proteins and to the use of these sequences in the diagnosis, treatment, and prevention of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological,  
10 reproductive, and developmental disorders.

## BACKGROUND OF THE INVENTION

Protein transport is essential for cellular function. Transport of a protein may be  
15 mediated by a signal peptide located at the amino terminus of the protein itself. The signal peptide is comprised of about ten to twenty hydrophobic amino acids which target the nascent protein from the ribosome to a particular membrane bound compartment such as the endoplasmic reticulum (ER). Proteins targeted to the ER may either proceed through the secretory pathway or remain in any of the secretory organelles such as the ER, Golgi  
20 apparatus, or lysosomes. Proteins that transit through the secretory pathway are either secreted into the extracellular space or retained in the plasma membrane. Secreted proteins are often synthesized as inactive precursors that are activated by post-translational processing events during transit through the secretory pathway. Such events include glycosylation, phosphorylation, proteolysis, and removal of the signal peptide by a signal  
25 peptidase. Other events that may occur during protein transport include chaperone-dependent unfolding and folding of the nascent protein and interaction of the protein with a receptor or pore complex. Examples of secreted proteins with amino terminal signal peptides are discussed below and include receptors, extracellular matrix molecules, cytokines, hormones, growth and differentiation factors, neuropeptides, vasomediators,  
30 phosphokinases, phosphatases, phospholipases, phosphodiesterases, G and Ras-related proteins, ion channels, transporters/pumps, proteases, and transcription factors. (Reviewed in Alberts, B. et al. (1994) Molecular Biology of The Cell, Garland Publishing, New York, NY, pp. 557-560, 582-592.)

G-protein coupled receptors (GPCRs) comprise a superfamily of integral membrane proteins which transduce extracellular signals. GPCRs include receptors for biogenic amines such as dopamine, epinephrine, histamine, glutamate (metabotropic effect), acetylcholine (muscarinic effect), and serotonin; for lipid mediators of inflammation such as prostaglandins, platelet activating factor, and leukotrienes; for peptide hormones such as calcitonin, C5a anaphylatoxin, follicle stimulating hormone, gonadotropin releasing hormone, neurokinin, oxytocin, and thrombin; and for sensory signal mediators such as retinal photopigments and olfactory stimulatory molecules. The structure of these highly conserved receptors consists of seven hydrophobic transmembrane regions, cysteine disulfide bridges between the second and third extracellular loops, an extracellular N-terminus, and a cytoplasmic C-terminus. The N-terminus interacts with ligands, the disulfide bridges interact with agonists and antagonists, and the large third intracellular loop interacts with G proteins to activate second messengers such as cyclic AMP, phospholipase C, inositol triphosphate, or ion channels. (Reviewed in Watson, S. and Arkininstall, S. (1994) The G-protein Linked Receptor Facts Book, Academic Press, San Diego, CA, pp. 2-6; and Bolander, F.F. (1994) Molecular Endocrinology, Academic Press, San Diego, CA, pp. 162-176.)

Other types of receptors include cell surface antigens identified on leukocytic cells of the immune system. These antigens have been identified using systematic, monoclonal antibody (mAb)-based "shot gun" techniques. These techniques have resulted in the production of hundreds of mAbs directed against unknown cell surface leukocytic antigens. These antigens have been grouped into "clusters of differentiation" based on common immunocytochemical localization patterns in various differentiated and undifferentiated leukocytic cell types. Antigens in a given cluster are presumed to identify a single cell surface protein and are assigned a "CD" number. Some of the genes encoding proteins identified by CD antigens have been isolated and characterized as both transmembrane proteins and cell surface proteins anchored to the plasma membrane via covalent attachment to fatty acid-containing glycolipids such as glycosylphosphatidylinositol (GPI). (Reviewed in Barclay, A. N. et al. (1993) The Leucocyte Antigen Facts Book, Academic Press, San Diego, CA, pp. 144-145; Noel, L. S. et al. (1998) J. Biol. Chem. 273:3878-3883.)

Tetraspanins are a superfamily of membrane proteins which facilitate the formation



and stability of cell-surface signaling complexes containing lineage-specific proteins, integrins, and other tetraspanins. They are involved in cell activation, proliferation (including cancer), differentiation, adhesion, and motility. These proteins cross the membrane four times, have conserved intracellular – and C-termini and an extracellular, 5 non-conserved hydrophilic domain. Tetraspanins include, e.g., platelet and endothelial cell membrane proteins, leukocyte surface proteins, tissue specific and tumorous antigens, and the retinitis pigmentosa-associated gene peripherin. (Maecker, H.T. et al. (1997) FASEB J. 11:428-442.)

Matrix proteins (MPs) are transmembrane and extracellular proteins which 10 function in formation, growth, remodeling, and maintenance of tissues and as important mediators and regulators of the inflammatory response. The expression and balance of MPs may be perturbed by biochemical changes that result from congenital, epigenetic, or infectious diseases. In addition, MPs affect leukocyte migration, proliferation, differentiation, and activation in the immune response. MPs are frequently characterized 15 by the presence of one or more domains which may include collagen-like domains, EGF-like domains, immunoglobulin-like domains, and fibronectin-like domains. In addition, some MPs are heavily glycosylated. MPs include extracellular proteins such as fibronectin, collagen, and galectin and cell adhesion receptors such as cell adhesion molecules (CAMs), cadherins, and integrins. (Reviewed in Ayad, S. et al. (1994) The 20 Extracellular Matrix Facts Book, Academic Press, San Diego, CA, pp. 2-16; Ruoslahti, E. (1997) *Kidney Int.* 51:1413-1417; Sjaastad, M.D. and Nelson, W.J. (1997) *BioEssays* 19:47-55.)

Lectins are proteins characterized by their ability to bind carbohydrates on cell membranes by means of discrete, modular carbohydrate recognition domains, CRDs. 25 (Kishore, U. et al. (1997) *Matrix Biol.* 15:583-592.) Certain cytokines and membrane-spanning proteins have CRDs which may enhance interactions with extracellular or intracellular ligands, with proteins in secretory pathways, or with molecules in signal transduction pathways. The lipocalin superfamily constitutes a phylogenetically conserved group of more than forty proteins that function by binding to and transporting a 30 variety of physiologically important ligands. (Tanaka, T. et al. (1997) *J. Biol. Chem.* 272:15789-15795; and van't Hof, W. et al. (1997) *J. Biol. Chem.* 272:1837-1841.) Selectins are a family of calcium ion-dependent lectins expressed on inflamed vascular

endothelium and the surface of some leukocytes. (Rossiter, H. et al. (1997) Mol. Med. Today 3:214-222.)

Protein kinases regulate many different cell proliferation, differentiation, and signaling processes by adding phosphate groups to proteins. Reversible protein phosphorylation is a key strategy for controlling protein functional activity in eukaryotic cells. The high energy phosphate which drives this activation is generally transferred from adenosine triphosphate molecules (ATP) to a particular protein by protein kinases and removed from that protein by protein phosphatases. Phosphorylation occurs in response to extracellular signals, cell cycle checkpoints, and environmental or nutritional stresses.

Protein kinases may be roughly divided into two groups; protein tyrosine kinases (PTKs) which phosphorylate tyrosine residues, and serine/threonine kinases (STKs) which phosphorylate serine or threonine residues. A few protein kinases have dual specificity. A majority of kinases contain a similar 250-300 amino acid catalytic domain. (Hardie, G. and Hanks, S. (1995) The Protein Kinase Facts Book, Vol I, pp. 7-47, Academic Press, San Diego, CA.)

Protein phosphatases remove phosphate groups from molecules previously modified by protein kinases thus participating in cell signaling, proliferation, differentiation, contacts, and oncogenesis. Protein phosphorylation is a key strategy used to control protein functional activity in eukaryotic cells. The high energy phosphate is transferred from ATP to a protein by protein kinases and removed by protein phosphatases. There appear to be three, evolutionarily-distinct protein phosphatase gene families: protein phosphatases (PPs); protein tyrosine phosphatases (PTPs); and acid/alkaline phosphatases (APs). PPs dephosphorylate phosphoserine/threonine residues and are an important regulator of many cAMP mediated, hormone responses in cells.

PTPs reverse the effects of protein tyrosine kinases and therefore play a significant role in cell cycle and cell signaling processes. Although APs dephosphorylate substrates in vitro, their role in vivo is not well known. (Charbonneau, H. and Tonks, N.K. (1992) Annu. Rev. Cell Biol. 8:463-493.)

Cyclic nucleotides (cAMP and cGMP) function as intracellular second messengers to transduce a variety of extracellular signals, including hormones, light and neurotransmitters. Cyclic nucleotide phosphodiesterases (PDEs) degrade cyclic nucleotides to their corresponding monophosphates, thereby regulating the intracellular

concentrations of cyclic nucleotides and their effects on signal transduction. At least seven families of mammalian PDEs have been identified based on substrate specificity and affinity, sensitivity to cofactors and sensitivity to inhibitory drugs. (Beavo, J.A. (1995) *Physiological Reviews* 75: 725-748.)

- 5        Phospholipases (PLs) are enzymes that catalyze the removal of fatty acid residues from phosphoglycerides. PLs play an important role in transmembrane signal transduction and are named according to the specific ester bond in phosphoglycerides that is hydrolyzed, i.e., A<sub>1</sub>, A<sub>2</sub>, C or D. PLA<sub>2</sub> cleaves the ester bond at position 2 of the glycerol moiety of membrane phospholipids giving rise to arachidonic acid. Arachidonic acid is
- 10 the common precursor to four major classes of eicosanoids, namely prostaglandins, prostacyclins, thromboxanes and leukotrienes. Eicosanoids are signaling molecules involved in the contraction of smooth muscle, platelet aggregation, and pain and inflammatory responses. (Alberts, B. et al. (1994) Molecular Biology of The Cell, Garland Publishing, Inc., New York, NY, pp. 85, 211, 239-240, 642-645.)
- 15        The nucleotide cyclases, i.e., adenylate and guanylate cyclase, catalyze the synthesis of the cyclic nucleotides, cAMP and cGMP, from ATP and GTP, respectively. They act in concert with phosphodiesterases, which degrade cAMP and cGMP, to regulate the cellular levels of these molecules and their functions. cAMP and cGMP function as intracellular second messengers to transduce a variety of extracellular signals, e.g.,
- 20 hormones, and light and neurotransmitters. (Stryer, L. (1988) Biochemistry W.H. Freeman and Co., New York, pp. 975-980, 1029-1035.)

- Cytokines are produced in response to cell perturbation. Some cytokines are produced as precursor forms, and some form multimers in order to become active. They are produced in groups and in patterns characteristic of the particular stimulus or disease,
- 25 and the members of the group interact with one another and other molecules to produce an overall biological response. Interleukins, neurotrophins, growth factors, interferons, and chemokines are all families of cytokines which work in conjunction with cellular receptors to regulate cell proliferation and differentiation and to affect such activities as leukocyte migration and function, hematopoietic cell proliferation, temperature regulation, acute
- 30 response to infections, tissue remodeling, apoptosis, and cell survival. Studies using antibodies or other drugs that modify the activity of a particular cytokine are used to elucidate the roles of individual cytokines in pathology and physiology.

Chemokines, in particular, are small chemoattractant cytokines involved in inflammation, leukocyte proliferation and migration, angiogenesis and angiostasis, regulation of hematopoiesis, HIV infectivity, and stimulation of cytokine secretion.

Chemokines generally contain 70-100 amino acids and are subdivided into four

- 5 subfamilies based on the presence of conserved cysteine-based motifs. (Callard, R. and Gearing, A. (1994) The Cytokine Facts Book, Academic Press, New York, NY, pp. 181-190, 210-213, 223-227.)

- Growth and differentiation factors are secreted proteins which function in intercellular communication. Some factors require oligomerization or association with
- 10 MPs for activity. Complex interactions among these factors and their receptors trigger intracellular signal transduction pathways that stimulate or inhibit cell division, cell differentiation, cell signaling, and cell motility. Most growth and differentiation factors act on cells in their local environment (paracrine signaling). There are three broad classes of growth and differentiation factors. The first class includes the large polypeptide growth
- 15 factors such as epidermal growth factor, fibroblast growth factor, transforming growth factor, insulin-like growth factor, and platelet-derived growth factor. The second class includes the hematopoietic growth factors such as the colony stimulating factors (CSFs). Hematopoietic growth factors stimulate the proliferation and differentiation of blood cells such as B-lymphocytes, T-lymphocytes, erythrocytes, platelets, eosinophils, basophils,
- 20 neutrophils, macrophages, and their stem cell precursors. The third class includes small peptide factors such as bombesin, vasopressin, oxytocin, endothelin, transferrin, angiotensin II, vasoactive intestinal peptide, and bradykinin which function as hormones to regulate cellular functions other than proliferation.

- Growth and differentiation factors play critical roles in neoplastic transformation of
- 25 cells in vitro and in tumor progression in vivo. Inappropriate expression of growth factors by tumor cells may contribute to vascularization and metastasis of melanotic tumors. During hematopoiesis, growth factor misregulation can result in anemias, leukemias, and lymphomas. Certain growth factors such as interferon are cytotoxic to tumor cells both in vivo and in vitro. Moreover, some growth factors and growth factor receptors are related
- 30 both structurally and functionally to oncoproteins. In addition, growth factors affect transcriptional regulation of both proto-oncogenes and oncosuppressor genes. (Reviewed in Pimentel, E. (1994) Handbook of Growth Factors, CRC Press, Ann Arbor, MI, pp. 1-9.)

Proteolytic enzymes or proteases either activate or deactivate proteins by hydrolyzing peptide bonds. Proteases are found in the cytosol, in membrane-bound compartments, and in the extracellular space. The major families are the zinc, serine, cysteine, thiol, and carboxyl proteases.

- 5        Zinc proteases, e.g., carboxypeptidase A, have a zinc ion bound to the active site. These proteases recognize C-terminal residues that contain an aromatic or bulky aliphatic side chain, and hydrolyze the peptide bond adjacent to the C-terminal residues. Serine proteases have an active site serine residue and include digestive enzymes, e.g., trypsin and chymotrypsin, components of the complement and blood-clotting cascades, and
- 10       enzymes that control the degradation and turnover of extracellular matrix (ECM) molecules. Cysteine proteases (e.g. cathepsin) are produced by monocytes, macrophages and other immune cells, and are involved in diverse cellular processes ranging from the processing of precursor proteins to intracellular degradation. Overproduction of these enzymes can cause the tissue destruction associated with rheumatoid arthritis and asthma.
- 15       Thiol proteases, e.g., papain, contain an active site cysteine and are widely distributed within tissues. Carboxyl proteases, e.g., pepsin, are active only under acidic conditions (pH 2 to 3).

- Guanosine triphosphate-binding proteins (G proteins) can be grouped into two major classes: heterotrimeric G proteins and small G proteins. Heterotrimeric G proteins
- 20       interact with GPCRs that respond to hormones, growth factors, neuromodulators, or other signaling molecules. The interaction between GPCR and G protein allows the G protein to exchange GTP for guanosine diphosphate (GDP). This exchange activates the G protein, allowing it to dissociate from the receptor and interact with its cognate second messenger-generating protein, e.g., adenylate cyclase, guanylate cyclase, phospholipase C,
- 25       or ion channels. The hydrolysis of GTP to GDP by the G protein acts as an on-off switch, terminating the action of the G protein and preparing it to interact with another receptor molecule, thus beginning another round of signal transduction.

- The small G proteins consist of single 21-30 kDa polypeptides. They can be classified into five subfamilies: Ras, Rho, Ran, Rab, and ADP-ribosylation factor. These
- 30       proteins regulate cell growth, cell cycle control, protein secretion, and intracellular vesicle interaction. In particular, the Ras proteins are essential in transducing signals from receptor tyrosine kinases to serine/threonine kinases which control cell growth and

differentiation. Mutant Ras proteins, which bind but can not hydrolyze GTP, are permanently activated and cause continuous cell proliferation or cancer. All five subfamilies share common structural features and four conserved motifs. Most of the membrane-bound G proteins require a carboxy terminal isoprenyl group (CAAX), added posttranslationally, for membrane association and biological activity. The G proteins also have a variable effector region, located between motifs I and II, which is characterized as the interaction site for guanine nucleotide exchange factors or GTPase-activating proteins.

Eukaryotic cells are bound by a membrane and subdivided into membrane-bound compartments. Membranes are impermeable to many ions and polar molecules, therefore transport of these molecules is mediated by ion channels, ion pumps, transport proteins, or pumps. Symporters and antiporters regulate cytosolic pH by transporting ions and small molecules, e.g., amino acids, glucose, and drugs, across membranes; symporters transport small molecules and ions in the same direction, and antiporters, in the opposite direction. Transporter superfamilies include facilitative transporters and active ATP binding cassette transporters involved in multiple-drug resistance and the targeting of antigenic peptides to MHC Class I molecules. These transporters bind to a specific ion or other molecule and undergo conformational changes in order to transfer the ion or molecule across a membrane. Transport can occur by a passive, concentration-dependent mechanism or can be linked to an energy source such as ATP hydrolysis or an ion gradient.

Ion channels, ion pumps, and transport proteins mediate the transport of molecules across cellular membranes. Symporters and antiporters regulate cytosolic pH by transporting ions and small molecules such as amino acids, glucose, and drugs. Symporters transport small molecules and ions unidirectionally, and antiporters, bidirectionally. Transporter superfamilies include facilitative transporters and active ATP-binding cassette transporters which are involved in multiple-drug resistance and the targeting of antigenic peptides to MHC Class I molecules. These transporters bind to a specific ion or other molecule and undergo a conformational change in order to transfer the ion or molecule across the membrane. Transport can occur by a passive, concentration-dependent mechanism or can be linked to an energy source such as ATP hydrolysis. (Reviewed in Alberts, B. et al. (1994) Molecular Biology of The Cell, Garland Publishing, New York, NY, pp. 523-546.)

Ion channels are formed by transmembrane proteins which create a lined passageway across the membrane through which water and ions, such as  $\text{Na}^+$ ,  $\text{K}^+$ ,  $\text{Ca}^{2+}$ , and  $\text{Cl}^-$ , enter and exit the cell. For example, chloride channels are involved in the regulation of the membrane electric potential as well as absorption and secretion of ions across the membrane. Chloride channels also regulate the internal pH of membrane-bound organelles.

Ion pumps are ATPases which actively maintain membrane gradients. Ion pumps are classified as P, V, or F according to their structure and function. All have one or more binding sites for ATP in their cytosolic domains. The P-class ion pumps include  $\text{Ca}^{2+}$  ATPase and  $\text{Na}^+/\text{K}^+$  ATPase and function in transporting  $\text{H}^+$ ,  $\text{Na}^+$ ,  $\text{K}^+$ , and  $\text{Ca}^{2+}$  ions. P-class pumps consist of two  $\alpha$  and two  $\beta$  transmembrane subunits. The V- and F-class ion pumps have similar structures and but transport only  $\text{H}^+$ . F class  $\text{H}^+$  pumps mediate transport across the membranes of mitochondria and chloroplasts, while V-class  $\text{H}^+$  pumps regulate acidity inside lysosomes, endosomes, and plant vacuoles.

A family of structurally related intrinsic membrane proteins known as facilitative glucose transporters catalyze the movement of glucose and other selected sugars across the plasma membrane. The proteins in this family contain a highly conserved, large transmembrane domain comprised of 12  $\alpha$ -helices, and several weakly conserved, cytoplasmic and exoplasmic domains (Pessin, J. E., and Bell, G.I. (1992) *Annu. Rev. Physiol.* 54:911-930).

Amino acid transport is mediated by  $\text{Na}^+$  dependent amino acid transporters. These transporters are involved in gastrointestinal and renal uptake of dietary and cellular amino acids and in neuronal reuptake of neurotransmitters. Transport of cationic amino acids is mediated by the system  $y^+$  family and the cationic amino acid transporter (CAT) family. Members of the CAT family share a high degree of sequence homology, and each contains 12-14 putative transmembrane domains (Ito, K. and Groudine, M. (1997) *J. Biol. Chem.* 272:26780-26786).

Proton-coupled, 12 membrane-spanning domain transporters such as PEPT 1 and PEPT 2 are responsible for gastrointestinal absorption and for renal reabsorption of peptides using an electrochemical  $\text{H}^+$  gradient as the driving force. A heterodimeric peptide transporter, consisting of TAP 1 and TAP 2, is associated with antigen processing. Peptide antigens are transported across the membrane of the endoplasmic reticulum so

they can be presented to the major histocompatibility complex class I molecules. Each TAP protein consists of multiple hydrophobic membrane spanning segments and a highly conserved ATP-binding cassette. (Boll, M. et al. (1996) Proc. Natl. Acad. Sci. 93:284-289.)

5           Hormones are secreted molecules that travel through the circulation and bind to specific receptors on the surface of, or within, target cells. Although they have diverse biochemical compositions and mechanisms of action, hormones can be grouped into two categories. One category consists of small lipophilic hormones that diffuse through the plasma membrane of target cells, bind to cytosolic or nuclear receptors, and form a  
10 complex that alters gene expression. Examples of these molecules include retinoic acid, thyroxine, and the cholesterol-derived steroid hormones such as progesterone, estrogen, testosterone, cortisol, and aldosterone. The second category consists of hydrophilic hormones that function by binding to cell surface receptors that transduce signals across the plasma membrane. Examples of such hormones include amino acid derivatives such  
15 as catecholamines and peptide hormones such as glucagon, insulin, gastrin, secretin, cholecystokinin, adrenocorticotrophic hormone, follicle stimulating hormone, luteinizing hormone, thyroid stimulating hormone, and vasopressin. (See, for example, Lodish et al. (1995) Molecular Cell Biology, Scientific American Books Inc., New York, NY, pp. 856-864.)

20           Neuropeptides and vasomediators (NP/VM) comprise a large family of endogenous signaling molecules. Included in this family are neuropeptides and neuropeptide hormones such as bombesin, neuropeptide Y, neurotensin, neuromedin N, melanocortins, opioids, galanin, somatostatin, tachykinins, urotensin II and related peptides involved in smooth muscle stimulation, vasopressin, vasoactive intestinal peptide,  
25 and circulatory system-borne signaling molecules such as angiotensin, complement, calcitonin, endothelins, formyl-methionyl peptides, glucagon, cholecystokinin and gastrin. NP/VMs can transduce signals directly, modulate the activity or release of other neurotransmitters and hormones, and act as catalytic enzymes in cascades. The effects of NP/VMs range from extremely brief to long-lasting. (Reviewed in Martin, C. R. et al.  
30 (1985) Endocrine Physiology, Oxford University Press, New York, NY, pp. 57-62.)

Regulatory molecules turn individual genes or groups of genes on and off in response to various inductive mechanisms of the cell or organism; act as transcription factors by determining



whether or not transcription is initiated, enhanced, or repressed; and splice transcripts as dictated in a particular cell or tissue. Although they interact with short stretches of DNA scattered throughout the entire genome, most gene expression is regulated near the site at which transcription starts or within the open reading frame of the gene being expressed. Many of the transcription factors incorporate one of a set of DNA-binding structural motifs, each of which contains either  $\alpha$  helices or  $\beta$  sheets and binds to the major groove of DNA. (Pabo, C.O. and R.T. Sauer (1992) *Ann. Rev. Biochem.* 61:1053-95.) Other domains of transcription factors may form crucial contacts with the DNA. In addition, accessory proteins provide important interactions which may convert a particular protein complex to an activator or a repressor or may prevent binding. (Alberts, B. et al. (1994) Molecular Biology of the Cell, Garland Publishing Co, New York, NY pp. 401-474.)

The discovery of new human signal peptide-containing proteins and the polynucleotides encoding them satisfies a need in the art by providing new compositions which are useful in the diagnosis, prevention, and treatment of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders.

### SUMMARY OF THE INVENTION

The invention features substantially purified polypeptides, proteins with signal peptides, referred to collectively as "HSPP" and individually as "HSPP-1", "HSPP-2", "HSPP-3", "HSPP-4", "HSPP-5", "HSPP-6", "HSPP-7", "HSPP-8", "HSPP-9", "HSPP-10", "HSPP-11", "HSPP-12", "HSPP-13", "HSPP-14", "HSPP-15", "HSPP-16", "HSPP-17", "HSPP-18", "HSPP-19", "HSPP-20", "HSPP-21", "HSPP-22", "HSPP-23", "HSPP-24", "HSPP-25", "HSPP-26", "HSPP-27", "HSPP-28", "HSPP-29", "HSPP-30", "HSPP-31", "HSPP-32", "HSPP-33", "HSPP-34", "HSPP-35", "HSPP-36", "HSPP-37", "HSPP-38", "HSPP-39", "HSPP-40", "HSPP-41", "HSPP-42", "HSPP-43", "HSPP-44", "HSPP-45", "HSPP-46", "HSPP-47", "HSPP-48", "HSPP-49", "HSPP-50", "HSPP-51", "HSPP-52", "HSPP-53", "HSPP-54", "HSPP-55", "HSPP-56", "HSPP-57", "HSPP-58", "HSPP-59", "HSPP-60", "HSPP-61", "HSPP-62", "HSPP-63", "HSPP-64", "HSPP-65", "HSPP-66", "HSPP-67", "HSPP-68", "HSPP-69", "HSPP-70", "HSPP-71", "HSPP-72", "HSPP-73", "HSPP-74", "HSPP-75", "HSPP-76", "HSPP-77", "HSPP-78", "HSPP-79", "HSPP-80", "HSPP-81", "HSPP-82", "HSPP-83", "HSPP-84", "HSPP-85", "HSPP-86", "HSPP-87", "HSPP-88", "HSPP-89", "HSPP-90", "HSPP-91", "HSPP-92", "HSPP-93", "HSPP-94", "HSPP-95", "HSPP-96", "HSPP-97", "HSPP-98", "HSPP-99", "HSPP-100", "HSPP-

101", "HSPP-102", "HSPP-103", "HSPP-104", "HSPP-105", "HSPP-106", "HSPP-107",  
"HSPP-108", "HSPP-109", "HSPP-110", "HSPP-111", "HSPP-112", "HSPP-113", "HSPP-  
114", "HSPP-115", "HSPP-116", "HSPP-117", "HSPP-118", "HSPP-119", "HSPP-120",  
"HSPP-121", "HSPP-122", "HSPP-123", "HSPP-124", "HSPP-125", "HSPP-126",  
5 "HSPP-127", "HSPP-128", "HSPP-129", "HSPP-130", "HSPP-131", "HSPP-132",  
"HSPP-133", and "HSPP-134". In one aspect, the invention provides a substantially  
purified polypeptide comprising an amino acid sequence selected from the group  
consisting of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5,  
SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID  
10 NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16,  
SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ  
ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID  
NO:27, SEQ ID NO: 28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID  
NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37,  
15 SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ  
ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID  
NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53,  
SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ  
ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID  
20 NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69,  
SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ  
ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID  
NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85,  
SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ  
25 ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID  
NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID  
NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID  
NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID  
NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID  
30 NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, SEQ ID  
NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID  
NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID

NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134 (SEQ ID NO:1-134), and fragments thereof.

The invention further provides a substantially purified variant having at least 90% amino acid identity to at least one of the amino acid sequences selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides an isolated and purified polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also includes an isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

Additionally, the invention provides an isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides an isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide encoding the polypeptide comprising the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

The invention also provides an isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID

NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID  
NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID  
NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID  
NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID  
5 NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID  
NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID  
NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID  
NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID  
NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID  
10 NO:241, SEQ ID NO:242, SEQ ID NO:243, SEQ ID NO:244, SEQ ID NO:245, SEQ ID  
NO:246, SEQ ID NO:247, SEQ ID NO:248, SEQ ID NO:249, SEQ ID NO:250, SEQ ID  
NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, SEQ ID NO:255, SEQ ID  
NO:256, SEQ ID NO:257, SEQ ID NO:258, SEQ ID NO:259, SEQ ID NO:260, SEQ ID  
NO:261, SEQ ID NO:262, SEQ ID NO:263, SEQ ID NO:264, SEQ ID NO:265, SEQ ID  
15 NO:266, SEQ ID NO:267, SEQ ID NO:268 (SEQ ID NO:135-268), and fragments  
thereof. The invention further provides an isolated and purified polynucleotide variant  
having at least 90% polynucleotide sequence identity to the polynucleotide sequence  
selected from the group consisting of SEQ ID NO:135-268, and fragments thereof. The  
invention also provides an isolated and purified polynucleotide having a sequence which is  
20 complementary to the polynucleotide comprising a polynucleotide sequence selected from  
the group consisting of SEQ ID NO:135-268, and fragments thereof.

The invention also provides a method for detecting a polynucleotide in a sample  
containing nucleic acids, the method comprising the steps of (a) hybridizing the  
complement of the polynucleotide sequence to at least one of the polynucleotides of the  
25 sample, thereby forming a hybridization complex; and (b) detecting the hybridization  
complex, wherein the presence of the hybridization complex correlates with the presence  
of a polynucleotide in the sample. In one aspect, the method further comprises amplifying  
the polynucleotide prior to hybridization.

The invention further provides an expression vector containing at least a fragment  
30 of the polynucleotide encoding the polypeptide comprising an amino acid sequence  
selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. In  
another aspect, the expression vector is contained within a host cell.

The invention also provides a method for producing a polypeptide, the method comprising the steps of: (a) culturing the host cell containing an expression vector containing at least a fragment of a polynucleotide under conditions suitable for the expression of the polypeptide; and (b) recovering the polypeptide from the host cell  
5 culture.

The invention also provides a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

10 The invention further includes a purified antibody which binds to a polypeptide selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides a purified agonist and a purified antagonist to the polypeptide.

The invention also provides a method for treating or preventing a disorder associated with decreased expression or activity of HSPP, the method comprising  
15 administering to a subject in need of such treatment an effective amount of a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

The invention also provides a method for treating or preventing a disorder  
20 associated with increased expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of an antagonist of a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

25

### BRIEF DESCRIPTION OF THE TABLE

Table 1 shows nucleotide and polypeptide sequence identification numbers (SEQ ID NO), clone identification numbers (clone ID), cDNA libraries, and cDNA fragments used to assemble full-length sequences encoding HSPP.

30 Table 2 shows features of each polypeptide sequence, including predicted signal peptide sequences, and methods and algorithms used for identification of HSPP.

Table 3 shows the tissue-specific expression patterns of each nucleic acid sequence as determined by northern analysis, diseases, disorders, or conditions associated with these tissues, and the vector into which each cDNA was cloned.

Table 4 describes the tissues used to construct the cDNA libraries from which  
5 Incyte cDNA clones encoding HSPP were isolated.

Table 5 shows the programs, their descriptions, references, and threshold parameters used to analyze HSPP.

Table 6 shows the regions of the full-length nucleotide sequences of HSPP to which cDNA fragments of Table 1 correspond.

10

### DESCRIPTION OF THE INVENTION

Before the present proteins, nucleotide sequences, and methods are described, it is understood that this invention is not limited to the particular machines, materials and methods described, as these may vary. It is also to be understood that the terminology  
15 used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims.

It must be noted that as used herein and in the appended claims, the singular forms "a," "an," and "the" include plural reference unless the context clearly dictates otherwise.  
20 Thus, for example, a reference to "a host cell" includes a plurality of such host cells, and a reference to "an antibody" is a reference to one or more antibodies and equivalents thereof known to those skilled in the art, and so forth.

Unless defined otherwise, all technical and scientific terms used herein have the same meanings as commonly understood by one of ordinary skill in the art to which this  
25 invention belongs. Although any machines, materials, and methods similar or equivalent to those described herein can be used to practice or test the present invention, the preferred machines, materials and methods are now described. All publications mentioned herein are cited for the purpose of describing and disclosing the cell lines, protocols, reagents and vectors which are reported in the publications and which might be used in connection with  
30 the invention. Nothing herein is to be construed as an admission that the invention is not entitled to antedate such disclosure by virtue of prior invention.

## DEFINITIONS

"HSPP" refers to the amino acid sequences of substantially purified HSPP obtained from any species, particularly a mammalian species, including bovine, ovine, porcine, murine, equine, and preferably the human species, from any source, whether natural, 5 synthetic, semi-synthetic, or recombinant.

The term "agonist" refers to a molecule which, when bound to HSPP, increases or prolongs the duration of the effect of HSPP. Agonists may include proteins, nucleic acids, carbohydrates, or any other molecules which bind to and modulate the effect of HSPP.

An "allelic variant" is an alternative form of the gene encoding HSPP. Allelic 10 variants may result from at least one mutation in the nucleic acid sequence and may result in altered mRNAs or in polypeptides whose structure or function may or may not be altered. Any given natural or recombinant gene may have none, one, or many allelic forms. Common mutational changes which give rise to allelic variants are generally ascribed to natural deletions, additions, or substitutions of nucleotides. Each of these 15 types of changes may occur alone, or in combination with the others, one or more times in a given sequence.

"Altered" nucleic acid sequences encoding HSPP include those sequences with deletions, insertions, or substitutions of different nucleotides, resulting in a polynucleotide the same as HSPP or a polypeptide with at least one functional characteristic of HSPP. 20 Included within this definition are polymorphisms which may or may not be readily detectable using a particular oligonucleotide probe of the polynucleotide encoding HSPP, and improper or unexpected hybridization to allelic variants, with a locus other than the normal chromosomal locus for the polynucleotide sequence encoding HSPP. The encoded protein may also be "altered," and may contain deletions, insertions, or substitutions of 25 amino acid residues which produce a silent change and result in a functionally equivalent HSPP. Deliberate amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues, as long as the biological or immunological activity of HSPP is retained. For example, negatively charged amino acids may include aspartic acid and glutamic acid, 30 positively charged amino acids may include lysine and arginine, and amino acids with uncharged polar head groups having similar hydrophilicity values may include leucine,

isoleucine, and valine; glycine and alanine; asparagine and glutamine; serine and threonine; and phenylalanine and tyrosine.

The terms "amino acid" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide, or protein sequence, or a fragment of any of these, and to naturally occurring  
5 or synthetic molecules. In this context, "fragments," "immunogenic fragments," or "antigenic fragments" refer to fragments of HSPP which are preferably at least 5 to about 15 amino acids in length, most preferably at least 14 amino acids, and which retain some biological activity or immunological activity of HSPP. Where "amino acid sequence" is recited to refer to an amino acid sequence of a naturally occurring protein molecule,  
10 "amino acid sequence" and like terms are not meant to limit the amino acid sequence to the complete native amino acid sequence associated with the recited protein molecule.

"Amplification" relates to the production of additional copies of a nucleic acid sequence. Amplification is generally carried out using polymerase chain reaction (PCR) technologies well known in the art.

15 The term "antagonist" refers to a molecule which, when bound to HSPP, decreases the amount or the duration of the effect of the biological or immunological activity of HSPP. Antagonists may include proteins, nucleic acids, carbohydrates, antibodies, or any other molecules which decrease the effect of HSPP.

The term "antibody" refers to intact molecules as well as to fragments thereof, such  
20 as Fab, F(ab')<sub>2</sub>, and Fv fragments, which are capable of binding the epitopic determinant. Antibodies that bind HSPP polypeptides can be prepared using intact polypeptides or using fragments containing small peptides of interest as the immunizing antigen. The polypeptide or oligopeptide used to immunize an animal (e.g., a mouse, a rat, or a rabbit) can be derived from the translation of RNA, or synthesized chemically, and can be  
25 conjugated to a carrier protein if desired. Commonly used carriers that are chemically coupled to peptides include bovine serum albumin, thyroglobulin, and keyhole limpet hemocyanin (KLH). The coupled peptide is then used to immunize the animal.

The term "antigenic determinant" refers to that fragment of a molecule (i.e., an epitope) that makes contact with a particular antibody. When a protein or a fragment of a  
30 protein is used to immunize a host animal, numerous regions of the protein may induce the production of antibodies which bind specifically to antigenic determinants (given regions or three-dimensional structures on the protein). An antigenic determinant may compete



with the intact antigen (i.e., the immunogen used to elicit the immune response) for binding to an antibody.

The term "antisense" refers to any composition containing a nucleic acid sequence which is complementary to the "sense" strand of a specific nucleic acid sequence.

- 5 Antisense molecules may be produced by any method including synthesis or transcription. Once introduced into a cell, the complementary nucleotides combine with natural sequences produced by the cell to form duplexes and to block either transcription or translation. The designation "negative" can refer to the antisense strand, and the designation "positive" can refer to the sense strand.

- 10 The term "biologically active," refers to a protein having structural, regulatory, or biochemical functions of a naturally occurring molecule. Likewise, "immunologically active" refers to the capability of the natural, recombinant, or synthetic HSPP, or of any oligopeptide thereof, to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

- 15 The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence "5' A-G-T 3'" bonds to the complementary sequence "3' T-C-A 5'." Complementarity between two single-stranded molecules may be "partial," such that only some of the nucleic acids bind, or it may be "complete," such that total complementarity exists between the single stranded molecules.
- 20 The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands. This is of particular importance in amplification reactions, which depend upon binding between nucleic acids strands, and in the design and use of peptide nucleic acid (PNA) molecules.

- A "composition comprising a given polynucleotide sequence" or a "composition comprising a given amino acid sequence" refer broadly to any composition containing the given polynucleotide or amino acid sequence. The composition may comprise a dry formulation or an aqueous solution. Compositions comprising polynucleotide sequences encoding HSPP or fragments of HSPP may be employed as hybridization probes. The probes may be stored in freeze-dried form and may be associated with a stabilizing agent
- 25 such as a carbohydrate. In hybridizations, the probe may be deployed in an aqueous solution containing salts (e.g., NaCl), detergents (e.g., sodium dodecyl sulfate; SDS), and other components (e.g., Denhardt's solution, dry milk, salmon sperm DNA, etc.).
- 30

“Consensus sequence” refers to a nucleic acid sequence which has been resequenced to resolve uncalled bases, extended using XL-PCR kit (Perkin-Elmer, Norwalk CT) in the 5' and/or the 3' direction, and resequenced, or which has been assembled from the overlapping sequences of more than one Incyte Clone using a computer program for fragment assembly, such as the GELVIEW Fragment Assembly system (GCG, Madison WI). Some sequences have been both extended and assembled to produce the consensus sequence.

The term “correlates with expression of a polynucleotide” indicates that the detection of the presence of nucleic acids, the same or related to a nucleic acid sequence encoding HSPP, by northern analysis is indicative of the presence of nucleic acids encoding HSPP in a sample, and thereby correlates with expression of the transcript from the polynucleotide encoding HSPP.

A “deletion” refers to a change in the amino acid or nucleotide sequence that results in the absence of one or more amino acid residues or nucleotides.

The term “derivative” refers to the chemical modification of a polypeptide sequence, or a polynucleotide sequence. Chemical modifications of a polynucleotide sequence can include, for example, replacement of hydrogen by an alkyl, acyl, or amino group. A derivative polynucleotide encodes a polypeptide which retains at least one biological or immunological function of the natural molecule. A derivative polypeptide is one modified by glycosylation, pegylation, or any similar process that retains at least one biological or immunological function of the polypeptide from which it was derived.

The term “similarity” refers to a degree of complementarity. There may be partial similarity or complete similarity. The word “identity” may substitute for the word “similarity.” A partially complementary sequence that at least partially inhibits an identical sequence from hybridizing to a target nucleic acid is referred to as “substantially similar.” The inhibition of hybridization of the completely complementary sequence to the target sequence may be examined using a hybridization assay (Southern or northern blot, solution hybridization, and the like) under conditions of reduced stringency. A substantially similar sequence or hybridization probe will compete for and inhibit the binding of a completely similar (identical) sequence to the target sequence under conditions of reduced stringency. This is not to say that conditions of reduced stringency are such that non-specific binding is permitted, as reduced stringency conditions require

that the binding of two sequences to one another be a specific (i.e., a selective) interaction. The absence of non-specific binding may be tested by the use of a second target sequence which lacks even a partial degree of complementarity (e.g., less than about 30% similarity or identity). In the absence of non-specific binding, the substantially similar sequence or  
5 probe will not hybridize to the second non-complementary target sequence.

The phrases "percent identity" or "% identity" refer to the percentage of sequence similarity found in a comparison of two or more amino acid or nucleic acid sequences. Percent identity can be determined electronically, e.g., by using the MEGALIGN program (DNASTAR, Madison WI) which creates alignments between two or more sequences  
10 according to methods selected by the user, e.g., the clustal method. (See, e.g., Higgins, D.G. and P.M. Sharp (1988) Gene 73:237-244.) The clustal algorithm groups sequences into clusters by examining the distances between all pairs. The clusters are aligned pairwise and then in groups. The percentage similarity between two amino acid sequences, e.g., sequence A and sequence B, is calculated by dividing the length of  
15 sequence A, minus the number of gap residues in sequence A, minus the number of gap residues in sequence B, into the sum of the residue matches between sequence A and sequence B, times one hundred. Gaps of low or of no similarity between the two amino acid sequences are not included in determining percentage similarity. Percent identity between nucleic acid sequences can also be counted or calculated by other methods known  
20 in the art, e.g., the Jotun Hein method. (See, e.g., Hein, J. (1990) Methods Enzymol. 183:626-645.) Identity between sequences can also be determined by other methods known in the art, e.g., by varying hybridization conditions.

"Human artificial chromosomes" (HACs) are linear microchromosomes which may contain DNA sequences of about 6 kb to 10 Mb in size, and which contain all of the  
25 elements required for stable mitotic chromosome segregation and maintenance.

The term "humanized antibody" refers to antibody molecules in which the amino acid sequence in the non-antigen binding regions has been altered so that the antibody more closely resembles a human antibody, and still retains its original binding ability.

"Hybridization" refers to any process by which a strand of nucleic acid binds with  
30 a complementary strand through base pairing.

The term "hybridization complex" refers to a complex formed between two nucleic acid sequences by virtue of the formation of hydrogen bonds between complementary

bases. A hybridization complex may be formed in solution (e.g.,  $C_0t$  or  $R_0t$  analysis) or formed between one nucleic acid sequence present in solution and another nucleic acid sequence immobilized on a solid support (e.g., paper, membranes, filters, chips, pins or glass slides, or any other appropriate substrate to which cells or their nucleic acids have  
5 been fixed).

The words "insertion" or "addition" refer to changes in an amino acid or nucleotide sequence resulting in the addition of one or more amino acid residues or nucleotides, respectively, to the sequence found in the naturally occurring molecule.

"Immune response" can refer to conditions associated with inflammation, trauma,  
10 immune disorders, or infectious or genetic disease, etc. These conditions can be characterized by expression of various factors, e.g., cytokines, chemokines, and other signaling molecules, which may affect cellular and systemic defense systems.

The term "microarray" refers to an arrangement of distinct polynucleotides on a substrate.

15 The terms "element" or "array element" in a microarray context, refer to hybridizable polynucleotides arranged on the surface of a substrate.

The term "modulate" refers to a change in the activity of HSPP. For example, modulation may cause an increase or a decrease in protein activity, binding characteristics, or any other biological, functional, or immunological properties of HSPP.

20 The phrases "nucleic acid" or "nucleic acid sequence," as used herein, refer to a nucleotide, oligonucleotide, polynucleotide, or any fragment thereof. These phrases also refer to DNA or RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may represent the sense or the antisense strand, to peptide nucleic acid (PNA), or to any DNA-like or RNA-like material. In this context, "fragments" refers  
25 to those nucleic acid sequences which, comprise a region of unique polynucleotide sequence that specifically identifies SEQ ID NO:135-268, for example, as distinct from any other sequence in the same genome. For example, a fragment of SEQ ID NO:135-268 is useful in hybridization and amplification technologies and in analogous methods that distinguish SEQ ID NO:135-268 from related polynucleotide sequences. A fragment of  
30 SEQ ID NO:135-268 is at least about 15-20 nucleotides in length. The precise length of the fragment of SEQ ID NO:135-268 and the region of SEQ ID NO:135-268 to which the fragment corresponds are routinely determinable by one of ordinary skill in the art based

on the intended purpose for the fragment. In some cases, a fragment, when translated, would produce polypeptides retaining some functional characteristic, e.g., antigenicity, or structural domain characteristic, e.g., ATP-binding site, of the full-length polypeptide.

The terms "operably associated" or "operably linked" refer to functionally related  
5 nucleic acid sequences. A promoter is operably associated or operably linked with a coding sequence if the promoter controls the translation of the encoded polypeptide. While operably associated or operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain genetic elements, e.g., repressor genes, are not contiguously linked to the sequence encoding the polypeptide but still bind to operator  
10 sequences that control expression of the polypeptide.

The term "oligonucleotide" refers to a nucleic acid sequence of at least about 6 nucleotides to 60 nucleotides, preferably about 15 to 30 nucleotides, and most preferably about 20 to 25 nucleotides, which can be used in PCR amplification or in a hybridization assay or microarray. "Oligonucleotide" is substantially equivalent to the terms  
15 "amplimer," "primer," "oligomer," and "probe," as these terms are commonly defined in the art.

"Peptide nucleic acid" (PNA) refers to an antisense molecule or anti-gene agent which comprises an oligonucleotide of at least about 5 nucleotides in length linked to a peptide backbone of amino acid residues ending in lysine. The terminal lysine confers  
20 solubility to the composition. PNAs preferentially bind complementary single stranded DNA or RNA and stop transcript elongation, and may be pegylated to extend their lifespan in the cell.

The term "sample" is used in its broadest sense. A sample suspected of containing nucleic acids encoding HSPP, or fragments thereof, or HSPP itself, may comprise a bodily  
25 fluid; an extract from a cell, chromosome, organelle, or membrane isolated from a cell; a cell; genomic DNA, RNA, or cDNA, in solution or bound to a substrate; a tissue; a tissue print; etc.

The terms "specific binding" or "specifically binding" refer to that interaction between a protein or peptide and an agonist, an antibody, or an antagonist. The interaction  
30 is dependent upon the presence of a particular structure of the protein, e.g., the antigenic determinant or epitope, recognized by the binding molecule. For example, if an antibody is specific for epitope "A," the presence of a polypeptide containing the epitope A, or the

presence of free unlabeled A, in a reaction containing free labeled A and the antibody will reduce the amount of labeled A that binds to the antibody.

The term "stringent conditions" refers to conditions which permit hybridization between polynucleotides and the claimed polynucleotides. Stringent conditions can be defined by salt concentration, the concentration of organic solvent, e.g., formamide, temperature, and other conditions well known in the art. In particular, stringency can be increased by reducing the concentration of salt, increasing the concentration of formamide, or raising the hybridization temperature.

The term "substantially purified" refers to nucleic acid or amino acid sequences that are removed from their natural environment and are isolated or separated, and are at least about 60% free, preferably about 75% free, and most preferably about 90% free from other components with which they are naturally associated.

A "substitution" refers to the replacement of one or more amino acids or nucleotides by different amino acids or nucleotides, respectively.

"Substrate" refers to any suitable rigid or semi-rigid support including membranes, filters, chips, slides, wafers, fibers, magnetic or nonmagnetic beads, gels, tubing, plates, polymers, microparticles and capillaries. The substrate can have a variety of surface forms, such as wells, trenches, pins, channels and pores, to which polynucleotides or polypeptides are bound.

"Transformation" describes a process by which exogenous DNA enters and changes a recipient cell. Transformation may occur under natural or artificial conditions according to various methods well known in the art, and may rely on any known method for the insertion of foreign nucleic acid sequences into a prokaryotic or eukaryotic host cell. The method for transformation is selected based on the type of host cell being transformed and may include, but is not limited to, viral infection, electroporation, heat shock, lipofection, and particle bombardment. The term "transformed" cells includes stably transformed cells in which the inserted DNA is capable of replication either as an autonomously replicating plasmid or as part of the host chromosome, as well as transiently transformed cells which express the inserted DNA or RNA for limited periods of time.

A "variant" of HSPP polypeptides refers to an amino acid sequence that is altered by one or more amino acid residues. The variant may have "conservative" changes, wherein a substituted amino acid has similar structural or chemical properties (e.g.,

replacement of leucine with isoleucine). More rarely, a variant may have “nonconservative” changes (e.g., replacement of glycine with tryptophan). Analogous minor variations may also include amino acid deletions or insertions, or both. Guidance in determining which amino acid residues may be substituted, inserted, or deleted without  
5 abolishing biological or immunological activity may be found using computer programs well known in the art, for example, LASERGENE software (DNASTAR).

The term “variant,” when used in the context of a polynucleotide sequence, may encompass a polynucleotide sequence related to HSPP. This definition may also include, for example, “allelic” (as defined above), “splice,” “species,” or “polymorphic” variants.  
10 A splice variant may have significant identity to a reference molecule, but will generally have a greater or lesser number of polynucleotides due to alternate splicing of exons during mRNA processing. The corresponding polypeptide may possess additional functional domains or an absence of domains. Species variants are polynucleotide sequences that vary from one species to another. The resulting polypeptides generally will  
15 have significant amino acid identity relative to each other. A polymorphic variant is a variation in the polynucleotide sequence of a particular gene between individuals of a given species. Polymorphic variants also may encompass “single nucleotide polymorphisms” (SNPs) in which the polynucleotide sequence varies by one base. The presence of SNPs may be indicative of, for example, a certain population, a disease state,  
20 or a propensity for a disease state.

## THE INVENTION

The invention is based on the discovery of new human signal peptide-containing proteins (HSPP), the polynucleotides encoding HSPP, and the use of these compositions  
25 for the diagnosis, treatment, or prevention of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders.

Table 1 lists the Incyte Clones used to derive full length nucleotide sequences encoding HSPP. Columns 1 and 2 show the sequence identification numbers (SEQ ID  
30 NO) of the amino acid and nucleic acid sequences, respectively. Column 3 shows the Clone ID of the Incyte Clone in which nucleic acids encoding each HSPP were identified, and column 4, the cDNA libraries from which these clones were isolated. Column 5

shows Incyte clones, their corresponding cDNA libraries, and shotgun sequences. The clones and shotgun sequences are part of the consensus nucleotide sequence of each HSPP and are useful as fragments in hybridization technologies.

Table 6 shows the regions of the full-length nucleotide sequences of HSPP to which cDNA fragments of Table 1 correspond. Column 1 lists nucleotide sequence identifiers and column 2 shows the clone ID of the Incyte clone in which nucleic acids encoding each HSPP were identified. Column 3 shows Incyte clones and shotgun sequences which are part of the consensus nucleotide sequence of each HSPP and are useful as fragments in hybridization technologies. Column 4 lists the starting nucleotide position and column 5 the ending nucleotide position of the region of the full-length HSPP to which the cDNA fragment corresponds.

The columns of Table 2 show various properties of the polypeptides of the invention: column 1 references the SEQ ID NO; column 2 shows the number of amino acid residues in each polypeptide; column 3, potential phosphorylation sites; column 4, potential glycosylation sites; column 5, the amino acid residues comprising signature sequences and motifs; column 6, the identity of each protein; and column 7, analytical methods used to identify each HSPP as a signal peptide-containing protein. Note that in column 5, the first line of each cell lists the amino acid residues comprising predicted signal peptide sequences. Additional identifying motifs or signatures are also listed in column 5. Of particular note is the presence of a glycosyl hydrolase family 9 active site signature in SEQ ID NO:126, a ribosomal protein S18 signature in SEQ ID NO:127, an adrenodoxin family iron-sulfur binding region signature and a cytochrome c family heme-binding site signature in SEQ ID NO:132, and a urotensin II signature sequence in SEQ ID NO:96.

Using BLAST, SEQ ID NO:68 (HSPP-68) has been identified as a TWIK-related acid-sensitive  $K^+$  channel, and SEQ ID NO:92 (HSPP-92) has been identified as a tyrosine-specific protein phosphatase. The tyrosine-specific protein phosphatases signature in SEQ ID NO:92 (HSPP-92) from about V328 through about F340 (including the putative active site cysteine residue at C330) was identified using BLOCKS and PRINTS. Also of note is the identification of SEQ ID NO:66 (HSPP-66) as a steroid binding protein using BLAST.



The columns of Table 3 show the tissue-specificity and diseases, disorders, or conditions associated with nucleotide sequences encoding HSPP. The first column of Table 3 lists the nucleotide sequence identifiers. The second column lists tissue categories which express HSPP as a fraction of total tissue categories expressing HSPP. The third column lists the diseases, disorders, or conditions associated with those tissues expressing HSPP. The fourth column lists the vectors used to subclone the cDNA library. Of particular note is the expression of SEQ ID NO:200, SEQ ID NO:203, and SEQ ID NO:225 in lung tissues; the expression of SEQ ID NO:212, SEQ ID NO:216, and SEQ ID NO:220 in reproductive tissues; the expression of SEQ ID NO:223 in cancerous tissues; the expression of SEQ ID NO:232 in gastrointestinal tissue, specifically the small intestine or colon (fifteen out of sixteen (93.8%) cDNA libraries); and the expression of SEQ ID NO:224 in cancerous and proliferating tissues. Also of particular interest is the tissue-specific expression of SEQ ID NO:252 and SEQ ID NO:257. SEQ ID NO:252 is derived from OVARTUT01, an ovarian tumor cDNA library and is exclusively expressed in reproductive tumor tissue. SEQ ID NO:257 is derived from THP1AZT01, a 5-aza-2'-deoxycytidine treated human promonocyte cDNA library and is exclusively expressed in hematopoietic tissue.

The following fragments of the nucleotide sequences encoding HSPP are useful in hybridization or amplification technologies to identify SEQ ID NO:135-268 and to distinguish between SEQ ID NO:135-268 and related polynucleotide sequences. The useful fragments are the fragment of SEQ ID NO:230 from about nucleotide 75 to about nucleotide 104; the fragment of SEQ ID NO:231 from about nucleotide 210 to about nucleotide 239; the fragment of SEQ ID NO:232 from about nucleotide 157 to about nucleotide 186; the fragment of SEQ ID NO:233 from about nucleotide 268 to about nucleotide 297; the fragment of SEQ ID NO:234 from about nucleotide 160 to about nucleotide 186; the fragment of SEQ ID NO:235 from about nucleotide 201 to about nucleotide 230; the fragment of SEQ ID NO:236 from about nucleotide 165 to about nucleotide 194; the fragment of SEQ ID NO:237 from about nucleotide 366 to about nucleotide 395; the fragment of SEQ ID NO:238 from about nucleotide 714 to about nucleotide 743; the fragment of SEQ ID NO:239 from about nucleotide 1731 to about nucleotide 1760; the fragment of SEQ ID NO:240 from about nucleotide 419 to about nucleotide 448; the fragment of SEQ ID NO:241 from about nucleotide 494 to about

nucleotide 523; the fragment of SEQ ID NO:242 from about nucleotide 100 to about nucleotide 129; the fragment of SEQ ID NO:243 from about nucleotide 104 to about nucleotide 133; the fragment of SEQ ID NO:244 from about nucleotide 136 to about nucleotide 165; the fragment of SEQ ID NO:245 from about nucleotide 140 to about  
5 nucleotide 169; the fragment of SEQ ID NO:246 from about nucleotide 125 to about nucleotide 154; the fragment of SEQ ID NO:247 from about nucleotide 687 to about nucleotide 758; the fragment of SEQ ID NO:248 from about nucleotide 327 to about nucleotide 398; the fragment of SEQ ID NO:249 from about nucleotide 741 to about nucleotide 785; the fragment of SEQ ID NO:250 from about nucleotide 184 to about  
10 nucleotide 255; the fragment of SEQ ID NO:251 from about nucleotide 165 to about nucleotide 242; the fragment of SEQ ID NO:252 from about nucleotide 271 to about nucleotide 342; the fragment of SEQ ID NO:253 from about nucleotide 1081 to about nucleotide 1152; the fragment of SEQ ID NO:254 from about nucleotide 781 to about nucleotide 852; the fragment of SEQ ID NO:255 from about nucleotide 620 to about  
15 nucleotide 691; the fragment of SEQ ID NO:256 from about nucleotide 872 to about nucleotide 916; the fragment of SEQ ID NO:257 from about nucleotide 242 to about nucleotide 313; the fragment of SEQ ID NO:258 from about nucleotide 595 to about nucleotide 648; the fragment of SEQ ID NO:259 from about nucleotide 163 to about nucleotide 216; the fragment of SEQ ID NO:260 from about nucleotide 244 to about  
20 nucleotide 315; the fragment of SEQ ID NO:261 from about nucleotide 75 to about nucleotide 128; the fragment of SEQ ID NO:262 from about nucleotide 650 to about nucleotide 703; the fragment of SEQ ID NO:263 from about nucleotide 143 to about nucleotide 214; the fragment of SEQ ID NO:264 from about nucleotide 434 to about nucleotide 487; the fragment of SEQ ID NO:265 from about nucleotide 218 to about  
25 nucleotide 271; the fragment of SEQ ID NO:266 from about nucleotide 89 to about nucleotide 145; the fragment of SEQ ID NO:267 from about nucleotide 198 to about nucleotide 254; and the fragment of SEQ ID NO:268 from about nucleotide 10 to about nucleotide 54.

The invention also encompasses HSPP variants. A preferred HSPP variant is one  
30 which has at least about 80%, more preferably at least about 90%, and most preferably at least about 95% amino acid sequence identity to the HSPP amino acid sequence, and which contains at least one functional or structural characteristic of HSPP.

The invention also encompasses polynucleotides which encode HSPP. In a particular embodiment, the invention encompasses a polynucleotide sequence comprising a sequence selected from the group consisting of SEQ ID NO:135-268, which encodes HSPP.

5 The invention also encompasses a variant of a polynucleotide sequence encoding HSPP. In particular, such a variant polynucleotide sequence will have at least about 80%, more preferably at least about 90%, and most preferably at least about 95% polynucleotide sequence identity to the polynucleotide sequence encoding HSPP. A particular aspect of the invention encompasses a variant of a polynucleotide sequence comprising a sequence  
10 selected from the group consisting of SEQ ID NO:135-268 which has at least about 80%, more preferably at least about 90%, and most preferably at least about 95% polynucleotide sequence identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO:135-268. Any one of the polynucleotide variants described above can encode an amino acid sequence which contains at least one functional or structural characteristic of  
15 HSPP.

It will be appreciated by those skilled in the art that as a result of the degeneracy of the genetic code, a multitude of polynucleotide sequences encoding HSPP, some bearing minimal similarity to the polynucleotide sequences of any known and naturally occurring gene, may be produced. Thus, the invention contemplates each and every possible  
20 variation of polynucleotide sequence that could be made by selecting combinations based on possible codon choices. These combinations are made in accordance with the standard triplet genetic code as applied to the polynucleotide sequence of naturally occurring HSPP, and all such variations are to be considered as being specifically disclosed.

Although nucleotide sequences which encode HSPP and its variants are preferably  
25 capable of hybridizing to the nucleotide sequence of the naturally occurring HSPP under appropriately selected conditions of stringency, it may be advantageous to produce nucleotide sequences encoding HSPP or its derivatives possessing a substantially different codon usage, e.g., inclusion of non-naturally occurring codons. Codons may be selected to increase the rate at which expression of the peptide occurs in a particular prokaryotic or  
30 eukaryotic host in accordance with the frequency with which particular codons are utilized by the host. Other reasons for substantially altering the nucleotide sequence encoding HSPP and its derivatives without altering the encoded amino acid sequences include the

production of RNA transcripts having more desirable properties, such as a greater half-life, than transcripts produced from the naturally occurring sequence.

The invention also encompasses production of DNA sequences which encode HSPP and HSPP derivatives, or fragments thereof, entirely by synthetic chemistry. After  
5 production, the synthetic sequence may be inserted into any of the many available expression vectors and cell systems using reagents well known in the art. Moreover, synthetic chemistry may be used to introduce mutations into a sequence encoding HSPP or any fragment thereof.

Also encompassed by the invention are polynucleotide sequences that are capable  
10 of hybridizing to the claimed polynucleotide sequences, and, in particular, to those shown in SEQ ID NO:135-268 and fragments thereof under various conditions of stringency. (See, e.g., Wahl, G.M. and S.L. Berger (1987) *Methods Enzymol.* 152:399-407; Kimmel, A.R. (1987) *Methods Enzymol.* 152:507-511.) For example, stringent salt concentration will ordinarily be less than about 750 mM NaCl and 75 mM trisodium citrate, preferably  
15 less than about 500 mM NaCl and 50 mM trisodium citrate, and most preferably less than about 250 mM NaCl and 25 mM trisodium citrate. Low stringency hybridization can be obtained in the absence of organic solvent, e.g., formamide, while high stringency hybridization can be obtained in the presence of at least about 35% formamide, and most preferably at least about 50% formamide. Stringent temperature conditions will ordinarily  
20 include temperatures of at least about 30°C, more preferably of at least about 37°C, and most preferably of at least about 42°C. Varying additional parameters, such as hybridization time, the concentration of detergent, e.g., sodium dodecyl sulfate (SDS), and the inclusion or exclusion of carrier DNA, are well known to those skilled in the art. Various levels of stringency are accomplished by combining these various conditions as  
25 needed. In a preferred embodiment, hybridization will occur at 30°C in 750 mM NaCl, 75 mM trisodium citrate, and 1% SDS. In a more preferred embodiment, hybridization will occur at 37°C in 500 mM NaCl, 50 mM trisodium citrate, 1% SDS, 35% formamide, and 100 µg/ml denatured salmon sperm DNA (ssDNA). In a most preferred embodiment, hybridization will occur at 42°C in 250 mM NaCl, 25 mM trisodium citrate, 1% SDS, 50  
30 % formamide, and 200 µg/ml ssDNA. Useful variations on these conditions will be readily apparent to those skilled in the art.

The washing steps which follow hybridization can also vary in stringency. Wash stringency conditions can be defined by salt concentration and by temperature. As above, wash stringency can be increased by decreasing salt concentration or by increasing temperature. For example, stringent salt concentration for the wash steps will preferably be less than about 30 mM NaCl and 3 mM trisodium citrate, and most preferably less than about 15 mM NaCl and 1.5 mM trisodium citrate. Stringent temperature conditions for the wash steps will ordinarily include temperature of at least about 25°C, more preferably of at least about 42°C, and most preferably of at least about 68°C. In a preferred embodiment, wash steps will occur at 25°C in 30 mM NaCl, 3 mM trisodium citrate, and 0.1% SDS. In a more preferred embodiment, wash steps will occur at 42°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. In a most preferred embodiment, wash steps will occur at 68°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. Additional variations on these conditions will be readily apparent to those skilled in the art.

Methods for DNA sequencing are well known in the art and may be used to practice any of the embodiments of the invention. The methods may employ such enzymes as the Klenow fragment of DNA polymerase I, SEQUENASE (US Biochemical, Cleveland OH), Taq polymerase (Perkin-Elmer), thermostable T7 polymerase (Amersham Pharmacia Biotech, Piscataway NJ), or combinations of polymerases and proofreading exonucleases such as those found in the ELONGASE amplification system (Life Technologies, Gaithersburg MD). Preferably, sequence preparation is automated with machines such as the Hamilton MICROLAB 2200 (Hamilton, Reno NV), Peltier Thermal Cycler 200 (PTC200; MJ Research, Watertown MA) and the ABI CATALYST 800 (Perkin-Elmer). Sequencing is then carried out using either ABI 373 or 377 DNA sequencing systems (Perkin-Elmer) or the MEGABACE 1000 DNA sequencing system (Molecular Dynamics, Sunnyvale CA). The resulting sequences are analyzed using a variety of algorithms which are well known in the art. (See, e.g., Ausubel, F.M. (1997) Short Protocols in Molecular Biology, John Wiley & Sons, New York NY, unit 7.7; Meyers, R.A. (1995) Molecular Biology and Biotechnology, Wiley VCH, New York NY, pp. 856-853.)

The nucleic acid sequences encoding HSPP may be extended utilizing a partial nucleotide sequence and employing various PCR-based methods known in the art to detect

upstream sequences, such as promoters and regulatory elements. For example, one method which may be employed, restriction-site PCR, uses universal and nested primers to amplify unknown sequence from genomic DNA within a cloning vector. (See, e.g., Sarkar, G. (1993) PCR Methods Applic. 2:318-322.) Another method, inverse PCR, uses  
5 primers that extend in divergent directions to amplify unknown sequence from a circularized template. The template is derived from restriction fragments comprising a known genomic locus and surrounding sequences. (See, e.g., Triglia, T. et al. (1988) Nucleic Acids Res. 16:8186.) A third method, capture PCR, involves PCR amplification of DNA fragments adjacent to known sequences in human and yeast artificial chromosome  
10 DNA. (See, e.g., Lagerstrom, M. et al. (1991) PCR Methods Applic. 1:111-119.) In this method, multiple restriction enzyme digestions and ligations may be used to insert an engineered double-stranded sequence into a region of unknown sequence before performing PCR. Other methods which may be used to retrieve unknown sequences are known in the art. (See, e.g., Parker, J.D. et al. (1991) Nucleic Acids Res. 19:3055-306).  
15 Additionally, one may use PCR, nested primers, and PROMOTERFINDER libraries (Clontech, Palo Alto CA) to walk genomic DNA. This procedure avoids the need to screen libraries and is useful in finding intron/exon junctions. For all PCR-based methods, primers may be designed using commercially available software, such as OLIGO 4.06 Primer Analysis software (National Biosciences, Plymouth MN) or another appropriate  
20 program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the template at temperatures of about 68°C to 72°C.

When screening for full-length cDNAs, it is preferable to use libraries that have been size-selected to include larger cDNAs. In addition, random-primed libraries, which often include sequences containing the 5' regions of genes, are preferable for situations in  
25 which an oligo d(T) library does not yield a full-length cDNA. Genomic libraries may be useful for extension of sequence into 5' non-transcribed regulatory regions.

Capillary electrophoresis systems which are commercially available may be used to analyze the size or confirm the nucleotide sequence of sequencing or PCR products. In particular, capillary sequencing may employ flowable polymers for electrophoretic  
30 separation, four different nucleotide-specific, laser-stimulated fluorescent dyes, and a charge coupled device camera for detection of the emitted wavelengths. Output/light intensity may be converted to electrical signal using appropriate software (e.g.,

GENOTYPER and SEQUENCE NAVIGATOR, Perkin-Elmer), and the entire process from loading of samples to computer analysis and electronic data display may be computer controlled. Capillary electrophoresis is especially preferable for sequencing small DNA fragments which may be present in limited amounts in a particular sample.

5 In another embodiment of the invention, polynucleotide sequences or fragments thereof which encode HSPP may be cloned in recombinant DNA molecules that direct expression of HSPP, or fragments or functional equivalents thereof, in appropriate host cells. Due to the inherent degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be  
10 produced and used to express HSPP.

The nucleotide sequences of the present invention can be engineered using methods generally known in the art in order to alter HSPP-encoding sequences for a variety of purposes including, but not limited to, modification of the cloning, processing, and/or expression of the gene product. DNA shuffling by random fragmentation and PCR  
15 reassembly of gene fragments and synthetic oligonucleotides may be used to engineer the nucleotide sequences. For example, oligonucleotide-mediated site-directed mutagenesis may be used to introduce mutations that create new restriction sites, alter glycosylation patterns, change codon preference, produce splice variants, and so forth.

In another embodiment, sequences encoding HSPP may be synthesized, in whole  
20 or in part, using chemical methods well known in the art. (See, e.g., Caruthers, M.H. et al. (1980) Nucl. Acids Res. Symp. Ser. 215-223, and Horn, T. et al. (1980) Nucl. Acids Res. Symp. Ser. 225-232.) Alternatively, HSPP itself or a fragment thereof may be synthesized using chemical methods. For example, peptide synthesis can be performed using various solid-phase techniques. (See, e.g., Roberge, J.Y. et al. (1995) Science 269:202-204.)  
25 Automated synthesis may be achieved using the ABI 431A Peptide Synthesizer (Perkin-Elmer). Additionally, the amino acid sequence of HSPP, or any part thereof, may be altered during direct synthesis and/or combined with sequences from other proteins, or any part thereof, to produce a variant polypeptide.

The peptide may be substantially purified by preparative high performance liquid  
30 chromatography. (See, e.g., Chiez, R.M. and F.Z. Regnier (1990) Methods Enzymol. 182:392-421.) The composition of the synthetic peptides may be confirmed by amino acid

analysis or by sequencing. (See, e.g., Creighton, T. (1984) Proteins, Structures and Molecular Properties, WH Freeman, New York NY.)

In order to express a biologically active HSPP, the nucleotide sequences encoding HSPP or derivatives thereof may be inserted into an appropriate expression vector, i.e., a  
5 vector which contains the necessary elements for transcriptional and translational control of the inserted coding sequence in a suitable host. These elements include regulatory sequences, such as enhancers, constitutive and inducible promoters, and 5' and 3' untranslated regions in the vector and in polynucleotide sequences encoding HSPP. Such elements may vary in their strength and specificity. Specific initiation signals may also be  
10 used to achieve more efficient translation of sequences encoding HSPP. Such signals include the ATG initiation codon and adjacent sequences, e.g. the Kozak sequence. In cases where sequences encoding HSPP and its initiation codon and upstream regulatory sequences are inserted into the appropriate expression vector, no additional transcriptional or translational control signals may be needed. However, in cases where only coding  
15 sequence, or a fragment thereof, is inserted, exogenous translational control signals including an in-frame ATG initiation codon should be provided by the vector. Exogenous translational elements and initiation codons may be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate for the particular host cell system used. (See, e.g., Scharf, D. et al. (1994)  
20 Results Probl. Cell Differ. 20:125-162.)

Methods which are well known to those skilled in the art may be used to construct expression vectors containing sequences encoding HSPP and appropriate transcriptional and translational control elements. These methods include in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. (See, e.g., Sambrook,  
25 J. et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Plainview NY, ch. 4, 8, and 16-17; Ausubel, F.M. et al. (1995) Current Protocols in Molecular Biology, John Wiley & Sons, New York NY, ch. 9, 13, and 16.)

A variety of expression vector/host systems may be utilized to contain and express sequences encoding HSPP. These include, but are not limited to, microorganisms such as  
30 bacteria transformed with recombinant bacteriophage, plasmid, or cosmid DNA expression vectors; yeast transformed with yeast expression vectors; insect cell systems infected with viral expression vectors (e.g., baculovirus); plant cell systems transformed with viral



expression vectors (e.g., cauliflower mosaic virus, CaMV, or tobacco mosaic virus, TMV) or with bacterial expression vectors (e.g., Ti or pBR322 plasmids); or animal cell systems. The invention is not limited by the host cell employed.

In bacterial systems, a number of cloning and expression vectors may be selected depending upon the use intended for polynucleotide sequences encoding HSPP. For example, routine cloning, subcloning, and propagation of polynucleotide sequences encoding HSPP can be achieved using a multifunctional E. coli vector such as PBLUESCRIPT (Stratagene, La Jolla CA) or pSPORT1 plasmid (Life Technologies). Ligation of sequences encoding HSPP into the vector's multiple cloning site disrupts the *lacZ* gene, allowing a colorimetric screening procedure for identification of transformed bacteria containing recombinant molecules. In addition, these vectors may be useful for in vitro transcription, dideoxy sequencing, single strand rescue with helper phage, and creation of nested deletions in the cloned sequence. (See, e.g., Van Heeke, G. and S.M. Schuster (1989) J. Biol. Chem. 264:5503-5509.) When large quantities of HSPP are needed, e.g. for the production of antibodies, vectors which direct high level expression of HSPP may be used. For example, vectors containing the strong, inducible T5 or T7 bacteriophage promoter may be used.

Yeast expression systems may be used for production of HSPP. A number of vectors containing constitutive or inducible promoters, such as alpha factor, alcohol oxidase, and PGH, may be used in the yeast Saccharomyces cerevisiae or Pichia pastoris. In addition, such vectors direct either the secretion or intracellular retention of expressed proteins and enable integration of foreign sequences into the host genome for stable propagation. (See, e.g., Ausubel, 1995, supra; Grant et al. (1987) Methods Enzymol. 153:516-54; and Scorer, C. A. et al. (1994) Bio/Technology 12:181-184.)

Plant systems may also be used for expression of HSPP. Transcription of sequences encoding HSPP may be driven viral promoters, e.g., the 35S and 19S promoters of CaMV used alone or in combination with the omega leader sequence from TMV (Takamatsu, N. (1987) EMBO J. 6:307-311). Alternatively, plant promoters such as the small subunit of RUBISCO or heat shock promoters may be used. (See, e.g., Coruzzi, G. et al. (1984) EMBO J. 3:1671-1680; Broglie, R. et al. (1984) Science 224:838-843; and Winter, J. et al. (1991) Results Probl. Cell Differ. 17:85-105.) These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated

transfection. (See, e.g., The McGraw Hill Yearbook of Science and Technology (1992) McGraw Hill, New York NY, pp. 191-196.)

In mammalian cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, sequences encoding HSPP  
5 may be ligated into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a non-essential E1 or E3 region of the viral genome may be used to obtain infective virus which expresses HSPP in host cells. (See, e.g., Logan, J. and T. Shenk (1984) Proc. Natl. Acad. Sci. 81:3655-3659.) In addition, transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be  
10 used to increase expression in mammalian host cells. SV40 or EBV-based vectors may also be used for high-level protein expression.

Human artificial chromosomes (HACs) may also be employed to deliver larger fragments of DNA than can be contained in and expressed from a plasmid. HACs of about 6 kb to 10 Mb are constructed and delivered via conventional delivery methods  
15 (liposomes, polycationic amino polymers, or vesicles) for therapeutic purposes. (See, e.g., Harrington, J.J. et al. (1997) Nat Genet. 15:345-355.)

For long term production of recombinant proteins in mammalian systems, stable expression of HSPP in cell lines is preferred. For example, sequences encoding HSPP can be transformed into cell lines using expression vectors which may contain viral origins of  
20 replication and/or endogenous expression elements and a selectable marker gene on the same or on a separate vector. Following the introduction of the vector, cells may be allowed to grow for about 1 to 2 days in enriched media before being switched to selective media. The purpose of the selectable marker is to confer resistance to a selective agent, and its presence allows growth and recovery of cells which successfully express the  
25 introduced sequences. Resistant clones of stably transformed cells may be propagated using tissue culture techniques appropriate to the cell type.

Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase and adenine phosphoribosyltransferase genes, for use in *tk* or *aprt* cells, respectively. (See,  
30 e.g., Wigler, M. et al. (1977) Cell 11:223-232; Lowy, I. et al. (1980) Cell 22:817-823.) Also, antimetabolite, antibiotic, or herbicide resistance can be used as the basis for selection. For example, *dhfr* confers resistance to methotrexate; *neo* confers resistance to

the aminoglycosides, neomycin and G-418; and *als* or *pat* confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively. (See, e.g., Wigler, M. et al. (1980) Proc. Natl. Acad. Sci. 77:3567-3570; Colbere-Garapin, F. et al. (1981) J. Mol. Biol. 150:1-14.) Additional selectable genes have been described, e.g., *trpB* and *hisD*,  
5 which alter cellular requirements for metabolites. (See, e.g., Hartman, S.C. and R.C. Mulligan (1988) Proc. Natl. Acad. Sci. 85:8047-8051.) Visible markers, e.g., anthocyanins, green fluorescent proteins (GFP; Clontech),  $\beta$  glucuronidase and its substrate  $\beta$ -glucuronide, or luciferase and its substrate luciferin may be used. These markers can be used not only to identify transformants, but also to quantify the amount of  
10 transient or stable protein expression attributable to a specific vector system. (See, e.g., Rhodes, C.A. (1995) Methods Mol. Biol. 55:121-131.)

Although the presence/absence of marker gene expression suggests that the gene of interest is also present, the presence and expression of the gene may need to be confirmed. For example, if the sequence encoding HSPP is inserted within a marker gene sequence,  
15 transformed cells containing sequences encoding HSPP can be identified by the absence of marker gene function. Alternatively, a marker gene can be placed in tandem with a sequence encoding HSPP under the control of a single promoter. Expression of the marker gene in response to induction or selection usually indicates expression of the tandem gene as well.

20 In general, host cells that contain the nucleic acid sequence encoding HSPP and that express HSPP may be identified by a variety of procedures known to those of skill in the art. These procedures include, but are not limited to, DNA-DNA or DNA-RNA hybridizations, PCR amplification, and protein bioassay or immunoassay techniques which include membrane, solution, or chip based technologies for the detection and/or  
25 quantification of nucleic acid or protein sequences.

Immunological methods for detecting and measuring the expression of HSPP using either specific polyclonal or monoclonal antibodies are known in the art. Examples of such techniques include enzyme-linked immunosorbent assays (ELISAs), radioimmunoassays (RIAs), and fluorescence activated cell sorting (FACS). A two-site,  
30 monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes on HSPP is preferred, but a competitive binding assay may be employed. These and other assays are well known in the art. (See, e.g., Hampton, R. et al.

(1990) Serological Methods, a Laboratory Manual, APS Press, St Paul MN, Sect. IV; Coligan, J. E. et al. (1997) Current Protocols in Immunology, Greene Pub. Associates and Wiley-Interscience, New York NY; and Pound, J.D. (1998) Immunochemical Protocols, Humana Press, Totowa NJ).

5           A wide variety of labels and conjugation techniques are known by those skilled in the art and may be used in various nucleic acid and amino acid assays. Means for producing labeled hybridization or PCR probes for detecting sequences related to polynucleotides encoding HSPP include oligolabeling, nick translation, end-labeling, or PCR amplification using a labeled nucleotide. Alternatively, the sequences encoding  
10 HSPP, or any fragments thereof, may be cloned into a vector for the production of an mRNA probe. Such vectors are known in the art, are commercially available, and may be used to synthesize RNA probes in vitro by addition of an appropriate RNA polymerase such as T7, T3, or SP6 and labeled nucleotides. These procedures may be conducted using a variety of commercially available kits, such as those provided by Amersham Pharmacia  
15 Biotech, Promega (Madison WI), and US Biochemical. Suitable reporter molecules or labels which may be used for ease of detection include radionuclides, enzymes, fluorescent, chemiluminescent, or chromogenic agents, as well as substrates, cofactors, inhibitors, magnetic particles, and the like.

          Host cells transformed with nucleotide sequences encoding HSPP may be cultured  
20 under conditions suitable for the expression and recovery of the protein from cell culture. The protein produced by a transformed cell may be secreted or retained intracellularly depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides which encode HSPP may be designed to contain signal sequences which direct secretion of HSPP through a prokaryotic  
25 or eukaryotic cell membrane.

          In addition, a host cell strain may be chosen for its ability to modulate expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the polypeptide include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation, and acylation. Post-translational processing  
30 which cleaves a "prepro" form of the protein may also be used to specify protein targeting, folding, and/or activity. Different host cells which have specific cellular machinery and characteristic mechanisms for post-translational activities (e.g., CHO, HeLa, MDCK,

HEK293, and WI38), are available from the American Type Culture Collection (ATCC, Manassas, VA) and may be chosen to ensure the correct modification and processing of the foreign protein.

In another embodiment of the invention, natural, modified, or recombinant nucleic acid sequences encoding HSPP may be ligated to a heterologous sequence resulting in translation of a fusion protein in any of the aforementioned host systems. For example, a chimeric HSPP protein containing a heterologous moiety that can be recognized by a commercially available antibody may facilitate the screening of peptide libraries for inhibitors of HSPP activity. Heterologous protein and peptide moieties may also facilitate purification of fusion proteins using commercially available affinity matrices. Such moieties include, but are not limited to, glutathione S-transferase (GST), maltose binding protein (MBP), thioredoxin (Trx), calmodulin binding peptide (CBP), 6-His, FLAG, *c-myc*, and hemagglutinin (HA). GST, MBP, Trx, CBP, and 6-His enable purification of their cognate fusion proteins on immobilized glutathione, maltose, phenylarsine oxide, calmodulin, and metal-chelate resins, respectively. FLAG, *c-myc*, and hemagglutinin (HA) enable immunoaffinity purification of fusion proteins using commercially available monoclonal and polyclonal antibodies that specifically recognize these epitope tags. A fusion protein may also be engineered to contain a proteolytic cleavage site located between the HSPP encoding sequence and the heterologous protein sequence, so that HSPP may be cleaved away from the heterologous moiety following purification. Methods for fusion protein expression and purification are discussed in Ausubel (1995, supra, ch 10). A variety of commercially available kits may also be used to facilitate expression and purification of fusion proteins.

In a further embodiment of the invention, synthesis of radiolabeled HSPP may be achieved in vitro using the TNT rabbit reticulocyte lysate or wheat germ extract systems (Promega). These systems couple transcription and translation of protein-coding sequences operably associated with the T7, T3, or SP6 promoters. Translation takes place in the presence of a radiolabeled amino acid precursor, preferably <sup>35</sup>S-methionine.

Fragments of HSPP may be produced not only by recombinant production, but also by direct peptide synthesis using solid-phase techniques. (See, e.g., Creighton, supra, pp. 55-60.) Protein synthesis may be performed by manual techniques or by automation. Automated synthesis may be achieved, for example, using the ABI 431A Peptide

Synthesizer (Perkin-Elmer). Various fragments of HSPP may be synthesized separately and then combined to produce the full length molecule.

## THERAPEUTICS

5 Chemical and structural similarity, e.g., in the context of sequences and motifs, exists between regions of HSPP and signal peptide sequences. In addition, chemical and structural similarity, in the context of sequences and motifs, exists between HSPP-66 and prostatic steriod-binding C3 precursor from rat (GI 206453); between HSPP-68 and TWIK-related acid-sensitive K<sup>+</sup>channel from human (GI 2465542); and between HSPP-92  
10 and tyrosine specific protein phosphatases (PROSITE PDOC00323). In addition, the expression of HSPP is closely associated with proliferative, cancerous, inflamed, cardiovascular, nervous, reproductive, hematopoietic/immune, and developmental tissue. Therefore, HSPP appears to play a role in cell proliferative disorders including cancer; inflammation; and cardiovascular,  
15 neurological, reproductive, and developmental disorders. In the treatment of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders associated with increased HSPP expression or activity, it is desirable to decrease the expression or activity of HSPP. In the treatment of the above conditions associated with decreased HSPP expression or activity, it is desirable  
20 to increase the expression or activity of HSPP.

Therefore, in one embodiment, HSPP or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP. Examples of such disorders include, but are not limited to, cell proliferative disorders such as actinic keratosis, arteriosclerosis, atherosclerosis,  
25 bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia, and cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia,  
30 gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; inflammatory disorders, such as acquired immunodeficiency syndrome (AIDS), Addison's

- disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED), bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis,
- 5 dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis,
- 10 polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic, protozoal, and helminthic infections, and trauma; cardiovascular disorders including
- 15 disorders of the blood vessels such as arteriovenous fistula, atherosclerosis, hypertension, vasculitis, Raynaud's disease, aneurysms, arterial dissections, varicose veins, thrombophlebitis and phlebothrombosis, and vascular tumors; disorders of the heart such as congestive heart failure, ischemic heart disease, angina pectoris, myocardial infarction, hypertensive heart disease, degenerative valvular heart disease, calcific aortic valve
- 20 stenosis, congenitally bicuspid aortic valve, mitral annular calcification, mitral valve prolapse, rheumatic fever and rheumatic heart disease, infective endocarditis, nonbacterial thrombotic endocarditis, endocarditis of systemic lupus erythematosus, carcinoid heart disease, cardiomyopathy, myocarditis, pericarditis, neoplastic heart disease, and congenital heart disease; and disorders of the lungs such as congenital lung anomalies, atelectasis,
- 25 pulmonary congestion and edema, pulmonary embolism, pulmonary hemorrhage, pulmonary infarction, pulmonary hypertension, vascular sclerosis, obstructive pulmonary disease, restrictive pulmonary disease, chronic obstructive pulmonary disease, emphysema, chronic bronchitis, bronchial asthma, bronchiectasis, bacterial pneumonia, viral and mycoplasmal pneumonia, lung abscess, pulmonary tuberculosis, diffuse
- 30 interstitial diseases, pneumoconioses, sarcoidosis, idiopathic pulmonary fibrosis, desquamative interstitial pneumonitis, hypersensitivity pneumonitis, pulmonary eosinophilia bronchiolitis obliterans-organizing pneumonia, diffuse pulmonary

hemorrhage syndromes, Goodpasture's syndromes, idiopathic pulmonary hemosiderosis, pulmonary involvement in collagen-vascular disorders, pulmonary alveolar proteinosis, lung tumors, inflammatory and noninflammatory pleural effusions, pneumothorax, and pleural tumors; neurological disorders such as epilepsy, ischemic cerebrovascular disease, 5 stroke, cerebral neoplasms, Alzheimer's disease, Pick's disease, Huntington's disease, dementia, Parkinson's disease and other extrapyramidal disorders, amyotrophic lateral sclerosis and other motor neuron disorders, progressive neural muscular atrophy, retinitis pigmentosa, hereditary ataxias, multiple sclerosis and other demyelinating diseases, bacterial and viral meningitis, brain abscess, subdural empyema, epidural abscess, 10 suppurative intracranial thrombophlebitis, myelitis and radiculitis, viral central nervous system disease; prion diseases including kuru, Creutzfeldt-Jakob disease, and Gerstmann-Straussler-Scheinker syndrome; fatal familial insomnia, nutritional and metabolic diseases of the nervous system, neurofibromatosis, tuberous sclerosis, cerebelloretinal hemangioblastomatosis, encephalotrigeminal syndrome, mental retardation and other 15 developmental disorders of the central nervous system, cerebral palsy, neuroskeletal disorders, autonomic nervous system disorders, cranial nerve disorders, spinal cord diseases, muscular dystrophy and other neuromuscular disorders, peripheral nervous system disorders, dermatomyositis and polymyositis; inherited, metabolic, endocrine, and toxic myopathies; myasthenia gravis, periodic paralysis; mental disorders including mood, 20 anxiety, and schizophrenic disorders; akathisia, amnesia, catatonia, diabetic neuropathy, tardive dyskinesia, dystonias, paranoid psychoses, postherpetic neuralgia, and Tourette's disorder; reproductive disorders such as disorders of prolactin production; infertility, including tubal disease, ovulatory defects, and endometriosis; disruptions of the estrous cycle, disruptions of the menstrual cycle, polycystic ovary syndrome, ovarian 25 hyperstimulation syndrome, endometrial and ovarian tumors, uterine fibroids, autoimmune disorders, ectopic pregnancies, and teratogenesis; cancer of the breast, fibrocystic breast disease, and galactorrhea; disruptions of spermatogenesis, abnormal sperm physiology, cancer of the testis, cancer of the prostate, benign prostatic hyperplasia, prostatitis, Peyronie's disease, carcinoma of the male breast, and gynecomastia; and developmental 30 disorders, such as renal tubular acidosis, anemia, Cushing's syndrome, achondroplastic dwarfism, Duchenne and Becker muscular dystrophy, epilepsy, gonadal dysgenesis, WAGR syndrome (Wilms' tumor, aniridia, genitourinary abnormalities, and mental



retardation), Smith-Magenis syndrome, myelodysplastic syndrome, hereditary mucoepithelial dysplasia, hereditary keratodermas, hereditary neuropathies such as Charcot-Marie-Tooth disease and neurofibromatosis, hypothyroidism, hydrocephalus, seizure disorders such as Sydenham's chorea and cerebral palsy, spina bifida, 5 anencephaly, craniorachischisis, congenital glaucoma, cataract, and sensorineural hearing loss.

In another embodiment, a vector capable of expressing HSPP or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those 10 described above.

In a further embodiment, a pharmaceutical composition comprising a substantially purified HSPP in conjunction with a suitable pharmaceutical carrier may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those provided above.

15 In still another embodiment, an agonist which modulates the activity of HSPP may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those listed above.

In a further embodiment, an antagonist of HSPP may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HSPP. 20 Examples of such disorders include, but are not limited to, those described above. In one aspect, an antibody which specifically binds HSPP may be used directly as an antagonist or indirectly as a targeting or delivery mechanism for bringing a pharmaceutical agent to cells or tissue which express HSPP.

In an additional embodiment, a vector expressing the complement of the 25 polynucleotide encoding HSPP may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HSPP including, but not limited to, those described above.

In other embodiments, any of the proteins, antagonists, antibodies, agonists, complementary sequences, or vectors of the invention may be administered in combination 30 with other appropriate therapeutic agents. Selection of the appropriate agents for use in combination therapy may be made by one of ordinary skill in the art, according to conventional pharmaceutical principles. The combination of therapeutic agents may act

synergistically to effect the treatment or prevention of the various disorders described above. Using this approach, one may be able to achieve therapeutic efficacy with lower dosages of each agent, thus reducing the potential for adverse side effects.

An antagonist of HSPP may be produced using methods which are generally known in the art. In particular, purified HSPP may be used to produce antibodies or to screen libraries of pharmaceutical agents to identify those which specifically bind HSPP. Antibodies to HSPP may also be generated using methods that are well known in the art. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, and single chain antibodies, Fab fragments, and fragments produced by a Fab expression library. Neutralizing antibodies (i.e., those which inhibit dimer formation) are especially preferred for therapeutic use.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, humans, and others may be immunized by injection with HSPP or with any fragment or oligopeptide thereof which has immunogenic properties. Depending on the host species, various adjuvants may be used to increase immunological response. Such adjuvants include, but are not limited to, Freund's, mineral gels such as aluminum hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, KLH, and dinitrophenol. Among adjuvants used in humans, BCG (bacilli Calmette-Guerin) and Corynebacterium parvum are especially preferable.

It is preferred that the oligopeptides, peptides, or fragments used to induce antibodies to HSPP have an amino acid sequence consisting of at least about 5 amino acids, and, more preferably, of at least about 10 amino acids. It is also preferable that these oligopeptides, peptides, or fragments are identical to a portion of the amino acid sequence of the natural protein and contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of HSPP amino acids may be fused with those of another protein, such as KLH, and antibodies to the chimeric molecule may be produced.

Monoclonal antibodies to HSPP may be prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV-hybridoma technique. (See, e.g., Kohler, G. et al. (1975) Nature 256:495-497; Kozbor, D. et al. (1985) J. Immunol. Methods 81:31-42;

Cote, R.J. et al. (1983) Proc. Natl. Acad. Sci. 80:2026-2030; and Cole, S.P. et al. (1984) Mol. Cell Biol. 62:109-120.)

In addition, techniques developed for the production of "chimeric antibodies," such as the splicing of mouse antibody genes to human antibody genes to obtain a molecule  
5 with appropriate antigen specificity and biological activity, can be used. (See, e.g., Morrison, S.L. et al. (1984) Proc. Natl. Acad. Sci. 81:6851-6855; Neuberger, M.S. et al. (1984) Nature 312:604-608; and Takeda, S. et al. (1985) Nature 314:452-454.) Alternatively, techniques described for the production of single chain antibodies may be adapted, using methods known in the art, to produce HSPP-specific single chain  
10 antibodies. Antibodies with related specificity, but of distinct idiotypic composition, may be generated by chain shuffling from random combinatorial immunoglobulin libraries. (See, e.g., Burton D.R. (1991) Proc. Natl. Acad. Sci. 88:10134-10137.)

Antibodies may also be produced by inducing in vivo production in the lymphocyte population or by screening immunoglobulin libraries or panels of highly  
15 specific binding reagents as disclosed in the literature. (See, e.g., Orlandi, R. et al. (1989) Proc. Natl. Acad. Sci. 86: 3833-3837; Winter, G. et al. (1991) Nature 349:293-299.)

Antibody fragments which contain specific binding sites for HSPP may also be generated. For example, such fragments include, but are not limited to, F(ab')<sub>2</sub> fragments produced by pepsin digestion of the antibody molecule and Fab fragments generated by  
20 reducing the disulfide bridges of the F(ab')<sub>2</sub> fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity. (See, e.g., Huse, W.D. et al. (1989) Science 246:1275-1281.)

Various immunoassays may be used for screening to identify antibodies having the  
25 desired specificity. Numerous protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the measurement of complex formation between HSPP and its specific antibody. A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering HSPP  
30 epitopes is preferred, but a competitive binding assay may also be employed (Pound, supra).

Various methods such as Scatchard analysis in conjunction with radioimmunoassay techniques may be used to assess the affinity of antibodies for HSPP. Affinity is expressed as an association constant,  $K_a$ , which is defined as the molar concentration of HSPP-antibody complex divided by the molar concentrations of free antigen and free antibody under equilibrium conditions. The  $K_a$  determined for a preparation of polyclonal antibodies, which are heterogeneous in their affinities for multiple HSPP epitopes, represents the average affinity, or avidity, of the antibodies for HSPP. The  $K_a$  determined for a preparation of monoclonal antibodies, which are monospecific for a particular HSPP epitope, represents a true measure of affinity. High-affinity antibody preparations with  $K_a$  ranging from about  $10^9$  to  $10^{12}$  L/mole are preferred for use in immunoassays in which the HSPP-antibody complex must withstand rigorous manipulations. Low-affinity antibody preparations with  $K_a$  ranging from about  $10^6$  to  $10^7$  L/mole are preferred for use in immunopurification and similar procedures which ultimately require dissociation of HSPP, preferably in active form, from the antibody (Catty, D. (1988) Antibodies, Volume I: A Practical Approach, IRL Press, Washington, DC; Liddell, J. E. and Cryer, A. (1991) A Practical Guide to Monoclonal Antibodies, John Wiley & Sons, New York NY).

The titer and avidity of polyclonal antibody preparations may be further evaluated to determine the quality and suitability of such preparations for certain downstream applications. For example, a polyclonal antibody preparation containing at least 1-2 mg specific antibody/ml, preferably 5-10 mg specific antibody/ml, is preferred for use in procedures requiring precipitation of HSPP-antibody complexes. Procedures for evaluating antibody specificity, titer, and avidity, and guidelines for antibody quality and usage in various applications, are generally available. (See, e.g., Catty, supra, and Coligan et al. supra.)

In another embodiment of the invention, the polynucleotides encoding HSPP, or any fragment or complement thereof, may be used for therapeutic purposes. In one aspect, the complement of the polynucleotide encoding HSPP may be used in situations in which it would be desirable to block the transcription of the mRNA. In particular, cells may be transformed with sequences complementary to polynucleotides encoding HSPP. Thus, complementary molecules or fragments may be used to modulate HSPP activity, or to achieve regulation of gene function. Such technology is now well known in the art, and

sense or antisense oligonucleotides or larger fragments can be designed from various locations along the coding or control regions of sequences encoding HSPP.

Expression vectors derived from retroviruses, adenoviruses, or herpes or vaccinia viruses, or from various bacterial plasmids, may be used for delivery of nucleotide  
5 sequences to the targeted organ, tissue, or cell population. Methods which are well known to those skilled in the art can be used to construct vectors to express nucleic acid sequences complementary to the polynucleotides encoding HSPP. (See, e.g., Sambrook, supra; Ausubel, 1995, supra.)

Genes encoding HSPP can be turned off by transforming a cell or tissue with  
10 expression vectors which express high levels of a polynucleotide, or fragment thereof, encoding HSPP. Such constructs may be used to introduce untranslatable sense or antisense sequences into a cell. Even in the absence of integration into the DNA, such vectors may continue to transcribe RNA molecules until they are disabled by endogenous nucleases. Transient expression may last for a month or more with a non-replicating  
15 vector, and may last even longer if appropriate replication elements are part of the vector system.

As mentioned above, modifications of gene expression can be obtained by designing complementary sequences or antisense molecules (DNA, RNA, or PNA) to the control, 5', or regulatory regions of the gene encoding HSPP. Oligonucleotides derived  
20 from the transcription initiation site, e.g., between about positions -10 and +10 from the start site, are preferred. Similarly, inhibition can be achieved using triple helix base-pairing methodology. Triple helix pairing is useful because it causes inhibition of the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors, or regulatory molecules. Recent therapeutic advances using triplex  
25 DNA have been described in the literature. (See, e.g., Gee, J.E. et al. (1994) in Huber, B.E. and B.I. Carr, Molecular and Immunologic Approaches, Futura Publishing, Mt. Kisco NY, pp. 163-177.) A complementary sequence or antisense molecule may also be designed to block translation of mRNA by preventing the transcript from binding to ribosomes.

30 Ribozymes, enzymatic RNA molecules, may also be used to catalyze the specific cleavage of RNA. The mechanism of ribozyme action involves sequence-specific hybridization of the ribozyme molecule to complementary target RNA, followed by

endonucleolytic cleavage. For example, engineered hammerhead motif ribozyme molecules may specifically and efficiently catalyze endonucleolytic cleavage of sequences encoding HSPP.

Specific ribozyme cleavage sites within any potential RNA target are initially  
5 identified by scanning the target molecule for ribozyme cleavage sites, including the following sequences: GUA, GUU, and GUC. Once identified, short RNA sequences of between 15 and 20 ribonucleotides, corresponding to the region of the target gene containing the cleavage site, may be evaluated for secondary structural features which may render the oligonucleotide inoperable. The suitability of candidate targets may also be  
10 evaluated by testing accessibility to hybridization with complementary oligonucleotides using ribonuclease protection assays.

Complementary ribonucleic acid molecules and ribozymes of the invention may be prepared by any method known in the art for the synthesis of nucleic acid molecules. These include techniques for chemically synthesizing oligonucleotides such as solid phase  
15 phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by in vitro and in vivo transcription of DNA sequences encoding HSPP. Such DNA sequences may be incorporated into a wide variety of vectors with suitable RNA polymerase promoters such as T7 or SP6. Alternatively, these cDNA constructs that synthesize complementary RNA, constitutively or inducibly, can be introduced into cell  
20 lines, cells, or tissues.

RNA molecules may be modified to increase intracellular stability and half-life. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends of the molecule, or the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages within the backbone of the molecule. This concept is  
25 inherent in the production of PNAs and can be extended in all of these molecules by the inclusion of nontraditional bases such as inosine, queosine, and wybutosine, as well as acetyl-, methyl-, thio-, and similarly modified forms of adenine, cytidine, guanine, thymine, and uridine which are not as easily recognized by endogenous endonucleases.

Many methods for introducing vectors into cells or tissues are available and  
30 equally suitable for use in vivo, in vitro, and ex vivo. For ex vivo therapy, vectors may be introduced into stem cells taken from the patient and clonally propagated for autologous transplant back into that same patient. Delivery by transfection, by liposome injections, or

by polycationic amino polymers may be achieved using methods which are well known in the art. (See, e.g., Goldman, C.K. et al. (1997) Nature Biotechnology 15:462-466.)

Any of the therapeutic methods described above may be applied to any subject in need of such therapy, including, for example, mammals such as dogs, cats, cows, horses,  
5 rabbits, monkeys, and most preferably, humans.

An additional embodiment of the invention relates to the administration of a pharmaceutical or sterile composition, in conjunction with a pharmaceutically acceptable carrier, for any of the therapeutic effects discussed above. Such pharmaceutical compositions may consist of HSPP, antibodies to HSPP, and mimetics, agonists,  
10 antagonists, or inhibitors of HSPP. The compositions may be administered alone or in combination with at least one other agent, such as a stabilizing compound, which may be administered in any sterile, biocompatible pharmaceutical carrier including, but not limited to, saline, buffered saline, dextrose, and water. The compositions may be administered to a patient alone, or in combination with other agents, drugs, or hormones.

15 The pharmaceutical compositions utilized in this invention may be administered by any number of routes including, but not limited to, oral, intravenous, intramuscular, intra-arterial, intramedullary, intrathecal, intraventricular, transdermal, subcutaneous, intraperitoneal, intranasal, enteral, topical, sublingual, or rectal means.

In addition to the active ingredients, these pharmaceutical compositions may  
20 contain suitable pharmaceutically-acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. Further details on techniques for formulation and administration may be found in the latest edition of Remington's Pharmaceutical Sciences (Maack Publishing, Easton PA).

25 Pharmaceutical compositions for oral administration can be formulated using pharmaceutically acceptable carriers well known in the art in dosages suitable for oral administration. Such carriers enable the pharmaceutical compositions to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions, and the like, for ingestion by the patient.

30 Pharmaceutical preparations for oral use can be obtained through combining active compounds with solid excipient and processing the resultant mixture of granules (optionally, after grinding) to obtain tablets or dragee cores. Suitable auxiliaries can be

added, if desired. Suitable excipients include carbohydrate or protein fillers, such as sugars, including lactose, sucrose, mannitol, and sorbitol; starch from corn, wheat, rice, potato, or other plants; cellulose, such as methyl cellulose, hydroxypropylmethyl-cellulose, or sodium carboxymethylcellulose; gums, including  
5 arabic and tragacanth; and proteins, such as gelatin and collagen. If desired, disintegrating or solubilizing agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, and alginic acid or a salt thereof, such as sodium alginate.

Dragee cores may be used in conjunction with suitable coatings, such as concentrated sugar solutions, which may also contain gum arabic, talc,  
10 polyvinylpyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for product identification or to characterize the quantity of active compound, i.e., dosage.

Pharmaceutical preparations which can be used orally include push-fit capsules  
15 made of gelatin, as well as soft, sealed capsules made of gelatin and a coating, such as glycerol or sorbitol. Push-fit capsules can contain active ingredients mixed with fillers or binders, such as lactose or starches, lubricants, such as talc or magnesium stearate, and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid, or liquid polyethylene glycol with  
20 or without stabilizers.

Pharmaceutical formulations suitable for parenteral administration may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks' solution, Ringer's solution, or physiologically buffered saline. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such  
25 as sodium carboxymethyl cellulose, sorbitol, or dextran. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils, such as sesame oil, or synthetic fatty acid esters, such as ethyl oleate, triglycerides, or liposomes. Non-lipid polycationic amino polymers may also be used for delivery. Optionally, the suspension may also contain  
30 suitable stabilizers or agents to increase the solubility of the compounds and allow for the preparation of highly concentrated solutions.



For topical or nasal administration, penetrants appropriate to the particular barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

The pharmaceutical compositions of the present invention may be manufactured in a manner that is known in the art, e.g., by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping, or lyophilizing processes.

The pharmaceutical composition may be provided as a salt and can be formed with many acids, including but not limited to, hydrochloric, sulfuric, acetic, lactic, tartaric, malic, and succinic acid. Salts tend to be more soluble in aqueous or other protonic solvents than are the corresponding free base forms. In other cases, the preferred preparation may be a lyophilized powder which may contain any or all of the following: 1 mM to 50 mM histidine, 0.1% to 2% sucrose, and 2% to 7% mannitol, at a pH range of 4.5 to 5.5, that is combined with buffer prior to use.

After pharmaceutical compositions have been prepared, they can be placed in an appropriate container and labeled for treatment of an indicated condition. For administration of HSPP, such labeling would include amount, frequency, and method of administration.

Pharmaceutical compositions suitable for use in the invention include compositions wherein the active ingredients are contained in an effective amount to achieve the intended purpose. The determination of an effective dose is well within the capability of those skilled in the art.

For any compound, the therapeutically effective dose can be estimated initially either in cell culture assays, e.g., of neoplastic cells or in animal models such as mice, rats, rabbits, dogs, or pigs. An animal model may also be used to determine the appropriate concentration range and route of administration. Such information can then be used to determine useful doses and routes for administration in humans.

A therapeutically effective dose refers to that amount of active ingredient, for example HSPP or fragments thereof, antibodies of HSPP, and agonists, antagonists or inhibitors of HSPP, which ameliorates the symptoms or condition. Therapeutic efficacy and toxicity may be determined by standard pharmaceutical procedures in cell cultures or with experimental animals, such as by calculating the  $ED_{50}$  (the dose therapeutically

effective in 50% of the population) or LD<sub>50</sub> (the dose lethal to 50% of the population) statistics. The dose ratio of toxic to therapeutic effects is the therapeutic index, and it can be expressed as the LD<sub>50</sub>/ED<sub>50</sub> ratio. Pharmaceutical compositions which exhibit large therapeutic indices are preferred. The data obtained from cell culture assays and animal studies are used to formulate a range of dosage for human use. The dosage contained in such compositions is preferably within a range of circulating concentrations that includes the ED<sub>50</sub> with little or no toxicity. The dosage varies within this range depending upon the dosage form employed, the sensitivity of the patient, and the route of administration.

The exact dosage will be determined by the practitioner, in light of factors related to the subject requiring treatment. Dosage and administration are adjusted to provide sufficient levels of the active moiety or to maintain the desired effect. Factors which may be taken into account include the severity of the disease state, the general health of the subject, the age, weight, and gender of the subject, time and frequency of administration, drug combination(s), reaction sensitivities, and response to therapy. Long-acting pharmaceutical compositions may be administered every 3 to 4 days, every week, or biweekly depending on the half-life and clearance rate of the particular formulation.

Normal dosage amounts may vary from about 0.1 µg to 100,000 µg, up to a total dose of about 1 gram, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature and generally available to practitioners in the art. Those skilled in the art will employ different formulations for nucleotides than for proteins or their inhibitors. Similarly, delivery of polynucleotides or polypeptides will be specific to particular cells, conditions, locations, etc.

## DIAGNOSTICS

In another embodiment, antibodies which specifically bind HSPP may be used for the diagnosis of disorders characterized by expression of HSPP, or in assays to monitor patients being treated with HSPP or agonists, antagonists, or inhibitors of HSPP. Antibodies useful for diagnostic purposes may be prepared in the same manner as described above for therapeutics. Diagnostic assays for HSPP include methods which utilize the antibody and a label to detect HSPP in human body fluids or in extracts of cells or tissues. The antibodies may be used with or without modification, and may be labeled

by covalent or non-covalent attachment of a reporter molecule. A wide variety of reporter molecules, several of which are described above, are known in the art and may be used.

A variety of protocols for measuring HSPP, including ELISAs, RIAs, and FACS, are known in the art and provide a basis for diagnosing altered or abnormal levels of HSPP expression. Normal or standard values for HSPP expression are established by combining  
5 body fluids or cell extracts taken from normal mammalian subjects, preferably human, with antibody to HSPP under conditions suitable for complex formation. The amount of standard complex formation may be quantitated by various methods, preferably by photometric means. Quantities of HSPP expressed in subject, control, and disease samples  
10 from biopsied tissues are compared with the standard values. Deviation between standard and subject values establishes the parameters for diagnosing disease.

In another embodiment of the invention, the polynucleotides encoding HSPP may be used for diagnostic purposes. The polynucleotides which may be used include oligonucleotide sequences, complementary RNA and DNA molecules, and PNAs. The  
15 polynucleotides may be used to detect and quantitate gene expression in biopsied tissues in which expression of HSPP may be correlated with disease. The diagnostic assay may be used to determine absence, presence, and excess expression of HSPP, and to monitor regulation of HSPP levels during therapeutic intervention.

In one aspect, hybridization with PCR probes which are capable of detecting  
20 polynucleotide sequences, including genomic sequences, encoding HSPP or closely related molecules may be used to identify nucleic acid sequences which encode HSPP. The specificity of the probe, whether it is made from a highly specific region, e.g., the 5' regulatory region, or from a less specific region, e.g., a conserved motif, and the stringency of the hybridization or amplification (maximal, high, intermediate, or low), will  
25 determine whether the probe identifies only naturally occurring sequences encoding HSPP, allelic variants, or related sequences.

Probes may also be used for the detection of related sequences, and should preferably have at least 50% sequence identity to any of the HSPP encoding sequences. The hybridization probes of the subject invention may be DNA or RNA and may be  
30 derived from the sequence of SEQ ID NO:135-268 or from genomic sequences including promoters, enhancers, and introns of the HSPP gene.

Means for producing specific hybridization probes for DNAs encoding HSPP include the cloning of polynucleotide sequences encoding HSPP or HSPP derivatives into vectors for the production of mRNA probes. Such vectors are known in the art, are commercially available, and may be used to synthesize RNA probes in vitro by means of the addition of the appropriate RNA polymerases and the appropriate labeled nucleotides. Hybridization probes may be labeled by a variety of reporter groups, for example, by radionuclides such as  $^{32}\text{P}$  or  $^{35}\text{S}$ , or by enzymatic labels, such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems, and the like.

Polynucleotide sequences encoding HSPP may be used for the diagnosis of disorders associated with expression of HSPP. Examples of such disorders include, but are not limited to, cell proliferative disorders such as actinic keratosis, arteriosclerosis, atherosclerosis, bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia, and cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia, gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; inflammatory disorders, such as acquired immunodeficiency syndrome (AIDS), Addison's disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED), bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis, dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic,

protozoal, and helminthic infections, and trauma; cardiovascular disorders including disorders of the blood vessels such as arteriovenous fistula, atherosclerosis, hypertension, vasculitis, Raynaud's disease, aneurysms, arterial dissections, varicose veins, thrombophlebitis and phlebothrombosis, and vascular tumors; disorders of the heart such

5 as congestive heart failure, ischemic heart disease, angina pectoris, myocardial infarction, hypertensive heart disease, degenerative valvular heart disease, calcific aortic valve stenosis, congenitally bicuspid aortic valve, mitral annular calcification, mitral valve prolapse, rheumatic fever and rheumatic heart disease, infective endocarditis, nonbacterial thrombotic endocarditis, endocarditis of systemic lupus erythematosus, carcinoid heart

10 disease, cardiomyopathy, myocarditis, pericarditis, neoplastic heart disease, and congenital heart disease; and disorders of the lungs such as congenital lung anomalies, atelectasis, pulmonary congestion and edema, pulmonary embolism, pulmonary hemorrhage, pulmonary infarction, pulmonary hypertension, vascular sclerosis, obstructive pulmonary disease, restrictive pulmonary disease, chronic obstructive pulmonary disease,

15 emphysema, chronic bronchitis, bronchial asthma, bronchiectasis, bacterial pneumonia, viral and mycoplasmal pneumonia, lung abscess, pulmonary tuberculosis, diffuse interstitial diseases, pneumoconioses, sarcoidosis, idiopathic pulmonary fibrosis, desquamative interstitial pneumonitis, hypersensitivity pneumonitis, pulmonary eosinophilia bronchiolitis obliterans-organizing pneumonia, diffuse pulmonary

20 hemorrhage syndromes, Goodpasture's syndromes, idiopathic pulmonary hemosiderosis, pulmonary involvement in collagen-vascular disorders, pulmonary alveolar proteinosis, lung tumors, inflammatory and noninflammatory pleural effusions, pneumothorax, and pleural tumors; neurological disorders such as epilepsy, ischemic cerebrovascular disease, stroke, cerebral neoplasms, Alzheimer's disease, Pick's disease, Huntington's disease,

25 dementia, Parkinson's disease and other extrapyramidal disorders, amyotrophic lateral sclerosis and other motor neuron disorders, progressive neural muscular atrophy, retinitis pigmentosa, hereditary ataxias, multiple sclerosis and other demyelinating diseases, bacterial and viral meningitis, brain abscess, subdural empyema, epidural abscess, suppurative intracranial thrombophlebitis, myelitis and radiculitis, viral central nervous

30 system disease; prion diseases including kuru, Creutzfeldt-Jakob disease, and Gerstmann-Straussler-Scheinker syndrome; fatal familial insomnia, nutritional and metabolic diseases of the nervous system, neurofibromatosis, tuberous sclerosis, cerebelloretinal

hemangioblastomatosis, encephalotrigeminal syndrome, mental retardation and other developmental disorders of the central nervous system, cerebral palsy, neuroskeletal disorders, autonomic nervous system disorders, cranial nerve disorders, spinal cord diseases, muscular dystrophy and other neuromuscular disorders, peripheral nervous system disorders, dermatomyositis and polymyositis; inherited, metabolic, endocrine, and toxic myopathies; myasthenia gravis, periodic paralysis; mental disorders including mood, anxiety, and schizophrenic disorders; akathisia, amnesia, catatonia, diabetic neuropathy, tardive dyskinesia, dystonias, paranoid psychoses, postherpetic neuralgia, and Tourette's disorder; reproductive disorders such as disorders of prolactin production; infertility, including tubal disease, ovulatory defects, and endometriosis; disruptions of the estrous cycle, disruptions of the menstrual cycle, polycystic ovary syndrome, ovarian hyperstimulation syndrome, endometrial and ovarian tumors, uterine fibroids, autoimmune disorders, ectopic pregnancies, and teratogenesis; cancer of the breast, fibrocystic breast disease, and galactorrhea; disruptions of spermatogenesis, abnormal sperm physiology, cancer of the testis, cancer of the prostate, benign prostatic hyperplasia, prostatitis, Peyronie's disease, carcinoma of the male breast, and gynecomastia; and developmental disorders, such as renal tubular acidosis, anemia, Cushing's syndrome, achondroplastic dwarfism, Duchenne and Becker muscular dystrophy, epilepsy, gonadal dysgenesis, WAGR syndrome (Wilms' tumor, aniridia, genitourinary abnormalities, and mental retardation), Smith-Magenis syndrome, myelodysplastic syndrome, hereditary mucoepithelial dysplasia, hereditary keratodermas, hereditary neuropathies such as Charcot-Marie-Tooth disease and neurofibromatosis, hypothyroidism, hydrocephalus, seizure disorders such as Sydenham's chorea and cerebral palsy, spina bifida, anencephaly, craniorachischisis, congenital glaucoma, cataract, and sensorineural hearing loss. The polynucleotide sequences encoding HSPP may be used in Southern or northern analysis, dot blot, or other membrane-based technologies; in PCR technologies; in dipstick, pin, and multiformat ELISA-like assays; and in microarrays utilizing fluids or tissues from patients to detect altered HSPP expression. Such qualitative or quantitative methods are well known in the art.

In a particular aspect, the nucleotide sequences encoding HSPP may be useful in assays that detect the presence of associated disorders, particularly those mentioned above. The nucleotide sequences encoding HSPP may be labeled by standard methods and added

to a fluid or tissue sample from a patient under conditions suitable for the formation of hybridization complexes. After a suitable incubation period, the sample is washed and the signal is quantitated and compared with a standard value. If the amount of signal in the patient sample is significantly altered in comparison to a control sample then the presence  
5 of altered levels of nucleotide sequences encoding HSPP in the sample indicates the presence of the associated disorder. Such assays may also be used to evaluate the efficacy of a particular therapeutic treatment regimen in animal studies, in clinical trials, or to monitor the treatment of an individual patient.

In order to provide a basis for the diagnosis of a disorder associated with  
10 expression of HSPP, a normal or standard profile for expression is established. This may be accomplished by combining body fluids or cell extracts taken from normal subjects, either animal or human, with a sequence, or a fragment thereof, encoding HSPP, under conditions suitable for hybridization or amplification. Standard hybridization may be quantified by comparing the values obtained from normal subjects with values from an  
15 experiment in which a known amount of a substantially purified polynucleotide is used. Standard values obtained in this manner may be compared with values obtained from samples from patients who are symptomatic for a disorder. Deviation from standard values is used to establish the presence of a disorder.

Once the presence of a disorder is established and a treatment protocol is initiated,  
20 hybridization assays may be repeated on a regular basis to determine if the level of expression in the patient begins to approximate that which is observed in the normal subject. The results obtained from successive assays may be used to show the efficacy of treatment over a period ranging from several days to months.

With respect to cancer, the presence of an abnormal amount of transcript (either  
25 under- or overexpressed) in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of  
30 the cancer.

Additional diagnostic uses for oligonucleotides designed from the sequences encoding HSPP may involve the use of PCR. These oligomers may be chemically

synthesized, generated enzymatically, or produced in vitro. Oligomers will preferably contain a fragment of a polynucleotide encoding HSPP, or a fragment of a polynucleotide complementary to the polynucleotide encoding HSPP, and will be employed under optimized conditions for identification of a specific gene or condition. Oligomers may  
5 also be employed under less stringent conditions for detection or quantitation of closely related DNA or RNA sequences.

Methods which may also be used to quantitate the expression of HSPP include radiolabeling or biotinylating nucleotides, coamplification of a control nucleic acid, and interpolating results from standard curves. (See, e.g., Melby, P.C. et al. (1993) J.  
10 Immunol. Methods 159:235-244; Duplaa, C. et al. (1993) Anal. Biochem. 212:229-236.) The speed of quantitation of multiple samples may be accelerated by running the assay in an ELISA format where the oligomer of interest is presented in various dilutions and a spectrophotometric or colorimetric response gives rapid quantitation.

In further embodiments, oligonucleotides or longer fragments derived from any of  
15 the polynucleotide sequences described herein may be used as targets in a microarray. The microarray can be used to monitor the expression level of large numbers of genes simultaneously and to identify genetic variants, mutations, and polymorphisms. This information may be used to determine gene function, to understand the genetic basis of a disorder, to diagnose a disorder, and to develop and monitor the activities of therapeutic  
20 agents.

Microarrays may be prepared, used, and analyzed using methods known in the art. (See, e.g., Brennan, T.M. et al. (1995) U.S. Patent No. 5,474,796; Schena, M. et al. (1996) Proc. Natl. Acad. Sci. 93:10614-10619; Baldeschweiler et al. (1995) PCT application WO95/251116; Shalon, D. et al. (1995) PCT application WO95/35505; Heller, R.A. et al.  
25 (1997) Proc. Natl. Acad. Sci. 94:2150-2155; and Heller, M.J. et al. (1997) U.S. Patent No. 5,605,662.)

In another embodiment of the invention, nucleic acid sequences encoding HSPP may be used to generate hybridization probes useful in mapping the naturally occurring genomic sequence. The sequences may be mapped to a particular chromosome, to a  
30 specific region of a chromosome, or to artificial chromosome constructions, e.g., human artificial chromosomes (HACs), yeast artificial chromosomes (YACs), bacterial artificial chromosomes (BACs), bacterial P1 constructions, or single chromosome cDNA libraries.



(See, e.g., Harrington, J.J. et al. (1997) Nat Genet. 15:345-355; Price, C.M. (1993) Blood Rev. 7:127-134; and Trask, B.J. (1991) Trends Genet. 7:149-154.)

Fluorescent in situ hybridization (FISH) may be correlated with other physical chromosome mapping techniques and genetic map data. (See, e.g., Heinz-Ulrich, et al. 5 (1995) in Meyers, supra, pp. 965-968.) Examples of genetic map data can be found in various scientific journals or at the Online Mendelian Inheritance in Man (OMIM) site. Correlation between the location of the gene encoding HSPP on a physical chromosomal map and a specific disorder, or a predisposition to a specific disorder, may help define the region of DNA associated with that disorder. The nucleotide sequences of the invention 10 may be used to detect differences in gene sequences among normal, carrier, and affected individuals.

In situ hybridization of chromosomal preparations and physical mapping techniques, such as linkage analysis using established chromosomal markers, may be used for extending genetic maps. Often the placement of a gene on the chromosome of another 15 mammalian species, such as mouse, may reveal associated markers even if the number or arm of a particular human chromosome is not known. New sequences can be assigned to chromosomal arms by physical mapping. This provides valuable information to investigators searching for disease genes using positional cloning or other gene discovery techniques. Once the disease or syndrome has been crudely localized by genetic linkage to 20 a particular genomic region, e.g., ataxia-telangiectasia to 11q22-23, any sequences mapping to that area may represent associated or regulatory genes for further investigation. (See, e.g., Gatti, R.A. et al. (1988) Nature 336:577-580.) The nucleotide sequence of the subject invention may also be used to detect differences in the chromosomal location due to translocation, inversion, etc., among normal, carrier, or affected individuals.

25 In another embodiment of the invention, HSPP, its catalytic or immunogenic fragments, or oligopeptides thereof can be used for screening libraries of compounds in any of a variety of drug screening techniques. The fragment employed in such screening may be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. The formation of binding complexes between HSPP and the agent being 30 tested may be measured.

Another technique for drug screening provides for high throughput screening of compounds having suitable binding affinity to the protein of interest. (See, e.g., Geysen,

et al. (1984) PCT application WO84/03564.) In this method, large numbers of different small test compounds are synthesized on a solid substrate. The test compounds are reacted with HSPP, or fragments thereof, and washed. Bound HSPP is then detected by methods well known in the art. Purified HSPP can also be coated directly onto plates for use in the  
5   aforementioned drug screening techniques. Alternatively, non-neutralizing antibodies can be used to capture the peptide and immobilize it on a solid support.

In another embodiment, one may use competitive drug screening assays in which neutralizing antibodies capable of binding HSPP specifically compete with a test compound for binding HSPP. In this manner, antibodies can be used to detect the  
10   presence of any peptide which shares one or more antigenic determinants with HSPP.

In additional embodiments, the nucleotide sequences which encode HSPP may be used in any molecular biology techniques that have yet to be developed, provided the new techniques rely on properties of nucleotide sequences that are currently known, including, but not limited to, such properties as the triplet genetic code and specific base pair  
15   interactions.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever.

20    The disclosures of all applications, patents, and publications, mentioned above and below, in particular US Ser. No. 60/090,762, US Ser. No. 60/094,983, US Ser. No. 60/102,686, and US Ser. No. 60/112,129, are hereby expressly incorporated by reference.

## EXAMPLES

### 25   I.    Construction of cDNA Libraries

RNA was purchased from Clontech or isolated from tissues described in Table 4. Some tissues were homogenized and lysed in guanidinium isothiocyanate, while others were homogenized and lysed in phenol or in a suitable mixture of denaturants, such as TRIZOL (Life Technologies), a monophasic solution of phenol and guanidine  
30   isothiocyanate. The resulting lysates were centrifuged over CsCl cushions or extracted with chloroform. RNA was precipitated from the lysates with either isopropanol or sodium acetate and ethanol, or by other routine methods.

Phenol extraction and precipitation of RNA were repeated as necessary to increase RNA purity. In some cases, RNA was treated with DNase. For most libraries, poly(A+) RNA was isolated using oligo d(T)-coupled paramagnetic particles (Promega), OLIGOTEX latex particles (QIAGEN, Valencia CA), or an OLIGOTEX mRNA purification kit (QIAGEN). Alternatively, RNA was isolated directly from tissue lysates using other RNA isolation kits, e.g., the POLY(A)PURE mRNA purification kit (Ambion, Austin TX).

In some cases, Stratagene was provided with RNA and constructed the corresponding cDNA libraries. Otherwise, cDNA was synthesized and cDNA libraries were constructed with the UNIZAP vector system (Stratagene) or SUPERScript plasmid system (Life Technologies), using the recommended procedures or similar methods known in the art. (See, e.g., Ausubel, 1997, supra, units 5.1-6.6). Reverse transcription was initiated using oligo d(T) or random primers. Synthetic oligonucleotide adapters were ligated to double stranded cDNA, and the cDNA was digested with the appropriate restriction enzyme or enzymes. For most libraries, the cDNA was size-selected (300-1000 bp) using SEPHACRYL S1000, SEPHAROSE CL2B, or SEPHAROSE CL4B column chromatography (Amersham Pharmacia Biotech) or preparative agarose gel electrophoresis. cDNAs were ligated into compatible restriction enzyme sites of the polylinker of a suitable plasmid, e.g., PBLUESCRIPT plasmid (Stratagene), pSPORT1 plasmid (Life Technologies), or pINCY (Incyte Pharmaceuticals, Palo Alto CA). Recombinant plasmids were transformed into competent *E. coli* cells including XL1-Blue, XL1-BlueMRF, or SOLR from Stratagene or DH5 $\alpha$ , DH10B, or ElectroMAX DH10B from Life Technologies.

## II. Isolation of cDNA Clones

Plasmids were recovered from host cells by in vivo excision, using the UNIZAP vector system (Stratagene) or cell lysis. Plasmids were purified using at least one of the following: a MAGIC or WIZARD Minipreps DNA purification system (Promega); an AGTC Miniprep purification kit (Edge Biosystems, Gaithersburg MD); and QIAWELL 8 Plasmid, QIAWELL 8 Plus Plasmid, QIAWELL 8 Ultra Plasmid purification systems or the REAL Prep 96 plasmid kit from QIAGEN. Following precipitation, plasmids were resuspended in 0.1 ml of distilled water and stored, with or without lyophilization, at 4°C.

Alternatively, plasmid DNA was amplified from host cell lysates using direct link PCR in a high-throughput format (Rao, V.B. (1994) Anal. Biochem. 216:1-14). Host cell lysis and thermal cycling steps were carried out in a single reaction mixture. Samples were processed and stored in 384-well plates, and the concentration of amplified plasmid DNA was quantified fluorometrically using PICOGREEN dye (Molecular Probes, Eugene OR) and a Fluoroskan II fluorescence scanner (Labsystems Oy, Helsinki, Finland).

### III. Sequencing and Analysis

The cDNAs were prepared for sequencing using the ABI CATALYST 800 (Perkin-Elmer) or the HYDRA microdispenser (Robbins Scientific) or MICROLAB 2200 (Hamilton) systems in combination with the PTC-200 thermal cyclers (MJ Research). The cDNAs were sequenced using the ABI PRISM 373 or 377 sequencing systems (Perkin-Elmer) and standard ABI protocols, base calling software, and kits. In one alternative, cDNAs were sequenced using the MEGABACE 1000 DNA sequencing system (Molecular Dynamics). In another alternative, the cDNAs were amplified and sequenced using the ABI PRISM BIGDYE Terminator cycle sequencing ready reaction kit (Perkin-Elmer). In yet another alternative, cDNAs were sequenced using solutions and dyes from Amersham Pharmacia Biotech. Reading frames for the ESTs were determined using standard methods (reviewed in Ausubel, 1997, supra, unit 7.7). Some of the cDNA sequences were selected for extension using the techniques disclosed in Example V.

The polynucleotide sequences derived from cDNA, extension, and shotgun sequencing were assembled and analyzed using a combination of software programs which utilize algorithms well known to those skilled in the art. Table 5 summarizes the software programs, descriptions, references, and threshold parameters used. The first column of Table 5 shows the tools, programs, and algorithms used, the second column provides a brief description thereof, the third column presents the references which are incorporated by reference herein, and the fourth column presents, where applicable, the scores, probability values, and other parameters used to evaluate the strength of a match between two sequences (the higher the probability the greater the homology). Sequences were analyzed using MACDNASIS PRO software (Hitachi Software Engineering, South San Francisco CA) and LASERGENE software (DNASTAR).

The polynucleotide sequences were validated by removing vector, linker, and polyA sequences and by masking ambiguous bases, using algorithms and programs based

on BLAST, dynamic programming, and dinucleotide nearest neighbor analysis. The sequences were then queried against a selection of public databases such as GenBank primate, rodent, mammalian, vertebrate, and eukaryote databases, and BLOCKS to acquire annotation, using programs based on BLAST, FASTA, and BLIMPS. The sequences were  
5 assembled into full length polynucleotide sequences using programs based on Phred, Phrap, and Consed, and were screened for open reading frames using programs based on GeneMark, BLAST, and FASTA. The full length polynucleotide sequences were translated to derive the corresponding full length amino acid sequences, and these full length sequences were subsequently analyzed by querying against databases such as the  
10 GenBank databases (described above), SwissProt, BLOCKS, PRINTS, Prosite, and Hidden Markov Model (HMM)-based protein family databases such as PFAM. HMM is a probabilistic approach which analyzes consensus primary structures of gene families. (See, e.g., Eddy, S.R. (1996) Cur. Opin. Str. Biol. 6:361-365.)

The programs described above for the assembly and analysis of full length  
15 polynucleotide and amino acid sequences were also used to identify polynucleotide sequence fragments from SEQ ID NO:135-268. Fragments from about 20 to about 4000 nucleotides which are useful in hybridization and amplification technologies were described in The Invention section above.

#### IV. Northern Analysis

20 Northern analysis is a laboratory technique used to detect the presence of a transcript of a gene and involves the hybridization of a labeled nucleotide sequence to a membrane on which RNAs from a particular cell type or tissue have been bound. (See, e.g., Sambrook, supra, ch. 7; Ausubel, 1995, supra, ch. 4 and 16.)

Analogous computer techniques applying BLAST were used to search for identical  
25 or related molecules in nucleotide databases such as GenBank or LIFESEQ database (Incyte Pharmaceuticals). This analysis is much faster than multiple membrane-based hybridizations. In addition, the sensitivity of the computer search can be modified to determine whether any particular match is categorized as exact or similar. The basis of the search is the product score, which is defined as:

30 
$$\frac{\% \text{ sequence identity} \times \% \text{ maximum BLAST score}}{100}$$

The product score takes into account both the degree of similarity between two sequences and the length of the sequence match. For example, with a product score of 40, the match will be exact within a 1% to 2% error, and, with a product score of 70, the match will be exact. Similar molecules are usually identified by selecting those which show product  
5 scores between 15 and 40, although lower scores may identify related molecules.

The results of northern analyses are reported as a percentage distribution of libraries in which the transcript encoding HSPP occurred. Analysis involved the categorization of cDNA libraries by organ/tissue and disease. The organ/tissue categories included cardiovascular, dermatologic, developmental, endocrine, gastrointestinal,  
10 hematopoietic/immune, musculoskeletal, nervous, reproductive, and urologic. The disease/condition categories included cancer, inflammation/trauma, cell proliferation, neurological, and pooled. For each category, the number of libraries expressing the sequence of interest was counted and divided by the total number of libraries across all categories. Percentage values of tissue-specific and disease- or condition-specific  
15 expression are reported in Table 3.

#### **V. Extension of HSPP Encoding Polynucleotides**

Full length nucleic acid sequences of SEQ ID NOs:135-229 were produced by extension of the component fragments described in Table 1, column 5, using oligonucleotide primers based on these fragments. For each nucleic acid sequence, one  
20 primer was synthesized to initiate extension of an antisense polynucleotide, and the other was synthesized to initiate extension of a sense polynucleotide. Primers were used to facilitate the extension of the known sequence "outward" generating amplicons containing new unknown nucleotide sequence for the region of interest. The initial primers were designed from the cDNA using OLIGO™ 4.06 (National Biosciences, Plymouth, MN), or  
25 another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

Selected human cDNA libraries (GIBCO BRL) were used to extend the sequence.  
30 If more than one extension is necessary or desired, additional sets of primers are designed to further extend the known region.

High fidelity amplification was obtained by following the instructions for the XL-PCR™ kit (The Perkin-Elmer Corp., Norwalk, CT) and thoroughly mixing the enzyme and reaction mix. PCR was performed using the PTC-200 thermal cycler (MJ Research, Inc., Watertown, MA), beginning with 40 pmol of each primer and the recommended

5 concentrations of all other components of the kit, with the following parameters:

	Step 1	94° C for 1 min (initial denaturation)
	Step 2	65° C for 1 min
	Step 3	68° C for 6 min
	Step 4	94° C for 15 sec
10	Step 5	65° C for 1 min
	Step 6	68° C for 7 min
	Step 7	Repeat steps 4 through 6 for an additional 15 cycles
	Step 8	94° C for 15 sec
	Step 9	65° C for 1 min
15	Step 10	68° C for 7:15 min
	Step 11	Repeat steps 8 through 10 for an additional 12 cycles
	Step 12	72° C for 8 min
	Step 13	4° C (and holding)

20 A 5  $\mu$ l to 10  $\mu$ l aliquot of the reaction mixture was analyzed by electrophoresis on a low concentration (about 0.6% to 0.8%) agarose mini-gel to determine which reactions were successful in extending the sequence. Bands thought to contain the largest products were excised from the gel, purified using QIAQUICK™ (QIAGEN Inc.), and trimmed of overhangs using Klenow enzyme to facilitate religation and cloning.

25 After ethanol precipitation, the products were redissolved in 13  $\mu$ l of ligation buffer, 1  $\mu$ l T4-DNA ligase (15 units) and 1  $\mu$ l T4 polynucleotide kinase were added, and the mixture was incubated at room temperature for 2 to 3 hours, or overnight at 16° C. Competent *E. coli* cells (in 40  $\mu$ l of appropriate media) were transformed with 3  $\mu$ l of ligation mixture and cultured in 80  $\mu$ l of SOC medium. (See, e.g., Sambrook, *supra*,  
 30 Appendix A, p. 2.) After incubation for one hour at 37° C, the *E. coli* mixture was plated on Luria Bertani (LB) agar (See, e.g., Sambrook, *supra*, Appendix A, p. 1) containing carbenicillin (2x carb). The following day, several colonies were randomly picked from each plate and cultured in 150  $\mu$ l of liquid LB/2x carb medium placed in an individual well of an appropriate commercially-available sterile 96-well microtiter plate. The  
 35 following day, 5  $\mu$ l of each overnight culture was transferred into a non-sterile 96-well plate and, after dilution 1:10 with water, 5  $\mu$ l from each sample was transferred into a PCR array.

For PCR amplification, 18  $\mu$ l of concentrated PCR reaction mix (3.3x) containing 4 units of rTth DNA polymerase, a vector primer, and one or both of the gene specific primers used for the extension reaction were added to each well. Amplification was performed using the following conditions:

5	Step 1	94° C for 60 sec
	Step 2	94° C for 20 sec
	Step 3	55° C for 30 sec
	Step 4	72° C for 90 sec
	Step 5	Repeat steps 2 through 4 for an additional 29 cycles
10	Step 6	72° C for 180 sec
	Step 7	4° C (and holding)

Aliquots of the PCR reactions were run on agarose gels together with molecular weight markers. The sizes of the PCR products were compared to the original partial  
15 cDNAs, and appropriate clones were selected, ligated into plasmid, and sequenced.

The full length nucleic acid sequences of SEQ ID NO:230-268 were produced by extension of an appropriate fragment of the full length molecule using oligonucleotide primers designed from this fragment. One primer was synthesized to initiate 5' extension of the known fragment, and the other primer, to initiate 3' extension of the known  
20 fragment. The initial primers were designed using OLIGO 4.06 software (National Biosciences), or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

25 Selected human cDNA libraries were used to extend the sequence. If more than one extension was necessary or desired, additional or nested sets of primers were designed.

High fidelity amplification was obtained by PCR using methods well known in the art. PCR was performed in 96-well plates using the PTC-200 thermal cycler (MJ Research, Inc.). The reaction mix contained DNA template, 200 nmol of each primer,  
30 reaction buffer containing  $Mg^{2+}$ ,  $(NH_4)_2SO_4$ , and  $\beta$ -mercaptoethanol, Taq DNA polymerase (Amersham Pharmacia Biotech), ELONGASE enzyme (Life Technologies), and Pfu DNA polymerase (Stratagene), with the following parameters for primer pair PCI A and PCI B: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7:  
35 storage at 4°C. In the alternative, the parameters for primer pair T7 and SK+ were as



follows: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 57°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C.

The concentration of DNA in each well was determined by dispensing 100 µl  
5 PICOGREEN quantitation reagent (0.25% (v/v) PICOGREEN; Molecular Probes, Eugene  
OR) dissolved in 1X TE and 0.5 µl of undiluted PCR product into each well of an opaque  
fluorimeter plate (Corning Costar, Acton MA), allowing the DNA to bind to the reagent.  
The plate was scanned in a Fluoroskan II (Labsystems Oy, Helsinki, Finland) to measure  
the fluorescence of the sample and to quantify the concentration of DNA. A 5 µl to 10 µl  
10 aliquot of the reaction mixture was analyzed by electrophoresis on a 1 % agarose mini-gel  
to determine which reactions were successful in extending the sequence.

The extended nucleotides were desalted and concentrated, transferred to 384-well  
plates, digested with CviJI cholera virus endonuclease (Molecular Biology Research,  
Madison WI), and sonicated or sheared prior to religation into pUC 18 vector (Amersham  
15 Pharmacia Biotech). For shotgun sequencing, the digested nucleotides were separated on  
low concentration (0.6 to 0.8%) agarose gels, fragments were excised, and agar digested  
with Agar ACE (Promega). Extended clones were religated using T4 ligase (New England  
Biolabs, Beverly MA) into pUC 18 vector (Amersham Pharmacia Biotech), treated with  
Pfu DNA polymerase (Stratagene) to fill-in restriction site overhangs, and transfected into  
20 competent *E. coli* cells. Transformed cells were selected on antibiotic-containing media,  
individual colonies were picked and cultured overnight at 37°C in 384-well plates in  
LB/2x carb liquid media.

The cells were lysed, and DNA was amplified by PCR using Taq DNA  
polymerase (Amersham Pharmacia Biotech) and Pfu DNA polymerase (Stratagene) with  
25 the following parameters: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min;  
Step 4: 72°C, 2 min; Step 5: steps 2, 3, and 4 repeated 29 times; Step 6: 72°C, 5 min; Step  
7: storage at 4°C. DNA was quantified by PICOGREEN reagent (Molecular Probes) as  
described above. Samples with low DNA recoveries were reamplified using the same  
conditions as described above. Samples were diluted with 20% dimethylsulphoxide (1:2,  
30 v/v), and sequenced using DYENAMIC energy transfer sequencing primers and the  
DYENAMIC DIRECT kit (Amersham Pharmacia Biotech) or the ABI PRISM BIGDYE  
Terminator cycle sequencing ready reaction kit (Perkin-Elmer).

In like manner, the nucleotide sequences of SEQ ID NO:135-268 are used to obtain 5' regulatory sequences using the procedure above, oligonucleotides designed for such extension, and an appropriate genomic library.

## 5 VI. Labeling and Use of Individual Hybridization Probes

Hybridization probes derived from SEQ ID NO:135-268 are employed to screen cDNAs, genomic DNAs, or mRNAs. Although the labeling of oligonucleotides, consisting of about 20 base pairs, is specifically described, essentially the same procedure is used with larger nucleotide fragments. Oligonucleotides are designed using state-of-the-  
10 art software such as OLIGO 4.06 software (National Biosciences) and labeled by combining 50 pmol of each oligomer, 250  $\mu$ Ci of [ $\gamma$ - $^{32}$ P] adenosine triphosphate (Amersham Pharmacia Biotech), and T4 polynucleotide kinase (DuPont NEN, Boston MA). The labeled oligonucleotides are substantially purified using a SEPHADEX G-25 superfine size exclusion dextran bead column (Amersham Pharmacia Biotech). An aliquot  
15 containing  $10^7$  counts per minute of the labeled probe is used in a typical membrane-based hybridization analysis of human genomic DNA digested with one of the following endonucleases: Ase I, Bgl II, Eco RI, Pst I, Xba I, or Pvu II (DuPont NEN).

The DNA from each digest is fractionated on a 0.7% agarose gel and transferred to nylon membranes (Nytran Plus, Schleicher & Schuell, Durham NH). Hybridization is  
20 carried out for 16 hours at 40°C. To remove nonspecific signals, blots are sequentially washed at room temperature under increasingly stringent conditions up to 0.1 x saline sodium citrate and 0.5% sodium dodecyl sulfate. After XOMAT-AR film (Eastman Kodak, Rochester NY) is exposed to the blots to film for several hours, hybridization patterns are compared visually.

## 25 VII. Microarrays

A chemical coupling procedure and an ink jet device can be used to synthesize array elements on the surface of a substrate. (See, e.g., Baldeschweiler, supra.) An array analogous to a dot or slot blot may also be used to arrange and link elements to the surface of a substrate using thermal, UV, chemical, or mechanical bonding procedures. A typical  
30 array may be produced by hand or using available methods and machines and contain any appropriate number of elements. After hybridization, nonhybridized probes are removed and a scanner used to determine the levels and patterns of fluorescence. The degree of

complementarity and the relative abundance of each probe which hybridizes to an element on the microarray may be assessed through analysis of the scanned images.

Full-length cDNAs, Expressed Sequence Tags (ESTs), or fragments thereof may comprise the elements of the microarray. Fragments suitable for hybridization can be  
5 selected using software well known in the art such as LASERGENE software (DNASTAR). Full-length cDNAs, ESTs, or fragments thereof corresponding to one of the nucleotide sequences of the present invention, or selected at random from a cDNA library relevant to the present invention, are arranged on an appropriate substrate, e.g., a glass  
10 slide. The cDNA is fixed to the slide using, e.g., UV cross-linking followed by thermal and chemical treatments and subsequent drying. (See, e.g., Schena, M. et al. (1995) Science 270:467-470; Shalon, D. et al. (1996) Genome Res. 6:639-645.) Fluorescent probes are prepared and used for hybridization to the elements on the substrate. The substrate is analyzed by procedures described above.

#### VIII. Complementary Polynucleotides

15 Sequences complementary to the HSPP-encoding sequences, or any parts thereof, are used to detect, decrease, or inhibit expression of naturally occurring HSPP. Although use of oligonucleotides comprising from about 15 to 30 base pairs is described, essentially the same procedure is used with smaller or with larger sequence fragments. Appropriate oligonucleotides are designed using OLIGO 4.06 software (National Biosciences) and the  
20 coding sequence of HSPP. To inhibit transcription, a complementary oligonucleotide is designed from the most unique 5' sequence and used to prevent promoter binding to the coding sequence. To inhibit translation, a complementary oligonucleotide is designed to prevent ribosomal binding to the HSPP-encoding transcript.

#### 25 IX. Expression of HSPP

Expression and purification of HSPP is achieved using bacterial or virus-based expression systems. For expression of HSPP in bacteria, cDNA is subcloned into an appropriate vector containing an antibiotic resistance gene and an inducible promoter that directs high levels of cDNA transcription. Examples of such promoters include, but are  
30 not limited to, the *trp-lac* (*tac*) hybrid promoter and the T5 or T7 bacteriophage promoter in conjunction with the *lac* operator regulatory element. Recombinant vectors are transformed into suitable bacterial hosts, e.g., BL21(DE3). Antibiotic resistant bacteria

express HSPP upon induction with isopropyl beta-D-thiogalactopyranoside (IPTG). Expression of HSPP in eukaryotic cells is achieved by infecting insect or mammalian cell lines with recombinant Autographica californica nuclear polyhedrosis virus (AcMNPV), commonly known as baculovirus. The nonessential polyhedrin gene of baculovirus is replaced with cDNA encoding HSPP by either homologous recombination or bacterial-mediated transposition involving transfer plasmid intermediates. Viral infectivity is maintained and the strong polyhedrin promoter drives high levels of cDNA transcription. Recombinant baculovirus is used to infect Spodoptera frugiperda (Sf9) insect cells in most cases, or human hepatocytes, in some cases. Infection of the latter requires additional genetic modifications to baculovirus. (See Engelhard, E. K. et al. (1994) Proc. Natl. Acad. Sci. USA 91:3224-3227; Sandig, V. et al. (1996) Hum. Gene Ther. 7:1937-1945.)

In most expression systems, HSPP is synthesized as a fusion protein with, e.g., glutathione S-transferase (GST) or a peptide epitope tag, such as FLAG or 6-His, permitting rapid, single-step, affinity-based purification of recombinant fusion protein from crude cell lysates. GST, a 26-kilodalton enzyme from Schistosoma japonicum, enables the purification of fusion proteins on immobilized glutathione under conditions that maintain protein activity and antigenicity (Amersham Pharmacia Biotech). Following purification, the GST moiety can be proteolytically cleaved from HSPP at specifically engineered sites. FLAG, an 8-amino acid peptide, enables immunoaffinity purification using commercially available monoclonal and polyclonal anti-FLAG antibodies (Eastman Kodak). 6-His, a stretch of six consecutive histidine residues, enables purification on metal-chelate resins (QIAGEN). Methods for protein expression and purification are discussed in Ausubel (1995, supra, ch 10 and 16). Purified HSPP obtained by these methods can be used directly in the following activity assay.

25

## X. Demonstration of HSPP Activity

### HSPP-68

HSPP-68 activity is measured by determining the potassium current using voltage clamp analysis on single Xenopus laevis oocytes injected with HSPP-68 cRNA. HSPP-68 cRNA is synthesized in vitro from linearized HSPP-68 encoding plasmids using the T7

RNA polymerase and injected into oocytes.. Injected oocytes are used two to four days after injection. In a 0.3 ml perfusion chamber, a single oocyte is impaled with two standard microelectrodes (1-2.5 M $\Omega$ ) filled with 3 M KCl. The oocyte is maintained under voltage clamp by using a Dagan TEV 200 amplifier, in buffer containing 96 mM NaCl, 2 mM KCl, 1.8 mM CaCl<sub>2</sub>, 2 mM MgCl<sub>2</sub>, 5 mM HEPES, pH 7.4 with NaOH. Stimulation of the preparation, data acquisition, and analysis is performed using a computer. All experiments are performed at room temperature (21-22 °C). Following a depolarizing pulse, the characteristics of the resulting potassium current are measured via the recording electrode. The amount of potassium current that flows in response to a unit depolarization is proportional to the activity of HSPP-68 in the cell. (Duprat, F. et al. (1997) EMBO J. 16:5464-5471.)

#### HSPP-92

HSPP-92 protein phosphatase activity is measured by the hydrolysis of P-nitrophenyl phosphate (PNPP). HSPP-92 is incubated together with PNPP in HEPES buffer pH 7.5, in the presence of 0.1% b-mercaptoethanol at 37°C for 60 min. The reaction is stopped by the addition of 6 ml of 10 N NaOH and the increase in light absorbance at 410 nm resulting from the hydrolysis of PNPP is measured using a spectrophotometer. The increase in light absorbance is proportional to the activity of PP in the assay. (Diamond R.H. et al (1994) Mol Cell Biol 14:3752-62.)

Alternatively, HSPP, or biologically active fragments thereof, are labeled with <sup>125</sup>I Bolton-Hunter reagent. (See, e.g., Bolton et al. (1973) Biochem. J. 133:529.) Candidate molecules previously arrayed in the wells of a multi-well plate are incubated with the labeled HSPP, washed, and any wells with labeled HSPP complex are assayed. Data obtained using different concentrations of HSPP are used to calculate values for the number, affinity, and association of HSPP with the candidate molecules.

Alternatively, an assay for HSPP activity measures the expression of HSPP on the cell surface. cDNA encoding HSPP is subcloned into an appropriate mammalian expression vector suitable for high levels of cDNA expression. The resulting construct is transfected into a nonhuman cell line such as NIH3T3. Cell surface proteins are labeled with biotin using methods known in the art. Immunoprecipitations are performed using HSPP-specific antibodies, and immunoprecipitated samples are analyzed using SDS-PAGE and immunoblotting techniques. The ratio of labeled immunoprecipitant to

unlabeled immunoprecipitant is proportional to the amount of HSPP expressed on the cell surface.

Alternatively, an assay for HSPP activity measures the amount of HSPP in secretory, membrane-bound organelles. Transfected cells as described above are harvested and lysed. The lysate is fractionated using methods known to those of skill in the art, for example, sucrose gradient ultracentrifugation. Such methods allow the isolation of subcellular components such as the Golgi apparatus, ER, small membrane-bound vesicles, and other secretory organelles. Immunoprecipitations from fractionated and total cell lysates are performed using HSPP-specific antibodies, and immunoprecipitated samples are analyzed using SDS-PAGE and immunoblotting techniques. The concentration of HSPP in secretory organelles relative to HSPP in total cell lysate is proportional to the amount of HSPP in transit through the secretory pathway.

#### **XI. Functional Assays**

HSPP function is assessed by expressing the sequences encoding HSPP at physiologically elevated levels in mammalian cell culture systems. cDNA is subcloned into a mammalian expression vector containing a strong promoter that drives high levels of cDNA expression. Vectors of choice include pCMV SPORT (Life Technologies) and pCR3.1 (Invitrogen, Carlsbad CA), both of which contain the cytomegalovirus promoter. 5-10  $\mu$ g of recombinant vector are transiently transfected into a human cell line, preferably of endothelial or hematopoietic origin, using either liposome formulations or electroporation. 1-2  $\mu$ g of an additional plasmid containing sequences encoding a marker protein are co-transfected. Expression of a marker protein provides a means to distinguish transfected cells from nontransfected cells and is a reliable predictor of cDNA expression from the recombinant vector. Marker proteins of choice include, e.g., Green Fluorescent Protein (GFP; Clontech), CD64, or a CD64-GFP fusion protein. Flow cytometry (FCM), an automated, laser optics-based technique, is used to identify transfected cells expressing GFP or CD64-GFP, and to evaluate properties, for example, their apoptotic state. FCM detects and quantifies the uptake of fluorescent molecules that diagnose events preceding or coincident with cell death. These events include changes in nuclear DNA content as measured by staining of DNA with propidium iodide; changes in cell size and granularity as measured by forward light scatter and 90 degree side light scatter; down-regulation of DNA synthesis as measured by decrease in bromodeoxyuridine uptake; alterations in

expression of cell surface and intracellular proteins as measured by reactivity with specific antibodies; and alterations in plasma membrane composition as measured by the binding of fluorescein-conjugated Annexin V protein to the cell surface. Methods in flow cytometry are discussed in Ormerod, M. G. (1994) Flow Cytometry, Oxford, New York

5 NY.

The influence of HSPP on gene expression can be assessed using highly purified populations of cells transfected with sequences encoding HSPP and either CD64 or CD64-GFP. CD64 and CD64-GFP are expressed on the surface of transfected cells and bind to conserved regions of human immunoglobulin G (IgG). Transfected cells are efficiently

10 separated from nontransfected cells using magnetic beads coated with either human IgG or antibody against CD64 (DYNAL, Lake Success NY). mRNA can be purified from the cells using methods well known by those of skill in the art. Expression of mRNA encoding HSPP and other genes of interest can be analyzed by northern analysis or microarray techniques.

## 15 XII. Production of HSPP Specific Antibodies

HSPP substantially purified using polyacrylamide gel electrophoresis (PAGE; see, e.g., Harrington, M.G. (1990) *Methods Enzymol.* 182:488-495), or other purification techniques, is used to immunize rabbits and to produce antibodies using standard protocols.

Alternatively, the HSPP amino acid sequence is analyzed using LASERGENE software (DNASTAR) to determine regions of high immunogenicity, and a corresponding oligopeptide is synthesized and used to raise antibodies by means known to those of skill in the art. Methods for selection of appropriate epitopes, such as those near the C-terminus or in hydrophilic regions are well described in the art. (See, e.g., Ausubel,

20 1995, supra, ch. 11.)

Typically, oligopeptides 15 residues in length are synthesized using an ABI 431A Peptide Synthesizer (Perkin-Elmer) using fmoc-chemistry and coupled to KLH (Sigma-Aldrich, St. Louis MO) by reaction with N-maleimidobenzoyl-N-hydroxysuccinimide ester (MBS) to increase immunogenicity. (See, e.g., Ausubel, 1995, supra.) Rabbits are

30 immunized with the oligopeptide-KLH complex in complete Freund's adjuvant. Resulting antisera are tested for anti-peptide activity by, for example, binding the peptide to plastic,

blocking with 1% BSA, reacting with rabbit antisera, washing, and reacting with radio-iodinated goat anti-rabbit IgG.

### **XIII. Purification of Naturally Occurring HSPP Using Specific Antibodies**

Naturally occurring or recombinant HSPP is substantially purified by  
5 immunoaffinity chromatography using antibodies specific for HSPP. An immunoaffinity column is constructed by covalently coupling anti-HSPP antibody to an activated chromatographic resin, such as CNBr-activated SEPHAROSE (Amersham Pharmacia Biotech). After the coupling, the resin is blocked and washed according to the manufacturer's instructions.

10 Media containing HSPP are passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of HSPP (e.g., high ionic strength buffers in the presence of detergent). The column is eluted under conditions that disrupt antibody/HSPP binding (e.g., a buffer of pH 2 to pH 3, or a high concentration of a chaotrope, such as urea or thiocyanate ion), and HSPP is collected.

### **15 XIV. Identification of Molecules Which Interact with HSPP**

HSPP, or biologically active fragments thereof, are labeled with <sup>125</sup>I Bolton-Hunter reagent. (See, e.g., Bolton et al. (1973) Biochem. J. 133:529.) Candidate molecules previously arrayed in the wells of a multi-well plate are incubated with the labeled HSPP, washed, and any wells with labeled HSPP complex are assayed. Data  
20 obtained using different concentrations of HSPP are used to calculate values for the number, affinity, and association of HSPP with the candidate molecules.

Various modifications and variations of the described methods and systems of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention has been described in connection with  
25 specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the described modes for carrying out the invention which are obvious to those skilled in molecular biology or related fields are intended to be within the scope of the following claims.



TABLE 1

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
1	135	443531	MPHGNOT03	443531H1 (MPHGNOT03), 1406807F6 (LATRTUT02), 443531T6 (MPHGNOT03), SBBA00451F1, SBBA00676F1
2	136	632860	NEUTGMT01	632860H1 (NEUTGMT01), 784715R3 (PROSNOT05), 509590H1 (MPHGNOT03)
3	137	670010	CRBLNOT01	670010H1 (CRBLNOT01), 669971R1 (CRBLNOT01), 1553045F1 (BLADTUT04)
4	138	726498	SYNOOAT01	726498H1 (SYNOOAT01), 726498R6 (SYNOOAT01), 866599R3 (BRAITUT03)
5	139	795064	OVARNOT03	795064H1 (OVARNOT03), 4339458H1 (BRAUNOT02), 937605R3 (CERVNOT01), 2381151F6 (ISLTNOT01), 1466346F6 (PANCNOT02)
6	140	924925	BRAINOT04	924925H1 (BRAINOT04), 3268330H1 (BRAINOT20), 759120R3 (BRAITUT02)
7	141	962390	BRSTTUT03	962390H1 (BRSTTUT03), 1907958F6 (CONNTUT01), 023569F1 (ADENINB01), 167282F1 (LIVRNOT01), 1309211F1 (COLNFET02), SAUA00696F1, SAUA02860F1
8	142	1259405	MENITUT03	1259405H1 (MENITUT03), 2472425H1 (THPINOT03), 774303R1 (COLNNOT05), 1520779F1 (BLADTUT04), 1693833F6 (COLNNOT23), 1831858T6.comp (THPIAZT01), 1527737T6.comp (UCMCL5T01)
9	143	1297384	BRSTNOT07	1297384H1 (BRSTNOT07), 1269310F6 (BRAINOT09), 1457367F1 (COLNFET02), 415587R1 (BRSTNOT01), SANA02967F1
10	144	1299627	BRSTNOT07	1299627H1 (BRSTNOT07), 1359140F6 (LUNGNOT09), 1349224F1 (LATRTUT02), SBAA01431F1, SBAA02909F1, SBAA01156F1
11	145	1306026	PLACNOT02	1306026H1 (PLACNOT02), 1464088R6 (PANCNOT04), SBAA02496F1, SBAA04305F1
12	146	1316219	BLADTUT02	1316219H1 (BLADTUT02), 2458603F6 (ENDANOT01), 2504756T6 (CONUTUT01)
13	147	1329031	PANCNOT07	1329031H1 (PANCNOT07), 1329031T6 (PANCNOT07), 1329031F6 (PANCNOT07)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
14	148	1483050	CORPNOT02	1483050H1 (CORPNOT02), 855049H1 (NGANNT01), 077017F1 (SYNORAB01), 1483050F6 (CORPNOT02), 1480024T6 (CORPNOT02), 1483050T6 (CORPNOT02), 759486R1 (BRAITUT02)
15	149	1514160	PANCTUT01	1514160H1 (PANCTUT01), 1866765T7 (SKINBIT01), 782676R1 (MYOMNOT01), 008055X4 (HMCINOT01), 008055X5 (HMCINOT01), 1866765F6 (SKINBIT01), SAA03127F1
16	150	1603403	LUNGNOT15	1603403H1 (LUNGNOT15), 372910F1 (LUNGNOT02), 733299R7 (LUNGNOT03)
17	151	1652303	PROSTUT08	1652303H1 (PROSTUT08), 1671806H1 (BLADNOT05), 1341743T1 (COLNNTUT03), 3803812H1 (BLADTUT03), 1878546F6 (LEUKNOT03), 1428640F1 (SINTBST01), 2058609R6 (OVARNOT03), 1331621F1 (PANCNOT07), 1306331T1 (PLACNOT02)
18	152	1693358	COLNNT03	1693358H1 (COLNNT03), 2498265H1 (ADRETUT05), 1867125F6 (SKINBIT01), 1693358T6 (COLNNT03), 2245848R6 (HIPONOT02)
19	153	1707711	DUODNOT02	1707711H1 (DUODNOT02), 1484609T1 (CORPNOT02), 1707711F6 (DUODNOT02), 1267959F1 (BRAINOT09), 1484609F1 (CORPNOT02), SAJA00930F1, SAJA01300R1, SAJA00999R1
20	154	1738735	COLNNT02	1738735H1 (COLNNT02), SAJA00944R1, SAJA00137F1, SAJA03629F1
21	155	1749147	STOMTUT02	1749147H1 (STOMTUT02), 1749147F6 (STOMTUT02), 1749147T6 (STOMTUT02)
22	156	1817722	PROSNOT20	1817722H1 (PROSNOT20), 2011085H1 (TESTNOT03)
23	157	1831290	THP1AZT01	1831290H1 (THP1AZT01), 3473958H1 (LUNGNOT27), 1972268F6 (UCMCL5T01), 1301277F1 (BRSTNOT07), 1521574F1 (BLADTUT04), 1561690T6 (SPLNNT04), 891461R1 (STOMTUT01)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
24	158	1831477	THP1AZT01	1831477HI (THP1AZT01), 1582867HI (DUODNOT01), 1336769TI (COLNNOT13), 1933092HI (COLNNOT16), 151909FI (BLADTUT04), 1220946HI (NEUTGMT01), 809556TI (LUNGNOT04), 1217559TI (NEUTGMT01), 1309225FI (COLNFET02)
25	159	1841607	COLNNOT07	1841607HI (COLNNOT07), SBHA03588FI
26	160	1852391	LUNGFET03	1852391HI (LUNGFET03), 734140HI (TONSNOT01), 1852391F6 (LUNGFET03)
27	161	1854555	HNT3AZT01	1854555HI (HNT3AZT01), 2511711HI (CONUTUT01), 782453RI (MYOMNOT01), 1854555F6 (HNT3AZT01), 1840675T6 (COLNNOT07), 2109736HI (BRAITUT03)
28	162	1855755	PROSNOT18	1855755HI (PROSNOT18), 3040236HI (BRSTNOT16), 1283207FI (COLNNOT16), 833763TI (PROSNOT07), 1920926R6 (BRSTTUT01)
29	163	1861434	PROSNOT19	1861434HI (PROSNOT19), 980291RI (TONGTUT01), 1861434T6 (PROSNOT19), SARA01525FI, SARA02548FI
30	164	1872334	LEUKNOT02	1872334HI (LEUKNOT02), 1872334F6 (LEUKNOT02), SBGA03684FI
31	165	1877230	LEUKNOT03	1877230HI (LEUKNOT03), 2519841HI (BRAITUT21), 1877230T6 (LEUKNOT03), 1254693FI (LUNGFET03), 077020RI (SYNORAB01), 1232336FI (LUNGFET03), 1004952R6 (BRSTNOT03), SARA01879FI, SARA02654FI
32	166	1877885	LEUKNOT03	1877885HI (LEUKNOT03), 508020FI (TMLR3DT01), 2751126R6 (THP1AZS08), SARA02571FI
33	167	1889269	BLADTUT07	1889269HI (BLADTUT07), 1915551HI (PROSTUT04), 629493X12 (KIDNNOT05), 1441289FI (THYRNOT03), 1215274X34FI (BRSTTUT01), 1818447F6 (PROSNOT20), 1208463RI (BRSTNOT02)
34	168	1890243	BLADTUT07	1890243HI (BLADTUT07), SARA01884FI, SARA00046FI, SARA03294FI, SARA02790FI

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
35	169	1900433	BLADTUT06	1900433HI (BLADTUT06), SATA00396F1, SATA02742F1
36	170	1909441	CONNTUT01	1909441HI (CONNTUT01), 1398811F1 (BRAITUT08), 3039939HI (BRSTNOT16), 3324740HI (PTHYNOT03), 1442131F6 (THYRNOT03), 2254056HI (OVRTUT01), 2199453T6 (SPLNFET02), 1692610F6 (COLNNOT23), 1698531HI (BLADTUT05)
37	171	1932226	COLNNOT16	1932226HI (COLNNOT16), 2320569HI (OVARNOT02), 1932226F6 (COLNNOT16), 2469455T6 (THPINOT03), 2469455F6 (THPINOT03), 1907140F6 (OVARNOT07), SATA02592F1
38	172	1932647	COLNNOT16	1932647HI (COLNNOT16), 1492745T1 (PROSNON01), 1492745HI (PROSNON01), SASA02355F1, SASA00117F1, SASA00192F1
39	173	2124245	BRSTNOT07	2124245HI (BRSTNOT07), 1235393F1 (LUNGFET03), 1402264F6 (LATRTUT02), 1303990F1 (PLACNOT02), 1402264T6 (LATRTUT02)
40	174	2132626	OVARNOT03	2132626HI (OVARNOT03), 1723432T6 (BLADNOT06), 2132626R6 (OVARNOT03), 1736723T6 (COLNNOT22), 1504738F1 (BRAITUT07)
41	175	2280639	PROSNON01	2280639HI (PROSNON01), 1435330HI (PANCNOT08), 1377560F6 (LUNGNOT10)
42	176	2292356	BRAINON01	2292356HI (BRAINON01), 4086827HI (LIVRNOT06), 1754442F6 (LIVRTUT01), 3571126HI (HEAPNOT01), 1601305F6 (BLADNOT03)
43	177	2349310	COLSUCT01	2349310HI (COLSUCT01), 2349310T6 (COLSUCT01)
44	178	2373227	ADRENOT07	2373227HI (ADRENOT07), 3316444HI (PROSBPT03), 302685R6 (TESTNOT04), SASA02181F1, SASA01923F1, SASA03516F1
45	179	2457682	ENDANOT01	2457682HI (ENDANOT01), 2457682F6 (ENDANOT01)
46	180	2480426	SMCANOT01	2480426HI (SMCANOT01), 2480426F6 (SMCANOT01)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
47	181	2503743	CONUTUT01	2503743HI (CONUTUT01), 1853909HI (HNT3AZT01), 1517619F1 (PANCUTUT01), 1467896F6 (PANCUTUT02), 490031F1 (HNT2AGT01), 1208654R1 (BRSTNOT02), 880544R1 (THYRNOT02)
48	182	2537684	BONRTUT01	2537684HI (BONRTUT01), 2005493HI (TESTNOT03), 730969HI (LUNGNOT03), 2537601F6 (BONRTUT01), 916487HI (BRSTNOT04), 996135R1 (KIDNTUT01), 1920738R6 (BRSTTUT01), 1957710F6 (CONNNOT01)
49	183	2593853	OVARTUT02	2593853HI (OVARTUT02), 807497HI (STOMNNOT02), 914020R6 (STOMNNOT02), 889992R1 (STOMTUT01)
50	184	2622354	KERANOT02	2622354HI (KERANOT02), 2623992HI (KERANOT02), 1556510F6 (BLADTUT04)
51	185	2641377	LUNGTUT08	2641377HI (LUNGTUT08), 4341415H2 (BRAUNOT02), SBDA07049F3
52	186	2674857	KIDNNOT19	2674857HI (KIDNNOT19), 1872373HI (LEUKNOT02), 470512R6 (MMLRIDT01), 1728547HI (PROSNOT14), 3013651F6 (MUSCNOT07), SBDA01366F1, SBDA00694F1
53	187	2758485	THPIAZS08	2758485HI (THPIAZS08), 3097533HI (CERVNOT03), 1578959F6 (DUODNOT01)
54	188	2763296	BRSTNOT12	2763296HI (BRSTNOT12), 3486025F6 (KIDNNOT31), SBDA07002F3
55	189	2779436	OVARTUT03	2779436HI (OVARTUT03), 2779436F6 (OVARTUT03), SBDA07009F3
56	190	2808528	BLADTUT08	2808528HI (BLADTUT08), 2611513F6 (THYMNNOT04), SBDA07021T3
57	191	2809230	BLADTUT08	2809230HI (BLADTUT08), 2213849HI (SINTFET03), 711706R6 (SYNORAT04), 958323R1 (KIDNNOT05), 030732F1 (THPINOB01)
58	192	2816821	BRSTNOT14	2816821HI (BRSTNOT14), 3746964HI (THYMNNOT08), 2816821F6 (BRSTNOT14), 948722T6 (PANCNOT05), 807947R6 (STOMNNOT02)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
59	193	2817268	BRSTNOT14	2817268HI (BRSTNOT14), 3591308HI (293TF5T01), 419522R1 (BRSTNOT01), 2073028F6 (ISLTNOT01), 1308781F6 (COLNFET02)
60	194	2923165	SININOT04	2923165HI (SININOT04), 2011630HI (TESTNOT03), 1457250F1 (COLNFET02), 754668R1 (BRAITUT02), 1406510F6 (LA TRTUT02)
61	195	2949822	KIDNFET01	2949822HI (KIDNFET01), SBDA07078F3
62	196	2992192	KIDNFET02	2992192HI (KIDNFET02), 2534324H2 (BRAINOT18), 2815255T6 (OVARNOT10), 1551107T6 (PROSNOT06), 1551107R6 (PROSNOT06)
63	197	2992458	KIDNFET02	2992458HI (KIDNFET02), 2618951HI (GBLANOT01), 1479252F1 (CORPNOT02), 1879054HI (LEUKNOT03), 1879054F6 (LEUKNOT03), 2215240HI (SINTFET03), 1535968T1 (SPLNNOT04)
64	198	3044710	HEAANOT01	3044710HI (HEAANOT01), 3741773HI (MENTNOT01), 859906X42C1 (BRAITUT03), 1534347F1 (SPLNNOT04), 1421122F1 (KIDNNOT09), 1303865F1 (PLACNOT02), 1704452F6 (DUODNOT02), 1251642F1 (LUNGFET03), 1781694R6 (PGANNON02)
65	199	3120415	LUNGTUT13	3120415HI (LUNGTUT13), 1360123T1 (LUNGNOT12), 1375015HI (LUNGNOT10)
66	200	126758	LUNGNOT01	126758HI (LUNGNOT01), 126758X11 (LUNGNOT01), 811864T1 (LUNGNOT04)
67	201	674760	CRBLNOT01	674760HI (CRBLNOT01), 3253976HI (OVRTUN01), SAUA03387F1
68	202	1229438	BRAITUT01	1229438HI (BRAITUT01), 1230616HI (BRAITUT01), 1461187R1 (PANCNOT04), 2493039HI (ADRETUT05), 2891628HI (LUNGFET04)
69	203	1236935	LUNGFET03	1236935HI (LUNGFET03), SBAA00983F1, SBAA02057F1, SBAA00170F1
70	204	1359283	LUNGNOT12	1359283HI (LUNGNOT12), SBAA01213F1, SBAA03934F1
71	205	1450703	PENITUT01	551298F1 (BEPINOT01), 551298R1 (BEPINOT01), 1450703HI (PENITUT01), 2748715HI (LUNGTUT11)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
72	206	1910668	CONNTUT01	1269346H1 (BRAINOT09), 1380872F1 (BRAITUT08), 1910668F6 (CONNTUT01), 1910668H1 (CONNTUT01), SATA02800F1, SATA03799F1, SARA02035F1
73	207	1955143	CONNNOT01	1955143F6 (CONNNOT01), 1955143H1 (CONNNOT01)
74	208	1961637	BRSTNOT04	867025H1 (BRAITUT03), 1961637H1 (BRSTNOT04), 2809064T6 (BLADTUT08), 2938714H1 (THYMFET02), 2956402H1 (KIDNFET01), 3808735T6 (CONTTUT01)
75	209	1990762	CORPNOT02	1990762H1 (CORPNOT02), 1990762T3 (CORPNOT02), SBGA04911F1, SBGA01201F1, SBGA02205F1
76	210	1994131	CORPNOT02	1994131H1 (CORPNOT02), 2645984F6 (OVRTUT04)
77	211	1997745	BRSTTUT03	1752307F6 (LIVRTUT01), 1853730H1 (HNT3AZT01), 1997745H1 (BRSTTUT03), SAZA00953F1
78	212	2009035	TESTNOT03	2009035H1 (TESTNOT03), 2009035R6 (TESTNOT03)
79	213	2009152	TESTNOT03	2009152H1 (TESTNOT03), 2009152R6 (TESTNOT03), 2783263H1 (BRSTNOT13)
80	214	2061752	OVARNOT03	2061752H1 (OVARNOT03), 2061752T6 (OVARNOT03), 2732805H1 (OVRTUT04), SAZA01310F1, SAZA00830F1
81	215	2061933	OVARNOT03	046580R1 (CORNNOT01), 746061R1 (BRAITUT01), 826996R1 (PROSNOT06), 2061933H1 (OVARNOT03)
82	216	2081422	UTRSNOT08	2081422F6 (UTRSNOT08), 2081422H1 (UTRSNOT08), SBGA04793F1, SBGA05657F1, SBDA00065F1
83	217	2101278	BRAITUT02	2101278H1 (BRAITUT02), SAXA00399F1, SAXA01284F1, SAXA01227F1
84	218	2121353	BRSTNOT07	341437H1 (NEUTFM01), 687136H1 (UTRSNOT02), 2121353H1 (BRSTNOT07), SASA01311F1

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
85	219	2241736	PANCTUT02	833263HI (PROSTUT04), 2241736HI (PANCTUT02), SAZA01148FI, SASA03299FI, SASA01349FI
86	220	2271935	PROSNON01	2271935HI (PROSNON01), 2276774HI (PROSNON01), 2760171T6 (THPIAZS08)
87	221	2295344	BRSTNOT05	2295344HI (BRSTNOT05), 3288561F6 (BONRFET01), SBGA01801FI
88	222	2303994	BRSTNOT05	905482T1 (COLNNOT08), 1858636F6 (PROSNOT18), 2303994HI (BRSTNOT05)
89	223	2497805	ADRETUT05	2497805F6 (ADRETUT05), 2497805HI (ADRETUT05)
90	224	2646362	LUNGTUT11	1754702HI (LIVRTUT01), 2640776T6 (LUNGTUT08), 2646362HI (LUNGTUT11), 3356773HI (PROSTUT16)
91	225	2657146	LUNGTUT09	2657146F6 (LUNGTUT09), 2657146HI (LUNGTUT09)
92	226	2755786	THPIAZS08	288436R1 (EOSIHET02), 1252824F6 (LUNGFET03), 1305549HI (PLACNOT02), 1364975R1 (SCORNON02), 2018293HI (THPINOT01), 2047320HI (THPI7T01), 2184537F6 (SININOT01), 2755786HI (THPIAZS08), 4111022HI (PROSBPT07)
93	227	2831245	TYLMNOT03	2831245HI (TYLMNOT03), SBMA01396FI
94	228	3116250	LUNGTUT13	126263FI (LUNGNOT01), 2729942HI (OVRTUT04), 3116250HI (LUNGTUT13)
95	229	3129630	LUNGTUT12	3129630F6 (LUNGTUT12), 3129630HI (LUNGTUT12), SBDA06436FI
96	230	007632	HMCINOT01	007632HI (HMCINOT01), 007632R6 (HMCINOT01), 007632T6 (HMCINOT01)
97	231	1236968	LUNGFET03	1236968HI (LUNGFET03), SBAA02713FI, SBAA03203FI, SBAA04196FI
98	232	1334153	COLNNOT13	776410R1 (COLNNOT05), 1334153HI (COLNNOT13), 1334153T1 (COLNNOT13), 1800085F6 (COLNNOT27), 2701948HI (OVRTUT10)



TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
99	233	1396975	BRAITUT08	864113H1 (BRAITUT03), 876139R1 (LUNGAST01), 1268313F1 (BRAINOT09), 1351348T1 (LATRUTUT02), 1396975H1 (BRAITUT08), 1485768F6 (CORPNOT02), 1815364F6 (PROSNOT20)
100	234	1501749	SINTBST01	079080R1 (SYNORAB01), 1501749H1 (SINTBST01), 1724970H1 (PROSNOT14)
101	235	1575240	LNODNOT03	081858R1 (SYNORAB01), 1575240H1 (LNODNOT03), 3451462R6 (UTRSNON03)
102	236	1647884	PROSTUT09	1647884H1 (PROSTUT09), 1647884T6 (PROSTUT09), 3998922R6 (HNT2AZS07)
103	237	1661144	BRSTNOT09	720941X17 (SYNNOAT01), 1661144H1 (BRSTNOT09), 2181782H1 (SININOT01)
104	238	1685409	PROSNOT15	755203R1 (BRAITUT02), 1226185T1 (COLNNOT01), 1300837F1 (BRSTNOT07), 1685409H1 (PROSNOT15), 1705256H1 (DUODNOT02)
105	239	1731419	BRSTTUT08	1731419H1 (BRSTTUT08), 1731419X319T3 (BRSTTUT08), 1731419X322F1 (BRSTTUT08), 1731419X326F1 (BRSTTUT08), 1731419X329F1 (BRSTTUT08), 1733786F6 (BRSTTUT08), SHAH01494F1
106	240	2650265	BRSTNOT14	1680316T6 (STOMFET01), 2650265H1 (BRSTNOT14), 2650265T6 (BRSTNOT14), 2760588R6 (BRAINOS12)
107	241	2677129	KIDNNOT19	1592129H1 (CARGNOT01), 2645962H1 (OVARUT04), 2677129F6 (KIDNNOT19), 2677129H1 (KIDNNOT19), 2910973H1 (KIDNTUT15), 4571722H1 (PROSTMT02), 4906791H2 (TLYMNOT08)
108	242	3151073	ADRENON04	3150857T6 (ADRENON04), 3151073H1 (ADRENON04), 3151073R6 (ADRENON04)
109	243	3170095	BRSTNOT18	3170095F6 (BRSTNOT18), 3170095H1 (BRSTNOT18)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
110	244	3475168	LUNGNOT27	079680F1 (SYNORAB01), 443811T6 (MPHGNOT03), 1509356T6 (LUNGNOT14), 1873596F6 (LEUKNOT02), 2440867H1 (EOSITXT01), 3475168H1 (LUNGNOT27)
111	245	3836893	DENDTN01	446637H1 (MPHGNOT03), 1219376R6 (NEUTGMT01), 3735467F6 (SMCCNOS01), 3735467T6 (SMCCNOS01), 3836893H1 (DENDTN01)
112	246	4072159	KIDNNOT26	2129415T6 (KIDNNOT05), 4072159F6 (KIDNNOT26), 4072159H1 (KIDNNOT26)
113	247	1003916	BRSTNOT03	620937R6 (PGANNOT01), 1003916H1 and 1003916R6 (BRSTNOT03), 1413623H1 (BRAINOT12), 1435945F1 (PANCNOT08), 1479127F1 (CORPNOT02), 1969146R6 (BRSTNOT04), 2517587F6 (BRAITUT21), 2967848H1 (SCORNOT04)
114	248	2093492	PANCNOT04	489651H1 (HNT2AGT01), 1265353T1 (SYNORAT05), 1431505R6 (BEPINON01), 1605237F6 (LUNGNOT15), 2093492H1 and 2093492T6 (PANCNOT04), 4195560H1 (COLITUT02)
115	249	2108789	BRAITUT03	2108789H1 and 2108789R6 (BRAITUT03), 2182008T6 (SININOT01), 3255751R6 and 3255751T6 (OVRTUT01)
116	250	2171401	ENDCNOT03	037241F1 (HUVENOB01), 1821492F6 (GBLATUT01), 2055814T6 (BEPINOT01), 2171401F6 and 2171401H1 (ENDCNOT03), 2668952F6 (ESOGTUT02), 3140313H1 and 3140313T6 (SMCCNOT02), 5031775H1 (EPIBTXT01)
117	251	2212530	SINTFET03	187596R6 and 187596T6 (CARDNOT01), 919634R6 (RATRN02), 1992331H1 (CORPNOT02), 2062034H1 (OVARNOT03), 2212530F6 and 2212530H1 (SINTFET03), 2520479H1 (BRAITUT21), 2878284F6 (THYRNOT10), 2992354H1 (KIDNFET02), 4020719F6 (BRAXNOT02)
118	252	2253036	OVRTUT01	2253036H1 and 2253036R6 (OVRTUT01)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
119	253	2280161	PROSNON01	482326H1 (HNT2RA T01), 934345H1 (CERVNOT01), 1379358F1 and 1379358T1 (LUNGNOT10), 1438562T1 (PANCNOT08), 1467511F6 (PANCUTUT02), 1568138F1 (UTRSNOT05), 1636106T6 (UTRSNOT06), 2134534F6 (ENDCNOT01), 2280161H1 and 2280161X19F1 (PROSNON01), 2789845F6 (COLNTUT16), 3096938H1 (CERVNOT03), 3774621F6 (BRSTNOT25), 4222971H1 (PANCNOT07), 5111983H1 (ENDITXT01), 5324177H1 (FIBPFEN06)
120	254	2287485	BRAINON01	1454588F1 (PENITUT01), 1593332F6 (BRAINOT14), 2287485H1 and 2287485R6 (BRAINON01), 3765992H1 (BRSTNOT24), 4374293H1 (CONFNOT03), 4937931H1 (PROSTUS18), SBCA01722F1
121	255	2380344	ISLTNOT01	2380344F6 and 2380344H1 (ISLTNOT01), 2888536T3 (LUNGFET04), SASA03644F1, SASA03689F1
122	256	2383171	ISLTNOT01	956296R1 (KIDNNOT05), 1342250F1 (COLNTUT03), 1468046F1 and 1468046T1 (PANCUTUT02), 2383171H1 (ISLTNOT01), SBYA05452U1, SBYA01369U1
123	257	2396046	THPIAZT01	2396046F6, 2396046H1 and 2396118T6 (THPIAZT01)
124	258	2456587	ENDANOT01	2456587H1 and 2456587T6 (ENDANOT01), 2872569H1 (THYRNOT10), SBCA03778F1, SBDA00115F1, SBCA02401F1, SBCA03351F1, SBCA05164F1, SBCA04783F1, SBCA00155F1, SBCA04141F1
125	259	2484813	BONRTUT01	1234970T1 (LUNGFET03), 1338090F6 (COLNNOT13), 2484813H1 (BONRTUT01), SBCA00053F1, SBCA02064F1, SBCA02151F1, SBCA03770F1, SBCA04866F1, SBCA03406F1
126	260	2493851	ADRETUT05	2493851H1 (ADRETUT05), 3805916F6 (BLADTUT03), 4500439H1 and 4500748H1 (BRAVXT02), 5120601H1 (SMCBUNT01)
127	261	2495719	ADRETUT05	603447R1 (BRSTTUT01), 2495719H1 (ADRETUT05), 2917493F6 (THYMFET03), 4647103H1 (PROSTUT20), SBRA04984D1

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
128	262	2614153	GBLANOT01	1833135R6 (BRAINON01), 1966515R6 (BRSTNOT04), 2331103R6 (COLNNOT11), 2614153H1 (GBLANOT01), 2656691F6 (LUNGUTUT09), 3951176H1 (DRGCNOT01)
129	263	2655184	THYMNOT04	2655184H1 (THYMNOT04), SBDA05215F1, SBDA05213F1, SBDA01516F1
130	264	2848362	BRSTTUT13	1297974F1 and 1297974T6 (BRSTNOT07), 2630138F6 (COLNTUT15), 2848362H1 (BRSTTUT13)
131	265	2849906	BRSTTUT13	1541617R1 and 1541617T1 (SINTTUT01), 2684504F6 and 2684504T6 (LUNGNOT23), 2796805H1 (NPOLNOT01), 2849906H1 (BRSTTUT13)
132	266	2899137	DRGCNOT01	2899137H1 (DRGCNOT01), 3026490F6 and 3026490T6 (HEARFET02), 3483359H1 (KIDNNOT31)
133	267	2986229	CARGDIT01	1740227T6 (HIPONON01), 2986229H1 (CARGDIT01)
134	268	3222081	COLNNON03	1754079F6 (LIVRTUT01), 3222081H1 (COLNNON03), 4053813T6 (SPLNNOT13), 4230282H1 (BRAMDIT01), SBDA07029F3

TABLE 2

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
1	88	T83 S38 T76		M1 - A21		Signal Peptide HMM
2	128	S30 S40 T47 T119 W125		M1 - F28		Signal Peptide HMM
3	111	T70		M1 - T18		Signal Peptide HMM
4	110	S32 T64	N58	M1 - A29		Signal Peptide HMM
5	78	T27 S39 S39 S44 S22 T27 S28 S57		M1 - R24		Signal Peptide HMM
6	88	T55 S30 S40 T55	N34	M1 - N21		Signal Peptide HMM
7	227	S220 S70 S83 T131 S134 S141 T158 Y123	N100	M1 - Q20		Signal Peptide HMM
8	198	S62 T123 S142 S189 S62 T100 Y85	N60	M1 - A28		Signal Peptide HMM
9	65	T48		M1 - A29		Signal Peptide HMM
10	154			M1 - A29		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
11	237	T116 T26 T79 T85 T182 T188 T194 T206 S60 S123 S176 S213	N128	M1 - A19		Signal Peptide HMM
12	225	T158 S128	N166	M1 - G27		Signal Peptide HMM
13	117	S41		M1 - A23		Signal Peptide HMM
14	253	S49 T63 S92 T110 S127 T239	N42 N47 N72 N207	M1 - T20		Signal Peptide HMM
15	171	S43 S94 T114		M88 - R112		Signal Peptide HMM
16	78	S38 S43	N37	M1 - G19		Signal Peptide HMM
17	71	T64 T67		M1 - C19		Signal Peptide HMM
18	188	S36 T58 T133 Y31	N121 N171	M1 - A21		Signal Peptide HMM
19	80	S76		M1 - C19		Signal Peptide HMM
20	80			M1 - G25		Signal Peptide HMM
21	84	S39 S53 S60		M1 - G21		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
22	171	S41 T150		M3 - A21		Signal Peptide HMM
23	243	S3 S44 T75 S86 S183 S223 S36 S92 S205 Y40 Y110	N97	M1 - C25		Signal Peptide HMM
24	311	T5 S76 T82 T93 T109 S121 T137 T170 S184 S11 T53 S75 S84 T132 S223 S274 Y69	N49 N91 N108 N128 N135 N190	M1 - A32		Signal Peptide HMM
25	57			M1 - L29		Signal Peptide HMM
26	82	S46 Y26		M1 - S18		Signal Peptide HMM
27	115			M1 - G34		Signal Peptide HMM
28	327	S93 S50 S167 S233 S89 T105 T214 S302 T318	N138 N206	M1 - E25		Signal Peptide HMM
29	133	S63	N105	M1 - E29		Signal Peptide HMM
30	129	S21 S65 T93		M1 - G20		Signal Peptide HMM

TABLE 2

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
1	88	T83 S38 T76		M1 - A21		Signal Peptide HMM
2	128	S30 S40 T47 T119 W125		M1 - F28		Signal Peptide HMM
3	111	T70		M1 - T18		Signal Peptide HMM
4	110	S32 T64	N58	M1 - A29		Signal Peptide HMM
5	78	T27 S39 S39 S44 S22 T27 S28 S57		M1 - R24		Signal Peptide HMM
6	88	T55 S30 S40 T55	N34	M1 - N21		Signal Peptide HMM
7	227	S220 S70 S83 T131 S134 S141 T158 Y123	N100	M1 - Q20		Signal Peptide HMM
8	198	S62 T123 S142 S189 S62 T100 Y85	N60	M1 - A28		Signal Peptide HMM
9	65	T48		M1 - A29		Signal Peptide HMM
10	154			M1 - A29		Signal Peptide HMM



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
11	237	T116 T26 T79 T85 T182 T188 T194 T206 S60 S123 S176 S213	N128	M1 - A19		Signal Peptide HMM
12	225	T158 S128	N166	M1 - G27		Signal Peptide HMM
13	117	S41		M1 - A23		Signal Peptide HMM
14	253	S49 T63 S92 T110 S127 T239	N42 N47 N72 N207	M1 - T20		Signal Peptide HMM
15	171	S43 S94 T114		M88 - R112		Signal Peptide HMM
16	78	S38 S43	N37	M1 - G19		Signal Peptide HMM
17	71	T64 T67		M1 - C19		Signal Peptide HMM
18	188	S36 T58 T133 Y31	N121 N171	M1 - A21		Signal Peptide HMM
19	80	S76		M1 - C19		Signal Peptide HMM
20	80			M1 - G25		Signal Peptide HMM
21	84	S39 S53 S60		M1 - G21		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
22	171	S41 T150		M3 - A21		Signal Peptide HMM
23	243	S3 S44 T75 S86 S183 S223 S36 S92 S205 Y40 Y110	N97	M1 - C25		Signal Peptide HMM
24	311	T5 S76 T82 T93 T109 S121 T137 T170 S184 S11 T53 S75 S84 T132 S223 S274 Y69	N49 N91 N108 N128 N135 N190	M1 - A32		Signal Peptide HMM
25	57			M1 - L29		Signal Peptide HMM
26	82	S46 Y26		M1 - S18		Signal Peptide HMM
27	115			M1 - G34		Signal Peptide HMM
28	327	S93 S50 S167 S233 S89 T105 T214 S302 T318	N138 N206	M1 - E25		Signal Peptide HMM
29	133	S63	N105	M1 - E29		Signal Peptide HMM
30	129	S21 S65 T93		M1 - G20		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
31	472	S164 T32 S42 T141 T154 S155 T235 T262 T271 T334 T376 S402 S421 S435 T441 S19 S29 T327 S378	N61 N179 N353 N356 N396	M1 - G20	hematopoietic lineage switch 2 (g3169729)	Signal Peptide HMM BLAST - GenBank
32	93	T21		M1 - A18		Signal Peptide HMM
33	92	S57 S5		M1 - G47		SPScan
34	143	T6 T14 T135		M9 - G40		Signal Peptide HMM
35	89	T15 S58 S66		M1 - A19		Signal Peptide HMM
36	560	T7 T76 S150 T224 S228 S257 S358 S474 S529 S539 T186 S219 S368 Y523	N163 N184 N379	M1 - E34		SPScan
37	197	T80 S163		M1 - G28		Signal Peptide HMM
38	437	T47 T146 S233 S391 S403 T43 S130 S273 S339 S364	N46 N189 N382	M1 - A21		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
39	330	S197 T49 T150 S193 T214 T215 T49 S111 S237	N46 N64 N166 N191	M1 - G28		Signal Peptide HMM
40	148	T73 S141	N29 N58 N71 N103	M1 - R24	receptor-activity-modifying protein (RAMP; g4165368)	Signal Peptide HMM BLAST - GenBank
41	188	S49		M1 - V25		Signal Peptide HMM
42	222	S89 S165 T174 T182 T83 S155		M1 - S24		Signal Peptide HMM
43	111	S54 S29 S98 S50 S57 T104		M1 - T23		Signal Peptide HMM
44	341	T29 S106 T120 S161 S195 S37 S47 T51 S136 S223 S230 S281		M1 - G22		Signal Peptide HMM
45	148	S21 T63 T63 A146	N40	M1 - G23		Signal Peptide HMM
46	87	S65		M1 - P18		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
47	383	T77 S95 S108 S280 S351 S121 S124 S153 T187	N93 N207	M1 - P23		Signal Peptide HMM
48	109	S25 S22		M1 - L18		Signal Peptide HMM
49	185	S62		M1 - A20		Signal Peptide HMM
50	110	T100 T73 S97 Y48	N71	M1 - C21		Signal Peptide HMM
51	126	S17 S110		M1 - G18		Signal Peptide HMM
52	488	S205 T31 S86 T236 S7 T447	N250 N321 N463	M1 - L25	putative involvement in cell wall structure or biosynthesis (g3738170)	Signal Peptide HMM BLAST - GenBank
53	197	T55 S34 S46 S69 T98 S108 T119 T167 S194 S2 S34 T153		M1 - A26		Signal Peptide HMM
54	84	S65 S36 T41 S51 S69 S81	N39	M1 - G25		Signal Peptide HMM
55	97	S56		M1 - A22		Signal Peptide HMM
56	140	S29		M1 - P23		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
57	285	S53 S108 T216 S253 S277	N153	M1 - A25		Signal Peptide HMM
58	262	S62 T166 S62 S71 Y246	N190	M1 - G28	3-acylating enzyme (Q44449)	Signal Peptide HMM BLAST - GENESEQ
59	189	S120 T154 T34 T37 S174		M1 - C22		Signal Peptide HMM
60	257	S98 T136 T67 S112 S234 S237		M55 - E84β		SPScan
61	82	T68	N67	M1 - G18		Signal Peptide HMM
62	202	T21 S117 S120		M1 - G27		Signal Peptide HMM
63	450	S107 S97 S146 S339 S440 S245 T303 S304 S399		M1 - G18		Signal Peptide HMM
64	322	T145 T214 T16 S24 S35 S45 T145 T269 S297 T300 T314 Y87	N53 N130 N289	M1 - G23		Signal Peptide HMM
65	104	S38 S25 S75		M1 - A18		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
66	93			M1 through about S18 Transmembrane: M1 through about Y17		SPscan HMM
67	71	S23 S64		M1 through about A24		SPscan HMM MOTIFS
68	394	S392 S393 S31 S127 S179 S334 T338 S358 T383 Y323	N53	M1 through about S31 Transmembrane: about M159 through about F178 about F109 through about S127 about F225 through about V243		SPscan HMM MOTIFS
69	72	S59	N69	M1 through about S23 Transmembrane: M1 through about L16		SPscan HMM MOTIFS
70	71	S11 T26		M1 through about Q18		SPscan HMM MOTIFS
71	247	S41 T79		M1 through about S25		SPscan HMM MOTIFS
72	73	S56		M1 through about G27		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
73	70			M1 through about G20		SPscan HMM
74	67			M1 through about G30		SPscan HMM
75	91			M1 through about G26		SPScan
76	56	T29 S46 T51		M1 through about S19		SPscan HMM MOTIFS
77	112	S62 S65		M1 through about G27 Transmembrane: about W79 through about H97		SPscan HMM MOTIFS
78	54		N48	M1 through about N34		SPscan HMM MOTIFS
79	57	T33 R55		M1 through about C18		SPscan HMM MOTIFS
80	52	S34		M1 through about S30		SPscan HMM MOTIFS



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
81	64	T43 Y27		M1 through about S41		SPscan HMM MOTIFS
82	65	S45		M1 through about A31 Transmembrane: about L38 through about F55		SPscan HMM MOTIFS
83	56			M1 through about E23		SPscan HMM
84	120	S69 S109	N89 N95	M1 through about A38 Transmembrane: about L23 through about T41		SPscan HMM MOTIFS
85	67	S28		M1 through about K30 Microbodies C-terminal targeting signal: A65KV		SPscan HMM MOTIFS
86	62	S29 S42 S46	N40	M1 through about S29		SPscan HMM MOTIFS
87	75	S25 S46		M1 through about L19 Transmembrane: about I3 through about G20		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
88	80	T28		M1 through about A20		SPscan HMM MOTIFS
89	50	S11		M1 through about C48		SPscan HMM MOTIFS
90	116	S38		M1 through about G22		SPscan HMM MOTIFS
91	67	S43		M1 through about P21		SPscan HMM MOTIFS
92	538	S415 S52 T77 S97 T178 T228 S282 S320 S332 S384 T401 T424 S483 S207 S230 S357 T410 Y263 Y365	N226	M1 through about S18 Tyrosine specific protein phosphatases signature: about V328 through about F340		SPscan BLOCKS PRINTS MOTIFS
93	58			M1 through about S25		SPscan HMM
94	119	S39		M1 through about S22 Transmembrane: about V3 through about S21		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
95	128	S91		M1 through about G31 Transmembrane: about F108 through about L126		SPScan HMM MOTIFS
96	124	T115 T43 S91		M1-S20  P116-V124 (urotensin II signature)		SPScan HMM Motifs BLOCKS BLAST
97	182	S28 T70 S172 S25 S32 S48 S108 S131		M1-S23, M1-S25		SPScan HMM Motifs
98	237	S55 S88 S121 S135	N45 N73 N107 N118 N132 N172 N175 N185	M1-A16, M1-S21  C40-C198 (cysteine spacing pattern similar to that of RoBo-I)		SPScan HMM Motifs BLAST
99	160	S36 S59 T143		M1-A27		SPScan HMM Motifs
100	148	T76 S64 Y103		M1-S30, M1-G31		SPScan HMM Motifs
101	170	S78 T4 T30 S130 S25 S29 T122		M1-A23, M1-L28		SPScan HMM Motifs

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
102	150	S50 S78 S91		M1-A26, M1-S28		SPScan HMM Motifs
103	142	T57 T80		M1-A25, M1-G26		SPScan HMM Motifs
104	110	T3		M1-G18, M1-T25		SPScan HMM Motifs
105	120	T29 S40 S72		M1-G22, M1-A20		SPScan HMM Motifs
106	135	T115 S38 T41	N32 N101	M1-G26, M1-C25		SPScan HMM Motifs
107	301	S53 S217 S240 S283 T224		M1-A22		SPScan HMM Motifs
108	103	S88 T73 S84		M1-P19, M1-L22		SPScan HMM Motifs
109	95	T82 S52 S77	N50	M1-T15, M1-P19		SPScan HMM Motifs

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
110	113	T84 S4		M1-P19, M1-A24		SPScan HMM Motifs
111	234	S179 S184 S51 T70 T158 S168 T228 Y29	N146 N191 N194	M1-A20	NK cell activating receptor (g4493702)	SPScan HMM Motifs BLAST - GenBank
112	119	S39 T61		M1-G30, M1-G27		SPScan HMM Motifs
113	200	S51 T46 S191		M1-G26 Signal Peptide	Signal Peptide Containing Protein, Homology with KIAA0206	SPScan Motifs BLAST
114	225			M1-Q29 Signal Peptide	Signal Peptide Containing Protein	SPScan
115	155	S29		M1-A20 Signal Peptide	Signal Peptide Containing Protein	HMM Motifs
116	468	S143 T156 T227 S235 T271 T293 T436 S453 S117 T148 T213 S263 S417 Y73	N280 N384	M1-G23 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
117	403	S19 S320 S69 S151 T171 T97 S393 Y193 Y378	N87	M1-A24 Signal Peptide	Signal Peptide Containing Protein	HMM Motifs

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
118	131	T131 S24 T79 T118 T123 T127	N116	M1-G25 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
119	556	T176 S192 S196 T220 S344 S369 S476 T501 S529 S541 T548 T553 S48 S115 S121 T386 T424 S500 Y104	N62 N79 N127 N157 N160	M1-P21 Signal Peptide L226-W244, Y402-W422, V375-L392 and Y355-I376 Transmembrane Domains	Signal Peptide Containing Protein, Weakly similar to Putative Transmembrane Protein (PTM1) Precursor	SPScan Motifs HMM BLAST
120	514	T457 T80 S86 T141 T372 T420 S447 S94 T102 S112 T240 S297 S353 S470	N100 N168 N319	M1-G24 Signal Peptide	Signal Peptide Containing Protein,	SPScan Motifs
121	109	T46 S78 T12		M1-S15 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
122	431	S57 T320 S339 S396 S100 S239		M1-L25 Signal Peptide	Signal Peptide Containing Protein, Weakly similar to OXA1L	SPScan Motifs BLAST
123	142			M1-W16 Signal Peptide	Signal Peptide Containing Protein	SPScan

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
124	643	T8 S28 S77 T169 T199 T235 S252 T320 S402 T413 S414 S558 S22 T25 S56 S62 S120 T184 S329 T423 S475 S574 Y226	N251	M1-S28 Signal Peptide, D37-C81, W380-C437, W440- C492 and F526-C583 Thrombospondin Type I Domains	Signal Peptide Containing Protein, Thrombospondin Type I Protein	SPScan Motifs Pfam BLAST
125	568	S510 T24 T80 S91 T153 T165 S232 S248 S262 T300 T334 S380 S446 S16 T19 T60 S127 S273 T436 T531 S554 T564 Y135 Y489	N322	M1-T19 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
126	125	T62 S27 T36		M1-R32 Signal Peptide, V4-L53 Glycosyl Hydrolase Family 9 Active Site Signature	Signal Peptide Containing Protein, Glycosyl Hydrolase Protein	SPScan Motifs PROFILE- SCAN
127	196	T105 T47 T56 S158		M1-S26 Signal Peptide, H79-H123 Ribosomal Protein S18 Signature	Signal Peptide Containing Protein, Ribosomal Protein S18	SPScan Motifs BLAST Pfam PROFILE- SCAN
128	214	S112 S131	N37 N92	M1-S35 Signal Peptide	Signal Peptide Containing Protein, Homology with GTP Binding Protein	SPScan Motifs BLAST

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
129	88			M1-S24 Signal Peptide	Signal Peptide Containing Protein	HMM
130	260	S146 S179 S192 S239 S70 T126 T150	N50 N109	M1-A48 Signal Peptide, G59-S142 Immunoglobulin Domain	Signal Peptide Containing Protein, Immunoglobulin Superfamily Protein	SPScan Motifs Pfam
131	295	T176 T56 S72 S179 S256 S87		M1-A30 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
132	183	S11 T41 T42 S83		M1-W24 Signal Peptide, E131-K168 and C105-H115 Adrenodoxin Iron-Sulfur Binding Signature, C111-V116 Cytochrome C Heme Binding Signature, N69-A162 Iron-Sulfur Cluster Binding Domain	Signal Peptide Containing Protein, Adrenodoxin Family Iron-Sulfur Binding Protein, and Cytochrome C Family Heme Binding Protein	HMM Motifs BLOCKS PRINTS Pfam
133	113	S93 T89 Y9		M1-G30 Signal Peptide, V28-L74 PF00646 F-Box Domain	Signal Peptide Containing Protein, PF00646 F-Box Protein	SPScan Motifs Pfam
134	160	T46 T55 S65 S124 T125 T46		M1-A27 Signal Peptide	Signal Peptide Containing Protein, F45G2.10 and Yhr122wp Homology	SPScan Motifs BLAST



TABLE 3

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
135	Hematopoietic/Immune (1.000)	Inflammation (1.000)	pBLUESCRIPT
136	Hematopoietic/Immune (0.750) Cardiovascular (0.250)	Inflammation (0.750) Cancer (0.250)	pSPORT1
137	Nervous (1.000)	Trauma (1.000)	pSPORT1
138	Musculoskeletal (1.000)	Inflammation (1.000)	pSPORT1
139	Gastrointestinal (0.714) Cardiovascular (0.143) Reproductive (0.143)	Cancer (0.714) Trauma (0.143)	pSPORT1
140	Nervous (1.000)	Neurological (0.500) Trauma (0.500)	pSPORT1
141	Reproductive (0.293) Gastrointestinal (0.146) Hematopoietic/Immune (0.146)	Cancer (0.524) Inflammation (0.256) Fetal (0.146)	pSPORT1
142	Reproductive (0.266) Gastrointestinal (0.170) Nervous (0.138)	Cancer (0.479) Inflammation (0.277) Fetal (0.181)	pINCY
143	Reproductive (0.417) Nervous (0.292) Developmental (0.125)	Cancer (0.417) Inflammation (0.250) Fetal (0.167)	pINCY
144	Reproductive (0.321) Cardiovascular (0.143) Developmental (0.143)	Cancer (0.464) Fetal (0.214) Inflammation (0.143)	pINCY
145	Reproductive (0.600) Gastrointestinal (0.400)	Cancer (0.400) Trauma (0.400) Inflammation (0.200)	pINCY
146	Cardiovascular (0.400) Dermatologic (0.200) Nervous (0.200)	Cancer (0.600) Fetal (0.600)	pINCY
147	Developmental (0.667) Gastrointestinal (0.333)	Fetal (0.667) Cancer (0.333)	pINCY
148	Reproductive (0.256) Nervous (0.248) Cardiovascular (0.137)	Cancer (0.479) Inflammation (0.214) Fetal (0.145)	pINCY
149	Reproductive (0.244) Nervous (0.178) Hematopoietic/Immune (0.167)	Cancer (0.433) Inflammation (0.322) Fetal (0.156)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
150	Cardiovascular (0.923) Developmental (0.077)	Cancer (0.692) Fetal (0.154) Inflammation (0.154)	pINCY
151	Reproductive (0.215) Nervous (0.190) Gastrointestinal (0.177)	Cancer (0.494) Inflammation (0.278) Trauma (0.152)	pINCY
152	Reproductive (0.200) Nervous (0.171) Hematopoietic/Immune (0.143)	Inflammation (0.371) Cancer (0.229) Fetal (0.200)	pINCY
153	Reproductive (0.333) Nervous (0.157) Hematopoietic/Immune (0.137)	Cancer (0.549) Inflammation (0.176) Fetal (0.137)	pINCY
154	Gastrointestinal (0.500) Urologic (0.167)	Inflammation (0.667) Cancer (0.167) Trauma (0.167)	pINCY
155	Gastrointestinal (0.429) Reproductive (0.286) Nervous (0.143)	Inflammation (0.429) Cancer (0.286) Trauma (0.143)	pINCY
156	Reproductive (1.000)	Cancer (0.500) Inflammation (0.500)	pINCY
157	Hematopoietic/Immune (0.346) Reproductive (0.154) Gastrointestinal (0.115)	Cancer (0.404) Inflammation (0.404) Fetal (0.212)	pINCY
158	Reproductive (0.236) Hematopoietic/Immune (0.217) Gastrointestinal (0.132)	Cancer (0.415) Inflammation (0.358) Fetal (0.142)	pINCY
159	Gastrointestinal (1.000)	Cancer (1.000)	pSPORT1
160	Developmental (0.500) Hematopoietic/Immune (0.250) Nervous (0.250)	Fetal (0.500) Inflammation (0.250) Trauma (0.250)	pINCY
161	Hematopoietic/Immune (0.250) Reproductive (0.250) Nervous (0.208)	Cancer (0.583) Fetal (0.292) Inflammation (0.250)	pINCY
162	Gastrointestinal (0.412) Reproductive (0.412) Cardiovascular (0.088)	Cancer (0.735) Inflammation (0.176) Fetal (0.029)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
163	Reproductive (0.298) Cardiovascular (0.170) Nervous (0.149)	Cancer (0.532) Inflammation (0.213) Fetal (0.191)	pINCY
164	Gastrointestinal (0.333) Hematopoietic/Immune (0.333) Reproductive (0.333)	Cancer (0.667) Inflammation (0.333)	pINCY
165	Reproductive (0.295) Gastrointestinal (0.159) Nervous (0.148)	Cancer (0.534) Inflammation (0.284) Fetal (0.091)	pINCY
166	Hematopoietic/Immune (0.538) Cardiovascular (0.077) Reproductive (0.077)	Inflammation (0.731) Cancer (0.154) Fetal (0.154)	pINCY
167	Reproductive (0.483) Gastrointestinal (0.121) Nervous (0.103)	Cancer (0.672) Inflammation (0.155)	pINCY
168	Gastrointestinal (0.222) Hematopoietic/Immune (0.222) Nervous (0.148)	Cancer (0.519) Inflammation (0.370) Fetal (0.259)	pINCY
169	Urologic (1.000)	Cancer (0.333) Fetal (0.333) Inflammation (0.333)	pINCY
170	Reproductive (0.214) Gastrointestinal (0.179) Nervous (0.143)	Cancer (0.643) Inflammation (0.143) Fetal (0.107)	pINCY
171	Reproductive (0.261) Developmental (0.174) Nervous (0.174)	Cancer (0.391) Fetal (0.304) Inflammation (0.217)	pINCY
172	Reproductive (0.357) Gastrointestinal (0.321) Cardiovascular (0.071)	Cancer (0.571) Inflammation (0.286) Fetal (0.107)	pINCY
173	Reproductive (0.306) Nervous (0.161) Cardiovascular (0.129)	Cancer (0.387) Inflammation (0.323) Fetal (0.226)	pINCY
174	Reproductive (0.229) Nervous (0.188) Cardiovascular (0.167)	Cancer (0.521) Inflammation (0.312) Trauma (0.146)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
175	Reproductive (0.444) Developmental (0.167) Cardiovascular (0.111)	Cancer (0.556) Fetal (0.278) Trauma (0.111)	pSPORT1
176	Reproductive (0.294) Gastrointestinal (0.176) Cardiovascular (0.118)	Cancer (0.765) Fetal (0.118) Inflammation (0.118)	pSPORT1
177	Gastrointestinal (1.000)	Cancer (0.667) Inflammation (0.333)	pINCY
178	Reproductive (0.385) Nervous (0.231) Gastrointestinal (0.154)	Cancer (0.385) Inflammation (0.385)	pINCY
179	Reproductive (0.500) Cardiovascular (0.167) Gastrointestinal (0.167)	Cancer (0.667) Fetal (0.167) Inflammation (0.167)	pBLUESCRIPT
180	Cardiovascular (0.231) Reproductive (0.231) Gastrointestinal (0.154)	Cancer (0.615) Inflammation (0.308) Fetal (0.154)	pINCY
181	Reproductive (0.324) Gastrointestinal (0.176) Cardiovascular (0.130)	Cancer (0.519) Inflammation (0.222) Fetal (0.157)	pINCY
182	Reproductive (0.320) Nervous (0.180) Gastrointestinal (0.120)	Cancer (0.580) Inflammation (0.160) Fetal (0.100)	pINCY
183	Gastrointestinal (0.667) Reproductive (0.333)	Cancer (1.000)	pINCY
184	Urologic (0.667) Dermatologic (0.333)	Cancer (0.667) Fetal (0.333)	pSPORT1
185	Cardiovascular (0.500) Reproductive (0.500)	Cancer (1.000)	pINCY
186	Reproductive (0.393) Developmental (0.107) Urologic (0.107)	Cancer (0.607) Fetal (0.179) Inflammation (0.107)	pINCY
187	Cardiovascular (0.400) Reproductive (0.333) Gastrointestinal (0.133)	Inflammation (0.467) Cancer (0.267) Fetal (0.267)	pSPORT1
188	Nervous (0.318) Reproductive (0.227) Urologic (0.136)	Cancer (0.636) Inflammation (0.136) Trauma (0.091)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
189	Cardiovascular (0.500) Reproductive (0.500)	Cancer (1.000)	pINCY
190	Reproductive (0.318) Nervous (0.227) Hematopoietic/Immune (0.136)	Cancer (0.500) Fetal (0.227) Inflammation (0.227)	pINCY
191	Reproductive (0.253) Cardiovascular (0.158) Gastrointestinal (0.147)	Cancer (0.463) Inflammation (0.232) Fetal (0.200)	pINCY
192	Reproductive (0.333) Gastrointestinal (0.286) Cardiovascular (0.095)	Cancer (0.571) Inflammation (0.333) Fetal (0.095)	pINCY
193	Reproductive (0.304) Cardiovascular (0.217) Gastrointestinal (0.130)	Cancer (0.435) Inflammation (0.391) Fetal (0.174)	pINCY
194	Reproductive (0.312) Nervous (0.188) Cardiovascular (0.125)	Cancer (0.438) Inflammation (0.250) Fetal (0.188)	pINCY
195	Developmental (1.000)	Fetal (1.000)	pINCY
196	Reproductive (0.233) Cardiovascular (0.209) Nervous (0.140)	Cancer (0.605) Fetal (0.186) Inflammation (0.116)	pINCY
197	Reproductive (0.182) Gastrointestinal (0.136) Hematopoietic/Immune (0.136)	Cancer (0.477) Inflammation (0.341) Fetal (0.182)	pINCY
198	Gastrointestinal (0.205) Reproductive (0.205) Cardiovascular (0.114)	Inflammation (0.341) Cancer (0.250) Fetal (0.227)	pINCY
199	Cardiovascular (0.520) Reproductive (0.280) Developmental (0.160)	Cancer (0.720) Fetal (0.200) Inflammation (0.080)	pINCY
200	Lung (0.958) Developmental (0.25) Musculoskeletal (0.042)	Cancer (0.583) Fetal or Proliferating (0.292) Inflammation (0.167)	pBLUESCRIPT
201	Reproductive (0.571) Musculoskeletal (0.143) Nervous (0.143) Urologic (0.143)	Cancer (0.429) Inflammation (0.571)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
202	Endocrine (0.250) Nervous (0.250) Cardiovascular (0.125) Developmental (0.125) Gastrointestinal (0.125) Reproductive (0.125)	Cancer (0.375) Inflammation (0.625) Fetal or Proliferating (0.125)	pSPORT1
203	Lung (1.000)	Fetal or Proliferating (1.000)	pINCY
204	Lung (0.500) Penis (0.500)	Cancer (0.500)	pINCY
205	Cardiovascular (0.231) Dermatologic (0.231) Reproductive (0.231)	Fetal or Proliferating (0.385) Cancer (0.308)	pINCY
206	Nervous (0.596) Reproductive (0.154) Gastrointestinal (0.077)	Cancer (0.442) Neurological (0.192) Inflammation (0.231)	pINCY
207	Gastrointestinal (1.000)	Inflammation (1.000)	pINCY
208	Reproductive (0.300) Hematopoietic/Immune (0.200) Nervous (0.150)	Cancer (0.450) Inflammation (0.400) Fetal or Proliferating (0.250)	pSPORT1
209	Heart (0.500) Brain (0.500)	Neurological (0.500) Inflammation (0.500)	pINCY
210	Nervous (0.625) Reproductive (0.250) Musculoskeletal (0.125)	Cancer (0.750) Fetal or Proliferating (0.250) Neurological (0.125)	pINCY
211	Nervous (0.261) Reproductive (0.304) Gastrointestinal (0.174)	Cancer (0.522) Fetal or Proliferating (0.174) Inflammation (0.130)	pSPORT1
212	Testis (1.000)	Inflammation (1.000)	pBLUESCRIPT
213	Nervous (0.400) Reproductive (0.400) Gastrointestinal (0.200)	Cancer (0.400) Inflammation (0.400) Neurological (0.200)	pBLUESCRIPT
214	Reproductive (0.476) Gastrointestinal (0.286) Cardiovascular (0.095)	Cancer (0.714) Inflammation (0.286) Neurological (0.048)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
215	Reproductive (0.284) Gastrointestinal (0.216) Nervous (0.176) Hematopoietic/Immune (0.108) Cardiovascular (0.108)	Cancer (0.486) Inflammation (0.351) Fetal or Proliferating (0.122)	pSPORT1
216	Uterus (0.500) Prostate (0.500)	Cancer (0.500) Inflammation (0.500)	pINCY
217	Nervous (0.429) Cardiovascular (0.143) Gastrointestinal (0.143) Hematopoietic/Immune (0.143) Reproductive (0.143)	Cancer (0.571) Inflammation (0.429) Fetal or Proliferating (0.285)	pSPORT1
218	Reproductive (0.450) Hematopoietic/Immune (0.200) Nervous (0.100) Gastrointestinal (0.100)	Cancer (0.650) Inflammation (0.200) Fetal or Proliferating (0.050)	pINCY
219	Reproductive (0.364) Cardiovascular (0.182) Nervous (0.182)	Cancer (0.636) Fetal or Proliferating (0.182) Inflammation (0.273)	pINCY
220	Prostate (1.000)	Inflammation (1.000)	pSPORT1
221	Developmental (0.333) Nervous (0.333) Reproductive (0.333)	Cancer (0.667) Fetal or Proliferating (0.667)	pSPORT1
222	Reproductive (0.393) Hematopoietic/Immune (0.180) Nervous (0.098) Cardiovascular (0.098)	Cancer (0.508) Inflammation (0.344) Fetal or Proliferating (0.066)	pSPORT1
223	Endocrine (0.333) Gastrointestinal (0.333) Reproductive (0.333)	Cancer (1.000)	pINCY
224	Cardiovascular (0.200) Developmental (0.200) Gastrointestinal (0.200) Reproductive (0.200) Urologic (0.200)	Cancer (0.800) Fetal or Proliferating (0.200)	pINCY
225	Lung (1.000)	Cancer (1.000)	pINCY
226	Reproductive (0.302) Hematopoietic/Immune (0.254) Cardiovascular (0.111)	Cancer (0.381) Inflammation (0.381) Fetal or Proliferating (0.286)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
227	Lymphocytes (1.000)	Inflammation (1.000)	pINCY
228	Cardiovascular (0.531) Reproductive (0.250) Urologic (0.094)	Cancer (0.656) Inflammation (0.250) Fetal or Proliferating (0.094)	pINCY
229	Reproductive (0.333) Cardiovascular (0.167) Gastrointestinal (0.167) Endocrine (0.167) Hematopoietic/Immune (0.167)	Cancer (0.500) Fetal or Proliferating (0.167) Inflammation (0.333)	pINCY
230	Hematopoietic/Immune (0.500) Reproductive (0.500)	Cell Proliferation (0.500) Inflammation (0.500)	pBLUESCRIPT
231	Cardiovascular (0.333) Nervous (0.333) Developmental (0.167)	Cancer (0.500) Cell Proliferation (0.333) Inflammation (0.167)	pINCY
232	Gastrointestinal (0.938) Reproductive (0.062)	Cancer (0.500) Inflammation (0.500)	pINCY
233	Nervous (0.324) Reproductive (0.235) Hematopoietic/Immune (0.118)	Cancer (0.456) Inflammation (0.235) Trauma (0.147)	pINCY
234	Nervous (0.255) Reproductive (0.255) Musculoskeletal (0.182)	Cancer (0.545) Inflammation (0.255) Trauma (0.109)	pINCY
235	Musculoskeletal (0.308) Reproductive (0.231) Gastrointestinal (0.154)	Cancer (0.538) Inflammation (0.231) Trauma (0.154)	pINCY
236	Nervous (1.000)	Cancer (1.000)	pINCY
237	Gastrointestinal (0.429) Hematopoietic/Immune (0.143) Nervous (0.143)	Cancer (0.571) Cell Proliferation (0.143) Trauma (0.143)	pINCY
238	Reproductive (0.254) Gastrointestinal (0.160) Nervous (0.128)	Cancer (0.453) Inflammation (0.241) Cell Proliferation (0.175)	pINCY
239	Nervous (0.333) Dermatologic (0.167) Endocrine (0.167)	Trauma (0.333) Cancer (0.167) Cell Proliferation (0.167)	pINCY



TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
240	Nervous (0.273) Reproductive (0.227) Endocrine (0.136)	Cancer (0.545) Cell Proliferation (0.182) Inflammation (0.182)	pINCY
241	Reproductive (0.273) Hematopoietic/Immune (0.182) Urologic (0.182)	Cancer (0.455) Cell Proliferation (0.273) Inflammation (0.273)	pINCY
242	Endocrine (1.000)	Trauma (1.000)	pSPORT1
243	Reproductive (1.000)	Cancer (1.000)	pINCY
244	Hematopoietic/Immune (0.545) Musculoskeletal (0.182) Cardiovascular (0.091)	Inflammation (0.636) Trauma (0.182) Cancer (0.091)	pINCY
245	Hematopoietic/Immune (0.400) Musculoskeletal (0.300) Cardiovascular (0.150)	Inflammation (0.650) Cancer (0.300)	pINCY
246	Urologic (1.000)	Cancer (0.500) Cell Proliferation (0.500)	pINCY
247	Nervous (0.292) Reproductive (0.222) Musculoskeletal (0.125)	Cell Proliferation (0.625) Inflammation/Trauma (0.181)	pSPORT1
248	Reproductive (0.211) Developmental (0.132) Nervous (0.132)	Cell Proliferation (0.658) Inflammation/Trauma (0.184)	pSPORT1
249	Nervous (0.500) Gastrointestinal (0.300) Hematopoietic/Immune (0.100)	Cell Proliferation (0.900) Inflammation/Trauma (0.300)	pSPORT1
250	Cardiovascular (0.209) Gastrointestinal (0.140) Hematopoietic/Immune (0.140)	Cell Proliferation (0.605) Inflammation/Trauma (0.256)	pINCY
251	Nervous (0.308) Cardiovascular (0.154) Gastrointestinal (0.154)	Cell Proliferation (0.616) Inflammation/Trauma (0.269)	pINCY
252	Reproductive (1.000)	Cell Proliferation (1.000)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
253	Reproductive (0.324) Nervous (0.162) Gastrointestinal (0.113)	Cell Proliferation (0.641) Inflammation/Trauma (0.197)	pSPORT1
254	Reproductive (0.315) Nervous (0.296) Developmental (0.093)	Cell Proliferation (0.630) Inflammation/Trauma (0.278)	pSPORT1
255	Nervous (0.211) Reproductive (0.211) Gastrointestinal (0.158)	Cell Proliferation (0.579) Inflammation/Trauma (0.298)	pINCY
256	Reproductive (0.250) Gastrointestinal (0.148) Hematopoietic/Immune (0.148)	Cell Proliferation (0.705) Inflammation/Trauma (0.193)	pINCY
257	Hematopoietic/Immune (1.000)	Cell Proliferation (0.400) Inflammation/Trauma (0.600)	pINCY
258	Cardiovascular (0.333) Reproductive (0.333) Developmental (0.167)	Cell Proliferation (0.833) Inflammation/Trauma (0.333)	pBLUESCRIPT
259	Cardiovascular (0.333) Reproductive (0.250) Developmental (0.167)	Cell Proliferation (0.625) Inflammation/Trauma (0.208)	pINCY
260	Endocrine (0.500) Cardiovascular (0.250) Nervous (0.250)	Cell Proliferation (0.750) Inflammation/Trauma (0.500)	pINCY
261	Reproductive (0.252) Cardiovascular (0.155) Hematopoietic/Immune (0.136)	Cell Proliferation (0.728) Inflammation/Trauma (0.194)	pINCY
262	Reproductive (0.274) Cardiovascular (0.177) Nervous (0.145)	Cell Proliferation (0.742) Inflammation/Trauma (0.210)	pINCY
263	Reproductive (0.267) Cardiovascular (0.160) Hematopoietic/Immune (0.127)	Cell Proliferation (0.654) Inflammation/Trauma (0.193)	pINCY
264	Nervous (0.229) Hematopoietic/Immune (0.200) Reproductive (0.200)	Cell Proliferation (0.743) Inflammation/Trauma (0.286)	pINCY
265	Hematopoietic/Immune (0.333) Gastrointestinal (0.167) Nervous (0.133)	Cell Proliferation (0.600) Inflammation/Trauma (0.333)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
266	Nervous (0.290) Reproductive (0.258) Cardiovascular (0.129)	Cell Proliferation (0.677) Inflammation/Trauma (0.194)	pINCY
267	Reproductive (0.261) Hematopoietic/Immune (0.217) Cardiovascular (0.087)	Cell Proliferation (0.652) Inflammation/Trauma (0.391)	pINCY
268	Gastrointestinal (0.227) Reproductive (0.193) Hematopoietic/Immune (0.168)	Cell Proliferation (0.731) Inflammation/Trauma (0.227)	pSPORT1

TABLE 4

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
135	443531	MPHGNOT03	The library was constructed using RNA isolated from plastic adherent mononuclear cells isolated from buffy coat units obtained from unrelated male and female donors.
136	632860	NEUTGMT01	The library was constructed using RNA isolated from peripheral blood granulocytes collected by density gradient centrifugation through Ficoll-Hypaque. The cells were isolated from buffy coat units obtained from 20 unrelated male and female donors. Cells were cultured in 10 nM GM-CSF for 1 hour before washing and harvesting for RNA preparation.
137	670010	CRBLNOT01	The library was constructed using RNA isolated from the cerebellum tissue of a 69-year-old Caucasian male who died from chronic obstructive pulmonary disease. Patient history included myocardial infarction, hypertension, and osteoarthritis.
138	726498	SYNOOAT01	The library was constructed using RNA isolated from the knee synovial membrane tissue of an 82-year-old female with osteoarthritis.
139	795064	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, cerebrovascular disease, breast cancer, and uterine cancer.
140	924925	BRAINOT04	The library was constructed using RNA isolated from the brain tissue of a 44-year-old Caucasian male with a cerebral hemorrhage. The tissue, which contained coagulated blood, came from the choroid plexus of the right anterior temporal lobe. Family history included coronary artery disease and myocardial infarction.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
141	962390	BRSTTUT03	The library was constructed using RNA isolated from breast tumor tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated multicentric invasive grade 4 lobular carcinoma. The mass was identified in the upper outer quadrant, and three separate nodules were found in the lower outer quadrant of the left breast. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular disease, coronary artery aneurysm, breast cancer, prostate cancer, atherosclerotic coronary artery disease, and type I diabetes.
142	1259405	MENITUT03	The library was constructed using RNA isolated from brain meningioma tissue removed from a 35-year-old Caucasian female during excision of a cerebral meningeal lesion. Pathology indicated a benign neoplasm in the right cerebellopontine angle of the brain. Patient history included hypothyroidism. Family history included myocardial infarction and breast cancer.
143	1297384	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
144	1299627	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
145	1306026	PLACNOT02	The library was constructed using RNA isolated from the placental tissue of a Hispanic female fetus, who was prematurely delivered at 21 weeks' gestation. Serologies of the mother's blood were positive for CMV (cytomegalovirus).

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
146	1316219	BLADTUT02	The library was constructed using RNA isolated from bladder tumor tissue removed from an 80-year-old Caucasian female during a radical cystectomy and lymph node excision. Pathology indicated grade 3 invasive transitional cell carcinoma. Family history included osteoarthritis and atherosclerosis.
147	1329031	PANCNOT07	The library was constructed using RNA isolated from the pancreatic tissue of a Caucasian male fetus, who died at 23 weeks' gestation.
148	1483050	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.
149	1514160	PANCTUT01	The library was constructed using RNA isolated from pancreatic tumor tissue removed from a 65-year-old Caucasian female during radical subtotal pancreatectomy. Pathology indicated an invasive grade 2 adenocarcinoma. Patient history included type II diabetes, osteoarthritis, cardiovascular disease, benign neoplasm in the large bowel, and a cataract. Family history included cardiovascular disease, type II diabetes, and stomach cancer.
150	1603403	LUNGNOT15	The library was constructed using RNA isolated from lung tissue removed from a 69-year-old Caucasian male during a segmental lung resection. Pathology for the associated tumor tissue indicated residual grade 3 invasive squamous cell carcinoma. Patient history included acute myocardial infarction, prostatic hyperplasia, and malignant skin neoplasm. Family history included cerebrovascular disease, type I diabetes, acute myocardial infarction, and arteriosclerotic coronary disease.
151	1652303	PROSTUT08	The library was constructed using RNA isolated from prostate tumor tissue removed from a 60-year-old Caucasian male during radical prostatectomy and regional lymph node excision. Pathology indicated an adenocarcinoma (Gleason grade 3+4). Adenofibromatous hyperplasia was also present. The patient presented with elevated prostate specific antigen (PSA). Patient history included a kidney cyst. Family history included tuberculosis, cerebrovascular disease, and arteriosclerotic coronary artery disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
152	1693358	COLNNOT23	The library was constructed using RNA isolated from diseased colon tissue removed from a 16-year-old Caucasian male during a total colectomy with abdominal/perineal resection. Pathology indicated gastritis and pancolitis consistent with the acute phase of ulcerative colitis. There was only mild involvement of the ascending and sigmoid colon, and no significant involvement of the cecum, rectum, or terminal ileum. Family history included irritable bowel syndrome.
153	1707711	DUODNOT02	The library was constructed using RNA isolated from duodenal tissue of a 8-year-old Caucasian female, who died from head trauma. Serology was positive for cytomegalovirus (CMV).
154	1738735	COLNNOT22	The library was constructed using RNA isolated from colon tissue removed from a 56-year-old Caucasian female with Crohn's disease during a partial resection of the small intestine. Pathology indicated Crohn's disease of the ileum and ileal-colonic anastomosis, causing a fistula at the anastomotic site that extended into pericolonic fat. The ileal mucosa showed linear and punctate ulcers with intervening normal tissue. Previous surgeries included a partial ileal resection and permanent ileostomy. Family history included irritable bowel syndrome.
155	1749147	STOMTUT02	The library was constructed using RNA isolated from stomach tumor tissue obtained from a 68-year-old Caucasian female during a partial gastrectomy. Pathology indicated a malignant lymphoma of diffuse large-cell type. Patient history included thalassemia. Family history included acute leukemia, malignant neoplasm of the esophagus, malignant stomach neoplasm, and atherosclerotic coronary artery disease.
156	1817722	PROSNOT20	The library was constructed using RNA isolated from diseased prostate tissue removed from a 65-year-old Caucasian male during a radical prostatectomy. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated an adenocarcinoma.
157	1831290	THP1AZT01	The library was constructed using 1 microgram of polyA RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
158	1831477	THP1AZT01	The library was constructed using 1 microgram of polyA RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
159	1841607	COLNNOT07	The library was constructed using RNA isolated from colon tissue removed from a 60-year-old Caucasian male during a left hemicolectomy.
160	1852391	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus, who died at 20 weeks' gestation.
161	1854555	HNT3AZT01	Library was constructed using RNA isolated from the hNT2 cell line (derived from a human teratocarcinoma that exhibited properties characteristic of a committed neuronal precursor). Cells were treated for three days with 0.35 micromolar 5-aza-2'-deoxycytidine (AZT).
162	1855755	PROSNOT18	The library was constructed using RNA isolated from diseased prostate tissue removed from a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated adenofibromatous hyperplasia. This tissue was associated with a grade 3 transitional cell carcinoma. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
163	1861434	PROSNOT19	The library was constructed using RNA isolated from diseased prostate tissue removed from a 59-year-old Caucasian male during a radical prostatectomy with regional lymph node excision. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated an adenocarcinoma (Gleason grade 3+3). The patient presented with elevated prostate-specific antigen (PSA). Patient history included colon diverticuli and thrombophlebitis. Family history included benign hypertension, multiple myeloma, hyperlipidemia and rheumatoid arthritis.
164	1872334	LEUKNOT02	The library was constructed using RNA isolated from white blood cells of a 45-year-old female with blood type O+. The donor tested positive for cytomegalovirus (CMV).
165	1877230	LEUKNOT03	The library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
166	1877885	LEUKNOT03	The library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).
167	1889269	BLADTUT07	The library was constructed using RNA isolated from bladder tumor tissue removed from the anterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated a grade 3 transitional cell carcinoma in the left lateral bladder. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
168	1890243	BLADTUT07	The library was constructed using RNA isolated from bladder tumor tissue removed from the anterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated a grade 3 transitional cell carcinoma in the left lateral bladder. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
169	1900433	BLADTUT06	The library was constructed using RNA isolated from bladder tumor tissue removed from the posterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated grade 3 transitional cell carcinoma in the left lateral bladder wall. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
170	1909441	CONNTUT01	The library was constructed using RNA isolated from a soft tissue tumor removed from the clival area of the skull of a 30-year-old Caucasian female. Pathology indicated chondroid chordoma with neoplastic cells reactive for keratin.
171	1932226	COLNNOT16	The library was constructed using RNA isolated from sigmoid colon tissue removed from a 62-year-old Caucasian male during a sigmoidectomy and permanent colostomy.
172	1932647	COLNNOT16	The library was constructed using RNA isolated from sigmoid colon tissue removed from a 62-year-old Caucasian male during a sigmoidectomy and permanent colostomy.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
173	2124245	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
174	2132626	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, cerebrovascular disease, breast cancer, and uterine cancer.
175	2280639	PROSNON01	The library was constructed and normalized from 4.4 million independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.
176	2292356	BRAINON01	The library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. Starting RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.
177	2349310	COLSUCT01	The library was constructed using RNA isolated from diseased sigmoid colon tissue obtained from a 70-year-old Caucasian male during colectomy with permanent ileostomy. Pathology indicated chronic ulcerative colitis. Patient history included benign neoplasm of the colon. Family history included atherosclerotic coronary artery disease and myocardial infarctions.
178	2373227	ADRENOT07	The library was constructed using RNA isolated from adrenal tissue removed from a 61-year-old female during a bilateral adrenalectomy. Patient history included an unspecified disorder of the adrenal glands.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
179	2457682	ENDANOT01	The library was constructed using RNA isolated from aortic endothelial cell tissue from an explanted heart removed from a male during a heart transplant.
180	2480426	SMCANOT01	The library was constructed using RNA isolated from an aortic smooth muscle cell line derived from the explanted heart of a male during a heart transplant.
181	2503743	CONUTUT01	The library was constructed using RNA isolated from sigmoid mesentery tumor tissue obtained from a 61-year-old female during a total abdominal hysterectomy and bilateral salpingo-oophorectomy with regional lymph node excision. Pathology indicated a metastatic grade 4 malignant mixed müllerian tumor present in the sigmoid mesentery at two sites.
182	2537684	BONRTUT01	The library was constructed using RNA isolated from rib tumor tissue removed from a 16-year-old Caucasian male during a rib osteotomy and a wedge resection of the lung. Pathology indicated a metastatic grade 3 (of 4) osteosarcoma, forming a mass involving the chest wall.
183	2593853	OVARTUT02	The library was constructed using RNA isolated from ovarian tumor tissue removed from a 51-year-old Caucasian female during an exploratory laparotomy, total abdominal hysterectomy, salpingo-oophorectomy, and an incidental appendectomy. Pathology indicated mucinous cystadenoma presenting as a multiloculated neoplasm involving the entire left ovary. The right ovary contained a follicular cyst and a hemorrhagic corpus luteum. The uterus showed proliferative endometrium and a single intramural leiomyoma. The peritoneal biopsy indicated benign glandular inclusions consistent with endosalpingiosis. Family history included atherosclerotic coronary artery disease, benign hypertension, breast cancer, and uterine cancer.
184	2622354	KERANOT02	The library was constructed using RNA isolated from epidermal breast keratinocytes (NHEK). NHEK (Clontech #CC-2501) is a human breast keratinocyte cell line derived from a 30-year-old black female during breast-reduction surgery.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
185	2641377	LUNGTUT08	The library was constructed using RNA isolated from lung tumor tissue removed from a 63-year-old Caucasian male during a right upper lobectomy with fiberoptic bronchoscopy. Pathology indicated a grade 3 adenocarcinoma. Patient history included atherosclerotic coronary artery disease, an acute myocardial infarction, rectal cancer, an asymptomatic abdominal aortic aneurysm, and cardiac dysrhythmia. Family history included congestive heart failure, stomach cancer, and lung cancer, type II diabetes, atherosclerotic coronary artery disease, and an acute myocardial infarction.
186	2674857	KIDNNOT19	The library was constructed using RNA isolated from kidney tissue removed a 65-year-old Caucasian male during an exploratory laparotomy and nephroureterectomy. Pathology for the associated tumor tissue indicated a grade 1 renal cell carcinoma within the upper pole of the left kidney. Patient history included malignant melanoma of the abdominal skin, benign neoplasm of colon, cerebrovascular disease, and umbilical hernia. Family history included myocardial infarction, atherosclerotic coronary artery disease, cerebrovascular disease, prostate cancer, myocardial infarction, and atherosclerotic coronary artery disease.
187	2758485	THP1AZS08	The subtracted THP-1 promonocyte cell line library was constructed using 5.76 million clones from a 5-aza-2'-deoxycytidine (AZT) treated THP-1 cell library. Starting RNA was made from THP-1 promonocyte cells treated for three days with 0.8 micromolar AZT. The library was oligo(dT)-primed, and cDNAs were cloned directionally into the pSPORT1 vectoring system using SalI (5') and NotI (3'). The hybridization probe for subtraction was derived from a similarly constructed library, made from 1 microgram of polyA RNA isolated from untreated THP-1 cells. 5.76 million clones from the AZ-treated THP-1 cell library were then subjected to two rounds of subtractive hybridization with 5 million clones from the untreated THP-1 cell library. Subtractive hybridization conditions were based on the methodologies of Swaroop et al. (Nucl. Acids Res. (1991) 19:1954) and Bonaldo et al. (Genome Res (1996) 6: 791-806).
188	2763296	BRSTNOT12	The library was constructed using RNA isolated from diseased breast tissue removed from a 32-year-old Caucasian female during a bilateral reduction mastoplasmy. Pathology indicated nonproliferative fibrocystic disease. Family history included benign hypertension and atherosclerotic coronary artery disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
189	2779436	OVARTUT03	The library was constructed using RNA isolated from ovarian tumor tissue removed from the left ovary of a 52-year-old mixed ethnicity female during a total abdominal hysterectomy, bilateral salpingo-oophorectomy, peritoneal and lymphatic structure biopsy, regional lymph node excision, and peritoneal tissue destruction. Pathology indicated an invasive grade 3 (of 4) seroanaplastic carcinoma forming a mass in the left ovary. The endometrium was atrophic. Multiple (2) leiomyomata were identified, one subserosal and 1 intramural. Pathology also indicated a metastatic grade 3 seroanaplastic carcinoma involving the omentum, cul-de-sac peritoneum, left broad ligament peritoneum, and mesentery colon. Patient history included breast cancer, chronic peptic ulcer, and joint pain. Family history included colon cancer, cerebrovascular disease, breast cancer, type II diabetes, esophagus cancer, and depressive disorder.
190	2808528	BLADTUT08	The library was constructed using RNA isolated from bladder tumor tissue removed from a 72-year-old Caucasian male during a radical cystectomy and prostatectomy. Pathology indicated an invasive grade 3 (of 3) transitional cell carcinoma in the right bladder base. Family history included myocardial infarction, cerebrovascular disease, brain cancer, and myocardial infarction.
191	2809230	BLADTUT08	The library was constructed using RNA isolated from bladder tumor tissue removed from a 72-year-old Caucasian male during a radical cystectomy and prostatectomy. Pathology indicated an invasive grade 3 (of 3) transitional cell carcinoma in the right bladder base. Patient history included pure hypercholesterolemia and tobacco abuse. Family history included myocardial infarction, cerebrovascular disease, brain cancer, and myocardial infarction.
192	2816821	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma, ductal type. Ductal carcinoma in situ, comedo type, comprised 60% of the tumor mass. Metastatic adenocarcinoma was identified in one (of 14) axillary lymph nodes with no perinodal extension. The tumor cells were strongly positive for estrogen receptors and weakly positive for progesterone receptors. Patient history included a benign colon neoplasm, hyperlipidemia, and cardiac dysrhythmia. Family history included atherosclerotic coronary artery disease, myocardial infarction, colon cancer, ovarian cancer, lung cancer, and cerebrovascular disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
193	2817268	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma, ductal type. Ductal carcinoma in situ, comedo type, comprised 60% of the tumor mass. Metastatic adenocarcinoma was identified in one (of 14) axillary lymph nodes with no perinodal extension. The tumor cells were strongly positive for estrogen receptors and weakly positive for progesterone receptors. Patient history included a benign colon neoplasm, hyperlipidemia, and cardiac dysrhythmia. Family history included atherosclerotic coronary artery disease, myocardial infarction, colon cancer, ovarian cancer, lung cancer, and cerebrovascular disease.
194	2923165	SININOT04	The library was constructed using RNA isolated from diseased ileum tissue obtained from a 26-year-old Caucasian male during a partial colectomy, permanent colostomy, and an incidental appendectomy. Pathology indicated moderately to severely active Crohn's disease. Family history included enteritis of the small intestine.
195	2949822	KIDNFET01	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian female fetus, who died at 17 weeks' gestation from anencephalus.
196	2992192	KIDNFET02	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian male fetus, who was stillborn with a hypoplastic left heart and died at 23 weeks' gestation.
197	2992458	KIDNFET02	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian male fetus, who was stillborn with a hypoplastic left heart and died at 23 weeks' gestation.
198	3044710	HEAANOT01	The library was constructed using RNA isolated from right coronary and right circumflex coronary artery tissue removed from the explanted heart of a 46-year-old Caucasian male during a heart transplantation. Patient history included myocardial infarction from total occlusion of the left anterior descending coronary artery, atherosclerotic coronary artery disease, hyperlipidemia, myocardial ischemia, dilated cardiomyopathy, and left ventricular dysfunction. Previous surgeries included cardiac catheterization. Family history included atherosclerotic coronary artery disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
199	3120415	LUNGTUT13	The library was constructed using RNA isolated from tumorous lung tissue removed from the right upper lobe of a 47-year-old Caucasian male during a segmental lung resection. Pathology indicated invasive grade 3 (of 4) adenocarcinoma. Family history included atherosclerotic coronary artery disease, and type II diabetes.
200	126758	LUNGNOT01	The library was constructed at Stratagene using RNA isolated from the lung tissue of a 72-year-old male.
201	674760	CRBLNOT01	The library was constructed using RNA isolated from the cerebellum tissue of a 69-year-old Caucasian male who died from chronic obstructive pulmonary disease. Patient history included myocardial infarction, hypertension, and osteoarthritis.
202	1229438	BRAITUT01	The library was constructed using RNA isolated from brain tumor tissue removed from a 50-year-old Caucasian female during a frontal lobectomy. Pathology indicated recurrent grade 3 oligoastrocytoma with focal necrosis and extensive calcification. Patient history included a speech disturbance and epilepsy. The patient's brain had also been irradiated with a total dose of 5,082 cGy (Fraction 8). Family history included a brain tumor.
203	1236935	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation.
204	1359283	LUNGNOT12	The library was constructed using RNA isolated from lung tissue removed from a 78-year-old Caucasian male during a segmental lung resection and regional lymph node resection. Pathology indicated fibrosis pleura was puckered, but not invaded. Pathology for the associated tumor tissue indicated an invasive pulmonary grade 3 adenocarcinoma. Patient history included cerebrovascular disease, arteriosclerotic coronary artery disease, thrombophlebitis, chronic obstructive pulmonary disease, and asthma. Family history included intracranial hematoma, cerebrovascular disease, arteriosclerotic coronary artery disease, and type I diabetes.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
205	1450703	PENITUT01	The library was constructed using RNA isolated from tumor tissue removed from the penis of a 64-year-old Caucasian male during penile amputation. Pathology indicated a fungating invasive grade 4 squamous cell carcinoma involving the inner wall of the foreskin and extending onto the glans penis. Patient history included benign neoplasm of the large bowel, atherosclerotic coronary artery disease, angina pectoris, gout, and obesity. Family history included malignant pharyngeal neoplasm, chronic lymphocytic leukemia, and chronic liver disease.
206	1910668	CONNTUT01	The library was constructed using RNA isolated from a soft tissue tumor removed from the clival area of the skull of a 30-year-old Caucasian female. Pathology indicated chondroid chordoma with neoplastic cells reactive for keratin.
207	1955143	CONNNOT01	The library was constructed using RNA isolated from mesentery fat tissue obtained from a 71-year-old Caucasian male during a partial colectomy and permanent colostomy. Family history included atherosclerotic coronary artery disease, myocardial infarction, and extrinsic asthma.
208	1961637	BRSTNOT04	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old East Indian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 ductal carcinoma. Patient history included benign hypertension, hyperlipidemia, and hematuria. Family history included cerebrovascular and cardiovascular disease, hyperlipidemia, and liver cancer.
209	1990762	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.
210	1994131	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
211	197745	BRSTTUT03	The library was constructed using RNA isolated from breast tumor tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated multicentric invasive grade 4 lobular carcinoma. The mass was identified in the upper outer quadrant, and three separate nodules were found in the lower outer quadrant of the left breast. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular disease, coronary artery aneurysm, breast cancer, prostate cancer, atherosclerotic coronary artery disease, and type 1 diabetes.
212	209035	TESTNOT03	The library was constructed using polyA RNA isolated from testicular tissue removed from a 37-year-old Caucasian male who died from liver disease. Patient history included cirrhosis, jaundice, and liver failure.
213	209152	TESTNOT03	The library was constructed using polyA RNA isolated from testicular tissue removed from a 37-year-old Caucasian male who died from liver disease. Patient history included cirrhosis, jaundice, and liver failure.
214	2061752	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.
215	2061933	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
216	2081422	UTRSNOT08	The library was constructed using RNA isolated from uterine tissue removed from a 35-year-old Caucasian female during a vaginal hysterectomy with dilation and curettage. Pathology indicated that the endometrium was secretory phase with a benign endometrial polyp 1 cm in diameter. The cervix showed mild chronic cervicitis. Family history included atherosclerotic coronary artery disease and type II diabetes.
217	2101278	BRAITUT02	The library was constructed using RNA isolated from brain tumor tissue removed from the frontal lobe of a 58-year-old Caucasian male during excision of a cerebral meningeal lesion. Pathology indicated a grade 2 metastatic hypernephroma. Patient history included a grade 2 renal cell carcinoma, insomnia, and chronic airway obstruction. Family history included a malignant neoplasm of the kidney.
218	2121353	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, cardiovascular disease, and type II diabetes.
219	2241736	PANCTUT02	The library was constructed using RNA isolated from pancreatic tumor tissue removed from a 45-year-old Caucasian female during radical pancreaticoduodenectomy. Pathology indicated a grade 4 anaplastic carcinoma. Family history included benign hypertension, hyperlipidemia and atherosclerotic coronary artery disease.
220	2271935	PROSNON01	This normalized prostate library was constructed from 4.4 M independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a self-inflicted gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
221	2295344	BRSTNOT05	The library was constructed using RNA isolated from breast tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated multicentric invasive grade 4 lobular carcinoma. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular and cardiovascular disease, breast and prostate cancer, and type I diabetes.
222	2303994	BRSTNOT05	The library was constructed using RNA isolated from breast tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated multicentric invasive grade 4 lobular carcinoma. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular and cardiovascular disease, breast and prostate cancer, and type I diabetes.
223	2497805	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
224	2646362	LUNGTUT11	The library was constructed using RNA isolated from lung tumor tissue removed from the right lower lobe a 57-year-old Caucasian male during a segmental lung resection. Pathology indicated an infiltrating grade 4 squamous cell carcinoma. Multiple intrapulmonary peribronchial lymph nodes showed metastatic squamous cell carcinoma. Patient history included a benign brain neoplasm and tobacco abuse. Family history included spinal cord cancer, type II diabetes, cerebrovascular disease, and malignant prostate neoplasm.
225	2657146	LUNGTUT09	The library was constructed using RNA isolated from lung tumor tissue removed from a 68-year-old Caucasian male during segmental lung resection. Pathology indicated invasive grade 3 squamous cell carcinoma and a metastatic tumor. Patient history included type II diabetes, thyroid disorder, depressive disorder, hyperlipidemia, esophageal ulcer, and tobacco use.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
226	2755786	THP1AZS08	This subtracted THP-1 promonocyte cell line library was constructed using 5.76 million clones from a 5-aza-2'-deoxycytidine (AZ) treated THP-1 cell library. Starting RNA was made from THP-1 promonocyte cells treated for three days with 0.8 micromolar AZ. The hybridization probe for subtraction was derived from a similarly constructed library, made from RNA isolated from untreated THP-1 cells. 5.76 million clones from the AZ-treated THP-1 cell library were then subjected to two rounds of subtractive hybridization with 5 million clones from the untreated THP-1 cell library. Subtractive hybridization conditions were based on the methodologies of Swaroop et al., NAR (1991) 19:1954, and Bonaldo et al., Genome Research (1996) 6:791. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
227	2831245	TYMNOT03	The library was constructed using RNA isolated from nonactivated Th1 cells. These cells were differentiated from umbilical cord CD4 T cells with IL-12 and B7-transfected COS cells.
228	3116250	LUNGUT13	The library was constructed using RNA isolated from tumorous lung tissue removed from the right upper lobe of a 47-year-old Caucasian male during a segmental lung resection. Pathology indicated invasive grade 3 (of 4) adenocarcinoma. Family history included atherosclerotic coronary artery disease, and type II diabetes.
229	3129630	LUNGUT12	The library was constructed using RNA isolated from tumorous lung tissue removed from a 70-year-old Caucasian female during a lung lobectomy of the left upper lobe. Pathology indicated grade 3 (of 4) adenocarcinoma and vascular invasion. Patient history included tobacco abuse, depressive disorder, anxiety state, and skin cancer. Family history included cerebrovascular disease, congestive heart failure, colon cancer, depressive disorder, and primary liver.
230	007632	HMCINOT01	The library was constructed using RNA isolated from the HMC-1 human mast cell line derived from a 52-year-old female. Patient history included mast cell leukemia.
231	1236968	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation.
232	1334153	COLNNOT13	The library was constructed using RNA isolated from ascending colon tissue of a 28-year-old Caucasian male with moderate chronic ulcerative colitis.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
233	1396975	BRAITUT08	The library was constructed using RNA isolated from brain tumor tissue removed from the left frontal lobe of a 47-year-old Caucasian male during excision of cerebral meningeal tissue. Pathology indicated grade 4 fibrillary astrocytoma with focal tumoral radionecrosis. Patient history included cerebrovascular disease, deficiency anemia, hyperlipidemia, epilepsy, and tobacco use. Family history included cerebrovascular disease and malignant prostate neoplasm.
234	1501749	SINTBST01	The library was constructed using RNA isolated from ileum tissue removed from an 18-year-old Caucasian female during bowel anastomosis. Pathology indicated Crohn's disease of the ileum. Family history included cerebrovascular disease and atherosclerotic coronary artery disease.
235	1575240	LNODNOT03	The library was constructed using RNA isolated from lymph node tissue removed from a 67-year-old Caucasian male during a segmental lung resection and bronchoscopy. This tissue was extensively necrotic with 10% viable tumor. Pathology for the associated tumor tissue indicated invasive grade 3-4 squamous cell carcinoma. Patient history included hemangioma. Family history included atherosclerotic coronary artery disease, benign hypertension, and congestive heart failure.
236	1647884	PROSTUT09	The library was constructed using RNA isolated from prostate tumor tissue removed from a 66-year-old Caucasian male during a radical prostatectomy, radical cystectomy, and urinary diversion. Pathology indicated grade 3 transitional cell carcinoma. Patient history included lung neoplasm, and benign hypertension. Family history included malignant breast neoplasm, tuberculosis, cerebrovascular disease, atherosclerotic coronary artery disease, and lung cancer.
237	1661144	BRSTNOT09	The library was constructed using RNA isolated from breast tissue removed from a 45-year-old Caucasian female during unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated invasive nuclear grade 2-3 adenocarcinoma. Patient history included valvuloplasty of mitral valve and rheumatic heart disease. Family history included cardiovascular disease and type II diabetes.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
238	1685409	PROSNOT15	The library was constructed using RNA isolated from diseased prostate tissue removed from a 66-year-old Caucasian male during radical prostatectomy and regional lymph node excision. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated adenocarcinoma (Gleason grade 2+3). The patient presented with elevated prostate specific antigen (PSA). Family history included prostate cancer, secondary bone cancer, and benign hypertension.
239	1731419	BRSTTUT08	The library was constructed using RNA isolated from breast tumor tissue removed from a 45-year-old Caucasian female during unilateral extended simple mastectomy. Pathology indicated invasive nuclear grade 2-3 adenocarcinoma. Patient history included valvuloplasty of mitral valve and rheumatic heart disease. Family history included cardiovascular disease and type II diabetes.
240	2650265	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma. Patient history included a benign colon neoplasm, hyperlipidemia, cardiac dysrhythmia, and obesity. Family history included cardiovascular and cerebrovascular disease and colon, ovary and lung cancer.
241	2677129	KIDNNOT19	The library was constructed using RNA isolated from kidney tissue removed a 65-year-old Caucasian male during an exploratory laparotomy and nephroureterectomy. Pathology for the associated tumor tissue indicated grade 1 renal cell carcinoma within the upper pole of the left kidney. Patient history included malignant melanoma of the abdominal skin, benign neoplasm of colon, cerebrovascular disease, and umbilical hernia. Family history included myocardial infarction, atherosclerotic coronary artery disease, cerebrovascular disease, and prostate cancer.
242	3151073	ADRENON04	The normalized adrenal gland library was constructed from 1.36 x 1e6 independent clones from an adrenal tissue library. Starting RNA was made from adrenal gland tissue removed from a 20-year-old Caucasian male who died from head trauma. The library was normalized in two rounds using conditions adapted from Soares et al. (PNAS (1994) 91:9228-9232) and Bonaldo et al. (Genome Res (1996) 6: 791-806) using a significantly longer (48-hours/round) reannealing hybridization period.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
243	3170095	BRSTNOT18	The library was constructed using RNA isolated from diseased breast tissue removed from a 57-year-old Caucasian female during a unilateral simple extended mastectomy. Pathology indicated mildly proliferative breast disease. Patient history included breast cancer and osteoarthritis. Family history included type II diabetes, gallbladder and breast cancer, and chronic lymphocytic leukemia.
244	3475168	LUNGNOT27	The library was constructed using RNA isolated from lung tissue removed from a 17-year-old Hispanic female.
245	3836893	DENDTNT01	The library was constructed using RNA isolated from treated dendritic cells from peripheral blood.
246	4072159	KIDNNOT26	The library was constructed using RNA isolated from left kidney medulla and cortex tissue removed from a 53-year-old Caucasian female during a nephroureterectomy. Pathology for the associated tumor tissue indicated grade 2 renal cell carcinoma involving the lower pole of the kidney. Patient history included hyperlipidemia, cardiac dysrhythmia, menorrhagia, cerebrovascular disease, atherosclerotic coronary artery disease, and tobacco abuse. Family history included cerebrovascular disease and atherosclerotic coronary artery disease.
247	1003916	BRSTNOT03	The library was constructed using RNA isolated from diseased breast tissue removed from a 54-year-old Caucasian female during a bilateral radical mastectomy. Pathology for the associated tumor tissue indicated residual invasive grade 3 mammary ductal adenocarcinoma. Patient history included kidney infection and condyloma acuminatum. Family history included benign hypertension, hyperlipidemia and a malignant neoplasm of the colon.
248	2093492	PANCNOT04	The library was constructed using RNA isolated from the pancreatic tissue of a 5-year-old Caucasian male who died in a motor vehicle accident.
249	2108789	BRAITUT03	The library was constructed using RNA isolated from brain tumor tissue removed from the left frontal lobe a 17-year-old Caucasian female during excision of a cerebral meningeal lesion. Pathology indicated a grade 4 fibrillary giant and small-cell astrocytoma. Family history included benign hypertension and cerebrovascular disease.
250	2171401	ENDCNOT03	The library was constructed using RNA isolated from dermal microvascular endothelial cells removed from a neonatal Caucasian male.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
251	2212530	SINTFET03	The library was constructed using RNA isolated from small intestine tissue removed from a Caucasian female fetus, who died at 20 weeks' gestation.
252	2253036	OVRTUT01	The library was constructed using RNA isolated from ovarian tumor tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology indicated grade 2 mucinous cystadenocarcinoma involving the entire left ovary. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.
253	2280161	PROSNON01	The normalized prostate library was constructed from 4.4 M independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a self-inflicted gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.
254	2287485	BRAINON01	The library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.
255	2380344	ISLTNOT01	The library was constructed using RNA isolated from a pooled collection of pancreatic islet cells.
256	2383171	ISLTNOT01	The library was constructed using RNA isolated from a pooled collection of pancreatic islet cells.
257	2396046	THPIAZT01	The library was constructed using RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
258	2456587	ENDANOT01	The library was constructed using RNA isolated from aortic endothelial cell tissue from an explanted heart removed from a male during a heart transplant.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
259	2484813	BONRTUT01	The library was constructed using RNA isolated from rib tumor tissue removed from a 16-year-old Caucasian male during a rib osteotomy and a wedge resection of the lung. Pathology indicated a metastatic grade 3 (of 4) osteosarcoma, forming a mass involving the chest wall.
260	2493851	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
261	2495719	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
262	2614153	GBLANOT01	The library was constructed using RNA isolated from diseased gallbladder tissue removed from a 53-year-old Caucasian female during a cholecystectomy. Pathology indicated mild chronic cholecystitis and cholelithiasis with approximately 150 mixed gallstones. Family history included benign hypertension.
263	2655184	THYMNOT04	The library was constructed using RNA isolated from thymus tissue removed from a 3-year-old Caucasian male, who died from anoxia. Serologies were negative. The patient was not taking any medications.
264	2848362	BRSTTUT13	The library was constructed using RNA isolated from breast tumor tissue removed from the right breast of a 46-year-old Caucasian female during a unilateral extended simple mastectomy with breast reconstruction. Pathology indicated an invasive grade 3 adenocarcinoma, ductal type with apocrine features and greater than 50% intraductal component. Patient history included breast cancer.
265	2849906	BRSTTUT13	The library was constructed using RNA isolated from breast tumor tissue removed from the right breast of a 46-year-old Caucasian female during a unilateral extended simple mastectomy with breast reconstruction. Pathology indicated an invasive grade 3 adenocarcinoma, ductal type with apocrine features and greater than 50% intraductal component. Patient history included breast cancer.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
266	2899137	DRGCNOT01	The library was constructed using RNA isolated from dorsal root ganglion tissue removed from the cervical spine of a 32-year-old Caucasian male who died from acute pulmonary edema and bronchopneumonia, bilateral pleural and pericardial effusions, and malignant lymphoma (natural killer cell type). Patient history included probable cytomegalovirus, infection, hepatic congestion and steatosis, splenomegaly, hemorrhagic cystitis, thyroid hemorrhage, and Bell's palsy. Surgeries included colonoscopy, large intestine biopsy, adenotonsillectomy, and nasopharyngeal endoscopy and biopsy; treatment included radiation therapy.
267	2986229	CARGDIT01	The library was constructed using RNA isolated from diseased cartilage tissue. Patient history included osteoarthritis.
268	3222081	COLNNON03	The normalized colon library was constructed from $2.84 \times 10^6$ independent clones from the COLNNOT07 library. Starting RNA was made from colon tissue removed from a 60-year-old Caucasian male during a left hemicolectomy. The normalization and hybridization conditions were adapted from Soares et al. (PNAS (1994) 91:9228-9232), Swaroop et al. (Nucl. Acids Res. (1991) 19:1954) and Bonaldo et al. (Genome Res (1996) 6: 791-806), using a significantly longer (48 hour) reannealing hybridization period.

Table 5

Program	Description	Reference	Parameter Threshold
ABI FACTURA	A program that removes vector sequences and masks ambiguous bases in nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
ABI/PARACEL FDF	A Fast Data Finder useful in comparing and annotating amino acid or nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA; Paracel Inc., Pasadena, CA.	Mismatch <50%
ABI AutoAssembler	A program that assembles nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
BLAST	A Basic Local Alignment Search Tool useful in sequence similarity search for amino acid and nucleic acid sequences. BLAST includes five functions: blastp, blastn, blastx, tblastn, and tblastx.	Altschul, S.F. et al. (1990) J. Mol. Biol. 215:403-410; Altschul, S.F. et al. (1997) Nucleic Acids Res. 25: 3389-3402.	ESTs: Probability value= 1.0E-8 or less <i>Full Length sequences:</i> Probability value= 1.0E-10 or less
FASTA	A Pearson and Lipman algorithm that searches for similarity between a query sequence and a group of sequences of the same type. FASTA comprises at least five functions: fasta, tfasta, fastx, tfastx, and ssearch.	Pearson, W.R. and D.J. Lipman (1988) Proc. Natl. Acad. Sci. 85:2444-2448; Pearson, W.R. (1990) Methods Enzymol. 183: 63-98; and Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489.	ESTs: fasta E value= 1.06E-6 <i>Assembled ESTs:</i> fasta Identity= 95% or greater and Match length=200 bases or greater; fastx E value= 1.0E-8 or less <i>Full Length sequences:</i> fastx score= 100 or greater
BLIMPS	A BLOCKS IMProved Searcher that matches a sequence against those in BLOCKS and PRINTS databases to search for gene families, sequence homology, and structural fingerprint regions.	Henikoff, S and J.G. Henikoff, Nucl. Acid Res., 19:5565-72, 1991. J.G. Henikoff and S. Henikoff (1996) Methods Enzymol. 266:88-105; and Attwood, T.K. et al. (1997) J. Chem. Inf. Comput. Sci. 37: 417-424.	Score= 1000 or greater; Ratio of Score/Strength = 0.75 or larger; and Probability value= 1.0E-3 or less
PFAM	A Hidden Markov Models-based application useful for protein family search.	Krogh, A. et al. (1994) J. Mol. Biol., 235:1501-1531; Sonnhammer, E.L.L. et al. (1988) Nucleic Acids Res. 26:320-322.	Score= 10-50 bits, depending on individual protein families

Table 5 (cont.)

Program	Description	Reference	Parameter Threshold
ProfileScan	An algorithm that searches for structural and sequence motifs in protein sequences that match sequence patterns defined in Prosite.	Gribnikov, M. et al. (1988) CABIOS 4:61-66; Gribnikov, et al. (1989) Methods Enzymol. 183:146-159; Bairoch, A. et al. (1997) Nucleic Acids Res. 25: 217-221.	Score= 4.0 or greater
Phred	A base-calling algorithm that examines automated sequencer traces with high sensitivity and probability.	Ewing, B. et al. (1998) Genome Res. 8:175-185; Ewing, B. and P. Green (1998) Genome Res. 8:186-194.	
Phrap	A Phils Revised Assembly Program including SWAT and CrossMatch, programs based on efficient implementation of the Smith-Waterman algorithm, useful in searching sequence homology and assembling DNA sequences.	Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489; Smith, T.F. and M. S. Waterman (1981) J. Mol. Biol. 147:195-197; and Green, P., University of Washington, Seattle, WA.	Score= 120 or greater; Match length= 56 or greater
Consed	A graphical tool for viewing and editing Phrap assemblies	Gordon, D. et al. (1998) Genome Res. 8:195-202.	
SPScan	A weight matrix analysis program that scans protein sequences for the presence of secretory signal peptides.	Nielson, H. et al. (1997) Protein Engineering 10:1-6; Claverie, J.M. and S. Audic (1997) CABIOS 12: 431-439.	Score=5 or greater
Motifs	A program that searches amino acid sequences for patterns that matched those defined in Prosite.	Bairoch et al. <u>supra</u> ; Wisconsin Package Program Manual, version 9, page M51-59, Genetics Computer Group, Madison, WI.	

TABLE 6

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
135	443531	443531H1	1	253
		1406807F6	152	336
		443531T6	847	355
		SBBA00451F1	396	856
		SBBA00676F1	546	865
136	632860	632860H1	13	253
		784715R3	17	666
		509590H1	455	706
137	670010	670010H1	1	263
		669971R1	1	633
138	726498	726498H1	13	263
		726498R6	13	489
		866599R3	7	660
139	795064	795064H1	86	323
		4339458H1	4	284
		937605R3	86	505
		2381151F6	592	1057
		1466346F6	857	1241
140	924925	924925H1	111	412
		3268330H1	2	239
		759120R3	111	629
141	962390	1907958F6	1	478
		023569F1	1122	470
		167282F1	1216	543
		1309211F1	911	1224

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
142	1259405	1259405H1	46	277
		2472425H1	331	354
		774303R1	190	743
		1520779F1	418	1001
		1693833F6	914	1467
143	1297384	1831858T6.comp	1336	1742
		1527737T6.comp	1386	1829
		1297384H1	402	641
		1269310F6	1	492
		1457367F1	792	1380
144	1299627	415587R1	1358	1712
		SANA02967F1	1143	614
		1299627H1	1	250
		1359140F6	1004	1573
		1349224F1	1330	1731
145	1306026	SBAA01431F1	46	397
		SBAA02909F1	868	262
		SBAA01156F1	901	1266
		1306026H1	1	223
		1464088R6	302	829
146	1316219	SBAA02496F1	92	568
		SBAA04305F1	366	883
		1316219H1	246	491
		2458603F6	1	402
		2504756T6	980	380
147	1329031	1329031H1	1	264
		1329031T6	505	1
		1329031F6	1	523

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
148	1483050	1483050H1	722	931
		855049H1	1	267
		077017F1	1069	679
		1483050F6	722	1215
		1480024T6	2063	1315
		1483050T6	2068	1535
149	1514160	759486R1	1762	2089
		1514160H1	1640	1838
		1866765T7	2383	2210
		782676R1	1652	1875
		008055X4	1090	1804
		008055X5	1316	1952
		1866765F6	2209	2391
		SAOA03127F1	2129	1703
		1603403H1	7	224
		372910F1	420	44
150	1603403	733299R7	219	420
151	1652303	1652303H1	4	256
		1671806H1	1	224
		1341743T1	2069	1900
		3803812H1	389	697
		1878546F6	747	1344
		1428640F1	1081	1664
		2058609R6	1715	2098
		1331621F1	1780	2096
		1306331T1	1897	2098

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
152	1693358	1693358H1	41	125
		2498265H1	1	252
		1867125F6	205	373
		1693358T6	1094	416
		2245848R6	737	1103
153	1707711	1707711H1	408	626
		1484609T1	2165	1855
		1707711F6	408	987
		1267959F1	1721	2182
		1484609F1	1855	2178
		SAJA00930F1	544	1132
		SAJA01300R1	1675	1212
		SAJA00999R1	1675	1142
154	1738735	1738735H1	7	236
		SAJA00944R1	393	5
		SAJA00137F1	913	685
		SAJA03629F1	435	42
155	1749147	1749147H1	1	276
155		1749147F6	47	457
155		1749147T6	479	1
156	1817722	1817722H1	1	268
		2011085H1	344	545
157	1831290	1831290H1	10	257
		3473958H1	70	242
		1972268F6	163	617
		1301277F1	413	852
		1521574F1	1024	1602
		1561690T6	1729	1058
		891461R1	1261	1738



TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
158	1831477	1831477HI	59	337
		1582867HI	1	199
		1336769T1	1986	1639
		1933092HI	525	789
		1519909FI	841	1296
		1220946HI	1061	1318
		809556T1	1983	1687
		1217559T1	2002	1445
		1309225FI	1747	2001
159	1841607	1841607HI	13	192
		SBHA0358FI	13	172
160	1852391	1852391HI	98	367
		734140HI	1	225
		1852391F6	98	542
161	1854555	1854555HI	1	265
		251171HI	37	58
		782453R1	223	712
		1854555F6	1	346
		1840675T6	1046	860
		2109736HI	938	1054
162	1855755	1855755HI	17	224
		3040236HI	1	179
		1283207F1	306	816
		833763T1	1148	835
		1920926R6	854	1161
163	1861434	1861434HI	13	253
		1861434T6	872	261
		SARA01525FI	426	808
		SARA02548FI	587	889

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
164	1872334	1872334H1	1	229
		1872334F6	1	424
		SBGA03684F1	358	425
165	1877230	1877230H1	1405	1677
		2519841H1	1	251
		1877230T6	1903	1405
		1254693F1	335	716
		077020R1	682	1414
		1232336F1	906	1507
		1004952R6	1451	1904
		SARA01879F1	1545	1921
		SARA02654F1	1545	1923
166	1877885	1877885H1	68	323
		508020F1	499	51
		2751126R6	219	516
		SARA02571F1	407	499
167	1889269	1889269H1	757	1020
		1915551H1	1	191
		629493X12	481	865
		1441289F1	693	865
		1215274X34F1	1106	1631
		1818447F6	1307	1540
		1208463R1	1372	1493
168	1890243	1890243H1	9	268
		SARA01884F1	521	168
		SATA00046F1	1057	851
		SARA03294F1	1329	910
		SARA02790F1	1138	1535

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
169	1900433	1900433HI	1	242
		SATA00396F1	409	124
		SATA02742F1	1	294
170	1909441	1909441HI	786	1048
		1398811F1	1	550
		3039939HI	607	876
		3324740HI	685	944
		1442131F6	787	1232
		2254056HI	1423	1522
		2199453T6	1955	1351
		1698531HI	1968	1796
171	1932226	1932226HI	294	510
		2320569HI	1	266
		1932226F6	294	685
		2469455T6	1475	1071
		2469455F6	1034	1492
		1907140F6	1158	1482
		SATA02592F1	857	518
		1932647HI	17	246
172	1932647	1492745T1	1582	1418
		1492745HI	1418	1599
		SASA02355F1	386	19
		SASA00117F1	250	569
		SASA00192F1	515	816
173	2124245	2124245HI	45	190
		1235393F1	495	895
		1402264F6	323	925
		1303990F1	682	1240
		1402264T6	1613	950

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
174	2132626	2132626H1	406	651
		1723432T6	1299	746
		2132626R6	406	904
		1736723T6	1292	857
		1504738F1	868	1320
175	2280639	2280639H1	28	303
		1377560F6	261	777
176	2292356	2292356H1	717	968
		4086827H1	1	275
		1754442F6	232	577
		3571126H1	497	808
		1601305F6	808	1464
177	2349310	2349310H1	1	236
		2349310T6	682	2
178	2373227	2373227H1	298	524
		3316444H1	801	1053
		302685R6	1141	1496
		SASA02181F1	577	1
		SASA01923F1	963	466
		SASA03516F1	1102	1249
179	2457682	2457682H1	1	226
		2457682F6	1	554
180	2480426	2480426H1	1	213
		2480426F6	1	501

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
181	2503743	2503743H1	6	222
		1853909H1	1	272
		1517619F1	172	830
		1467896F6	540	1112
		490031F1	1647	1068
		1208654R1	1382	1633
182	2537684	880544R1	1450	1648
		2537684H1	434	682
		2005493H1	1	194
		730969H1	307	547
		916487H1	723	989
		996135R1	997	1598
183	2593853	1920738R6	1306	1692
		1957710F6	1472	1692
		2593853H1	1	252
		807497H1	2	217
		914020R6	284	740
		889992R1	416	729
184	2622354	2622354H1	3	266
		2623992H1	1	246
		1556510F6	81	258
185	2641377	2641377H1	126	369
		4341415H2	10	345
		SBCA07049F3	126	599

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
186	2674857	2674857H1	139	393
		1872373H1	1	270
		470512R6	1486	1502
		1728547H1	1285	1508
		3013651F6	1423	1987
187	2758485	SBCA01366F1	819	385
		SBCA00694F1	973	1198
		2758485H1	20	267
		3097533H1	1	158
		1578959F6	291	771
188	2763296	2763296H1	63	301
		3486025F6	1	130
		SBDA07002F3	63	687
189	2779436	2779436H1	1	233
		2779436F6	1	577
		SBDA07009F3	1	608
190	2808528	2808528H1	25	335
		2611513F6	2	489
		SBDA07021T3	1058	443
191	2809230	2809230H1	409	630
		2213849H1	1	133
		711706R6	396	691
		958323R1	407	800
		030732F1	1366	623
192	2816821	2816821H1	210	501
		3746964H1	1	307
		2816821F6	210	682
		948722T6	959	527

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
193	2817268	2817268H1	42	282
		3591308H1	13	264
		419522R1	179	808
		2073028F6	446	924
		1308781F6	869	1112
194	2923165	2923165H1	8	295
		2011630H1	18	238
		1457250F1	268	856
		754668R1	327	878
		1406510F6	558	901
195	2949822	2949822H1	1	280
		SBDA07078F3	1	606
196	2992192	2992192H1	25	321
		2534324H2	1	240
		2815255T6	690	219
		1551107T6	893	471
		1551107R6	471	690
197	2992458	2992458H1	48	362
		2618951H1	1	247
		1479252F1	163	610
		1879054H1	563	840
		1879054F6	563	1096
		2215240H1	951	1202
		1535968T1	1729	1173

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
198	3044710	3044710H1	652	952
		3741773H1	1	283
		859906X42C1	94	192
		1534347F1	90	268
		1421122F1	830	1392
		1303865F1	1033	1487
		1704452F6	1432	1934
		1251642F1	2006	1544
		1781694R6	1894	2017
		3120415H1	72	363
199	3120415	1360123T1	523	141
		1375015H1	380	526



What is claimed is:

1. A substantially purified polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134 (SEQ ID NO:1-134), and fragments thereof.
2. A substantially purified variant having at least 90% amino acid sequence identity to the amino acid sequence of claim 1.

3. An isolated and purified polynucleotide encoding the polypeptide of claim 1.
4. An isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide of claim 3.
- 5 5. An isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide of claim 3.
6. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 3.
7. A method for detecting a polynucleotide, the method comprising the steps  
10 of:
  - (a) hybridizing the polynucleotide of claim 6 to at least one nucleic acid in a sample, thereby forming a hybridization complex; and
  - (b) detecting the hybridization complex, wherein the presence of the hybridization complex correlates with the presence of the polynucleotide in the  
15 sample.
8. The method of claim 7 further comprising amplifying the polynucleotide prior to hybridization.
9. An isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:135, SEQ ID NO:136, SEQ  
20 ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ  
25 ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ  
30 ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ

ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, SEQ ID NO:242, SEQ ID NO:243, SEQ ID NO:244, SEQ ID NO:245, SEQ ID NO:246, SEQ ID NO:247, SEQ ID NO:248, SEQ ID NO:249, SEQ ID NO:250, SEQ ID NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, SEQ ID NO:255, SEQ ID NO:256, SEQ ID NO:257, SEQ ID NO:258, SEQ ID NO:259, SEQ ID NO:260, SEQ ID NO:261, SEQ ID NO:262, SEQ ID NO:263, SEQ ID NO:264, SEQ ID NO:265, SEQ ID NO:266, SEQ ID NO:267, SEQ ID NO:268 (SEQ ID NO:135-268), and fragments thereof.

10. An isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide of claim 9.

11. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 9.

12. An expression vector comprising at least a fragment of the polynucleotide of claim 3.

13. A host cell comprising the expression vector of claim 12.

14. A method for producing a polypeptide, the method comprising the steps of:

a) culturing the host cell of claim 13 under conditions suitable for the expression of the polypeptide; and

b) recovering the polypeptide from the host cell culture.

15. A pharmaceutical composition comprising the polypeptide of claim 1 in conjunction with a suitable pharmaceutical carrier.

16. A purified antibody which specifically binds to the polypeptide of claim 1.

17. A purified agonist of the polypeptide of claim 1.

18. A purified antagonist of the polypeptide of claim 1.

19. A method for treating or preventing a disorder associated with decreased expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of the pharmaceutical composition of claim 15.

20. A method for treating or preventing a disorder associated with increased  
5 expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of the antagonist of claim 18.

## SEQUENCE LISTING

&lt;110&gt; INCYTE PHARMACEUTICALS, INC.

LAL, Preeti

TANG, Y. Tom

GORGONE, Gina A.

CORLEY, Neil C.

GUEGLER, Karl J.

BAUGHN, Mariah R.

AKERBLOM, Ingrid E.

AU-YOUNG, Janice

YUE, Henry

PATTERSON, Chandra

REDDY, Roopa

HILLMAN, Jennifer L.

BANDMAN, Olga

&lt;120&gt; HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS

&lt;130&gt; PF-0541 PCT

&lt;140&gt; To Be Assigned

&lt;141&gt; Herewith

&lt;150&gt; 60/090,762; 60/094,983; 60/102,686; 60/112,129

&lt;151&gt; 1998-06-26; 1998-07-31; 1998-10-01; 1998-12-11

&lt;160&gt; 268

&lt;170&gt; PERL Program

&lt;210&gt; 1

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 443531

&lt;400&gt; 1

Met	Ser	Trp	Trp	Leu	Cys	Leu	Pro	Leu	Gly	Leu	Phe	Gly	Ser	Cys
1				5					10					15
Leu	Ala	Pro	Ala	Ala	Ala	Ala	Ala	Leu	Ser	Glu	Phe	Thr	Gln	Glu
				20					25					30
Gln	His	Asp	Gly	Ala	Gln	Pro	Ser	Pro	Lys	Cys	Leu	Ala	Glu	Glu
				35					40					45
Leu	Gly	Asp	Ala	Trp	Thr	Ile	Gln	Ile	Glu	Ala	Asn	Trp	Lys	Tyr
				50					55					60
Arg	Ala	Val	Asn	Thr	Asn	Gln	Arg	Gly	Lys	Leu	Leu	Ala	Ser	Glu
				65					70					75
Thr	Trp	Lys	Gly	Arg	Arg	Asn	Thr	Phe	Phe	Phe	Leu	Pro		
				80					85					

<210> 2  
 <211> 128  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 632860

<400> 2  
 Met Trp Pro Ala Gly Leu Gly Arg Ser Leu Leu Ala Gln Pro Ala  
   1                  5                  10                  15  
 Leu Cys Ser Phe Met Gly Pro Gln Trp Ile Leu Gln Phe Cys Ser  
                   20                  25                  30  
 Trp Leu Glu Pro Arg Gln Leu Arg Trp Ser Trp Thr Glu Pro Pro  
                   35                  40                  45  
 Phe Thr Leu Leu Asp Ser Leu Gly Leu Arg Ala Ala Gln Asp Ser  
                   50                  55                  60  
 Cys Ser Phe Thr Thr Leu Val Pro Leu Thr Leu Asp Ser Ser Phe  
                   65                  70                  75  
 Met Thr Val Asn Val Val Pro Phe Val Trp Thr Ser Ser Phe Phe  
                   80                  85                  90  
 Arg Ala Phe Gln Tyr Pro Val Thr Ser Pro Cys Arg Thr Lys Asn  
                   95                  100                 105  
 Thr Pro Leu Leu Ile Asp Gly Val Thr Arg Ile Gln Ala Thr Trp  
                  110                 115                 120  
 Pro Glu Ala Arg Ser Gln His Glu  
                  125

<210> 3  
 <211> 111  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 670010

<400> 3  
 Met Gly Leu Leu Leu Leu Val Leu Phe Leu Ser Leu Leu Pro Val  
   1                  5                  10                 15  
 Ala Tyr Thr Ile Met Ser Leu Pro Pro Ser Phe Asp Cys Gly Pro  
                   20                  25                  30  
 Phe Arg Cys Arg Val Ser Val Ala Arg Glu His Leu Pro Ser Arg  
                   35                  40                  45  
 Gly Ser Leu Leu Arg Gly Pro Arg Pro Arg Ile Pro Val Leu Val  
                   50                  55                  60  
 Ser Cys Gln Pro Val Lys Gly His Gly Thr Leu Gly Glu Ser Pro  
                   65                  70                  75  
 Met Pro Phe Lys Arg Val Phe Cys Gln Asp Gly Asn Val Arg Ser  
                   80                  85                  90  
 Phe Cys Val Cys Ala Val His Phe Ser Ser His Gln Pro Pro Val  
                   95                 100                 105  
 Ala Val Glu Cys Leu Lys

110

<210> 4  
 <211> 110  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 726498

<400> 4  
 Met Trp Arg Leu Arg Arg Asn Leu Ala Leu Pro Pro Gly Lys Leu  
   1                  5                  10                  15  
 Ala Trp Leu Tyr Leu Ser Val Phe Ser Gln Gly Ser Arg Ala Met  
                   20                  25                  30  
 Met Ser Leu Thr Glu Ile Arg Leu Lys His Met Leu Glu Ile Trp  
                   35                  40                  45  
 His Gly Arg Gln Ala Arg Ala Cys Glu Asn Leu Arg Asn Gln Thr  
                   50                  55                  60  
 Arg Val Ala Thr Lys Val Glu Pro Gln Lys Gly Arg Ser Thr Glu  
                   65                  70                  75  
 Ile Cys Cys Leu Ala Val Val Pro Leu Asn Glu Val Val Gln Ser  
                   80                  85                  90  
 Ser Ile Leu Trp Trp Val Trp Ser Cys Cys Gln His Gln Glu Asp  
                   95                  100                  105  
 Lys Leu Gly Ala Lys  
                   110

<210> 5  
 <211> 78  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 795064

<400> 5  
 Met Ala Glu Ser Gly Leu Thr Ser Leu Pro Gly Thr Ala Ser Trp  
   1                  5                  10                  15  
 Phe Cys Phe Leu Pro Val Ser Gln Arg Lys Ala Thr Ser Lys Lys  
                   20                  25                  30  
 Leu Leu Leu Lys Ala Arg Lys Lys Ser Gly Phe Glu Leu Ser Val  
                   35                  40                  45  
 Thr Asp Ser Ser Glu Cys Phe Arg Val Thr Ala Ser Val Arg Gly  
                   50                  55                  60  
 Met Lys Asn Arg His Ala Lys Gly Asn Gly Cys Thr Arg Asp Pro  
                   65                  70                  75  
 Cys Phe Gly

<210> 6  
 <211> 88  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 924925

<400> 6  
 Met Trp Pro Ser Gln Val Pro Leu Leu Ala Phe Cys Phe Leu Leu  
 1 5 10 15  
 Val Lys Ser Thr Ser Asn Ile Asn Leu Pro Thr Pro Pro Ser  
 20 25 30  
 Ser Leu Glu Asn Ser Ser Phe Val Val Ser Gln Arg Gly Asn Leu  
 35 40 45  
 Ile Val Phe Gly Gly Gln Lys Lys Ala Thr Phe Arg Tyr His Phe  
 50 55 60  
 Tyr Leu Asp Arg Met Pro Phe Tyr Ser Gln Ile Ser Val Tyr Phe  
 65 70 75  
 Val Asn Gly Phe Arg Val Asn Gly Tyr Leu Cys Asn Asn  
 80 85

<210> 7  
 <211> 227  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 962390

<400> 7  
 Met Gly Arg Pro Leu Leu Leu Pro Leu Leu Leu Leu Gln Pro  
 1 5 10 15  
 Pro Ala Phe Leu Gln Pro Gly Gly Ser Thr Gly Ser Gly Pro Ser  
 20 25 30  
 Tyr Leu Tyr Gly Val Thr Gln Pro Lys His Leu Ser Ala Ser Met  
 35 40 45  
 Gly Gly Ser Val Glu Ile Pro Phe Ser Phe Tyr Tyr Pro Trp Glu  
 50 55 60  
 Leu Ala Ile Val Pro Asn Val Arg Ile Ser Trp Arg Arg Gly His  
 65 70 75  
 Phe His Gly Gln Ser Phe Tyr Ser Thr Arg Pro Pro Ser Ile His  
 80 85 90  
 Lys Asp Tyr Val Asn Arg Leu Phe Leu Asn Trp Thr Glu Gly Gln  
 95 100 105  
 Glu Ser Gly Phe Leu Arg Ile Ser Asn Leu Arg Lys Glu Asp Gln  
 110 115 120  
 Ser Val Tyr Phe Cys Arg Val Glu Leu Asp Thr Arg Arg Ser Gly  
 125 130 135  
 Arg Gln Gln Leu Gln Ser Ile Lys Gly Thr Lys Leu Thr Ile Thr



	140		145		150
Gln Ala Val Thr	Thr Thr Thr Thr Trp	Arg Pro Ser Ser Thr	Thr		
	155		160		165
Thr Ile Ala Gly	Leu Arg Val Thr Glu	Ser Lys Gly His Ser	Glu		
	170		175		180
Ser Trp His Leu	Ser Leu Asp Thr Ala	Ile Arg Val Ala Leu	Ala		
	185		190		195
Val Ala Val Leu	Lys Thr Val Ile Leu	Gly Leu Leu Cys Leu	Leu		
	200		205		210
Leu Leu Trp Trp	Arg Arg Arg Lys Gly	Ser Arg Ala Pro Ser	Ser		
	215		220		225
Asp Phe					

&lt;210&gt; 8

&lt;211&gt; 198

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1259405

&lt;400&gt; 8

Met Ala Thr Leu Trp	Gly Gly Leu Leu Arg	Leu Gly Ser Leu Leu	
1	5	10	15
Ser Leu Ser Cys Leu	Ala Leu Ser Val Leu	Leu Leu Ala Gln Leu	
	20	25	30
Ser Asp Ala Ala Lys	Asn Phe Glu Asp Val	Arg Cys Lys Cys Ile	
	35	40	45
Cys Pro Pro Tyr Lys	Glu Asn Ser Gly His	Ile Tyr Asn Lys Asn	
	50	55	60
Ile Ser Gln Lys Asp	Cys Asp Cys Leu His	Val Val Glu Pro Met	
	65	70	75
Pro Val Arg Gly Pro	Asp Val Glu Ala Tyr	Cys Leu Arg Cys Glu	
	80	85	90
Cys Lys Tyr Glu Glu	Arg Ser Ser Val Thr	Ile Lys Val Thr Ile	
	95	100	105
Ile Ile Tyr Leu Ser	Ile Leu Gly Leu Leu	Leu Leu Tyr Met Val	
	110	115	120
Tyr Leu Thr Leu Val	Glu Pro Ile Leu Lys	Arg Arg Leu Phe Gly	
	125	130	135
His Ala Gln Leu Ile	Gln Ser Asp Asp Asp	Ile Gly Asp His Gln	
	140	145	150
Pro Phe Ala Asn Ala	His Asp Val Leu Ala	Arg Ser Arg Ser Arg	
	155	160	165
Ala Asn Val Leu Asn	Lys Val Glu Tyr Ala	Gln Gln Arg Trp Lys	
	170	175	180
Leu Gln Val Gln Glu	Gln Arg Lys Ser Val	Phe Asp Arg His Val	
	185	190	195
Val Leu Ser			

<210> 9  
 <211> 65  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1297384

<400> 9  
 Met Met Pro Arg Leu Leu Gly Leu Gly Gly Leu Phe Ser Phe Gly  
 1 5 10 15  
 Gly Leu Pro Leu Leu Leu Phe Phe Gln Arg Ser Arg Ala Ser  
 20 25 30  
 Leu Ala Ser Ser Ser Thr Gly Leu Trp Ile Asn Gln Leu Pro Lys  
 35 40 45  
 Gly Cys Thr Cys Arg Val Val Trp Ala Cys Ile Pro Asp Val Leu  
 50 55 60  
 Glu Tyr Ala Trp Met  
 65

<210> 10  
 <211> 154  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1299627

<400> 10  
 Met Asp Ala Pro Arg Leu Pro Val Arg Pro Gly Val Leu Leu Pro  
 1 5 10 15  
 Lys Leu Val Leu Leu Phe Val Tyr Ala Asp Asp Cys Leu Ala Gln  
 20 25 30  
 Cys Gly Lys Asp Cys Lys Ser Tyr Cys Cys Asp Gly Thr Thr Pro  
 35 40 45  
 Tyr Cys Cys Ser Tyr Tyr Ala Tyr Ile Gly Asn Ile Leu Ser Gly  
 50 55 60  
 Thr Ala Ile Ala Gly Ile Val Phe Gly Ile Val Phe Ile Met Gly  
 65 70 75  
 Val Ile Ala Gly Ile Ala Ile Cys Ile Cys Met Cys Met Lys Asn  
 80 85 90  
 His Arg Ala Thr Arg Val Gly Ile Leu Arg Thr Thr His Ile Asn  
 95 100 105  
 Thr Val Ser Ser Tyr Pro Gly Pro Pro Pro Tyr Gly His Asp His  
 110 115 120  
 Glu Met Glu Tyr Cys Ala Asp Leu Pro Pro Pro Tyr Ser Pro Thr  
 125 130 135  
 Pro Gln Gly Pro Ala Gln Arg Ser Pro Pro Pro Pro Tyr Pro Gly  
 140 145 150  
 Asn Ala Arg Lys

<210> 11  
 <211> 237  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1306026

<400> 11  
 Met Lys Pro Leu Val Leu Leu Val Ala Leu Leu Leu Trp Pro Ser  
 1 5 10 15  
 Ser Val Pro Ala Tyr Pro Ser Ile Thr Val Thr Pro Asp Glu Glu  
 20 25 30  
 Gln Asn Leu Asn His Tyr Ile Gln Val Leu Glu Asn Leu Val Arg  
 35 40 45  
 Ser Val Pro Ser Gly Glu Pro Gly Arg Glu Lys Lys Ser Asn Ser  
 50 55 60  
 Pro Lys His Val Tyr Ser Ile Ala Ser Lys Gly Ser Lys Phe Lys  
 65 70 75  
 Glu Leu Val Thr His Gly Asp Ala Ser Thr Glu Asn Asp Val Leu  
 80 85 90  
 Thr Asn Pro Ile Ser Glu Glu Thr Thr Thr Phe Pro Thr Gly Gly  
 95 100 105  
 Phe Thr Pro Glu Ile Gly Lys Lys Lys His Thr Glu Ser Thr Pro  
 110 115 120  
 Phe Trp Ser Ile Lys Pro Asn Asn Val Ser Ile Val Leu His Ala  
 125 130 135  
 Glu Glu Pro Tyr Ile Glu Asn Glu Glu Pro Glu Pro Glu Pro Glu  
 140 145 150  
 Pro Ala Ala Lys Gln Thr Glu Ala Pro Arg Met Leu Pro Val Val  
 155 160 165  
 Thr Glu Ser Ser Thr Ser Pro Tyr Val Thr Ser Tyr Lys Ser Pro  
 170 175 180  
 Val Thr Thr Leu Asp Lys Ser Thr Gly Ile Glu Ile Ser Thr Glu  
 185 190 195  
 Ser Glu Asp Val Pro Gln Leu Ser Gly Glu Thr Ala Ile Glu Lys  
 200 205 210  
 Pro Glu Ser Trp Lys His Gln Arg Val Gly Tyr Asp Ala Phe Glu  
 215 220 225  
 Lys Asn Leu Val Leu Ile Thr Met His Arg His Phe  
 230 235

<210> 12  
 <211> 225  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1316219

<400> 12

```

Met Thr Pro Glu Gly Val Gly Leu Thr Thr Ala Leu Arg Val Leu
 1          5          10          15
Cys Asn Val Ala Cys Pro Pro Pro Pro Val Glu Gly Gln Gln Lys
 20          25          30
Asp Leu Lys Trp Asn Leu Ala Val Ile Gln Leu Phe Ser Ala Glu
 35          40          45
Gly Met Asp Thr Phe Ile Arg Val Leu Gln Lys Leu Asn Ser Ile
 50          55          60
Leu Thr Gln Pro Trp Arg Leu His Val Asn Met Gly Thr Thr Leu
 65          70          75
His Arg Val Thr Thr Ile Ser Met Ala Arg Cys Thr Leu Thr Leu
 80          85          90
Leu Lys Thr Met Leu Thr Glu Leu Leu Arg Gly Gly Ser Phe Glu
 95          100          105
Phe Lys Asp Met Arg Val Pro Ser Ala Leu Val Thr Leu His Met
 110          115          120
Leu Leu Cys Ser Ile Pro Leu Ser Gly Arg Leu Asp Ser Asp Glu
 125          130          135
Gln Lys Ile Gln Asn Asp Ile Ile Asp Ile Leu Leu Thr Phe Thr
 140          145          150
Gln Gly Val Asn Glu Lys Leu Thr Ile Ser Glu Glu Thr Leu Ala
 155          160          165
Asn Asn Thr Trp Ser Leu Met Leu Lys Glu Val Leu Ser Ser Ile
 170          175          180
Leu Lys Val Pro Glu Gly Phe Phe Ser Gly Leu Ile Leu Leu Ser
 185          190          195
Glu Leu Leu Pro Leu Pro Leu Pro Met Gln Thr Thr Gln Val Ser
 200          205          210
Leu Pro Tyr Asn Met His Leu Ile Asn Asp Cys Ser Asn Thr Phe
 215          220          225

```

&lt;210&gt; 13

&lt;211&gt; 117

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1329031

&lt;400&gt; 13

```

Met Pro Ser Pro Gly Thr Val Cys Ser Leu Leu Leu Leu Gly Met
 1          5          10          15
Leu Trp Leu Asp Leu Ala Met Ala Gly Ser Ser Phe Leu Ser Pro
 20          25          30
Glu His Gln Arg Val Gln Gln Arg Lys Glu Ser Lys Lys Pro Pro
 35          40          45
Ala Lys Leu Gln Pro Arg Ala Leu Ala Gly Trp Leu Arg Pro Glu
 50          55          60
Asp Gly Gly Gln Ala Glu Gly Ala Glu Asp Glu Leu Glu Val Arg
 65          70          75
Phe Asn Ala Pro Phe Asp Val Gly Ile Lys Leu Ser Gly Val Gln
 80          85          90
Tyr Gln Gln His Ser Gln Ala Leu Gly Lys Phe Leu Gln Asp Ile

```

	95	100	105
Leu Trp Glu Glu Ala Lys Glu Ala Pro Ala Asp Lys			
	110	115	

<210> 14  
 <211> 253  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1483050

<400> 14

Met Asp Asn Arg Phe Ala Thr Ala Phe Val Ile Ala Cys Val Leu		
1	5	10
Ser Leu Ile Ser Thr Ile Tyr Met Ala Ala Ser Ile Gly Thr Asp		
	20	25
Phe Trp Tyr Glu Tyr Arg Ser Pro Val Gln Glu Asn Ser Ser Asp		
	35	40
Leu Asn Lys Ser Ile Trp Asp Glu Phe Ile Ser Asp Glu Ala Asp		
	50	55
Glu Lys Thr Tyr Asn Asp Ala Leu Phe Arg Tyr Asn Gly Thr Val		
	65	70
Gly Leu Trp Arg Arg Cys Ile Thr Ile Pro Lys Asn Met His Trp		
	80	85
Tyr Ser Pro Pro Glu Arg Thr Glu Ser Phe Asp Val Val Thr Lys		
	95	100
Cys Val Ser Phe Thr Leu Thr Glu Gln Phe Met Glu Lys Phe Val		
	110	115
Asp Pro Gly Asn His Asn Ser Gly Ile Asp Leu Leu Arg Thr Tyr		
	125	130
Leu Trp Arg Cys Gln Phe Leu Leu Pro Phe Val Ser Leu Gly Leu		
	140	145
Met Cys Phe Gly Ala Leu Ile Gly Leu Cys Ala Cys Ile Cys Arg		
	155	160
Ser Leu Tyr Pro Thr Ile Ala Thr Gly Ile Leu His Leu Leu Ala		
	170	175
Gly Leu Cys Thr Leu Gly Ser Val Ser Cys Tyr Val Ala Gly Ile		
	185	190
Glu Leu Leu His Gln Lys Leu Glu Leu Pro Asp Asn Val Ser Gly		
	200	205
Glu Phe Gly Trp Ser Phe Cys Leu Ala Cys Val Ser Ala Pro Leu		
	215	220
Gln Phe Met Ala Ser Ala Leu Phe Ile Trp Ala Ala His Thr Asn		
	230	235
Arg Lys Glu Tyr Thr Leu Met Lys Ala Tyr Arg Val Ala		
	245	250

<210> 15  
 <211> 171

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1514160

&lt;400&gt; 15

```

Met Ser Leu Pro Ile Pro Trp Leu Ser Leu Pro Pro Cys Pro Ile
  1           5           10           15
Leu Gly Gln Pro Ala Gly Leu Leu Leu Trp Leu Phe Arg Pro Phe
           20           25           30
Ser Gln Cys Cys Gln Cys Pro Trp Glu Gly Arg Ala Ser Leu Arg
           35           40           45
His Pro Asn Gly Pro Ser Gly Cys Arg Glu Ala Glu Ala Trp Pro
           50           55           60
Gln Arg Ser Leu Leu Arg Gln Gln Leu Gln Gln Ala His Pro Leu
           65           70           75
Pro Thr Leu Pro Thr Pro Glu Arg Leu Pro Glu Gln Met Leu Phe
           80           85           90
Pro Ser Ser Ser Ser Lys Pro Phe Ser Leu Leu Ser Leu Thr Ile
           95          100          105
Trp Ala Arg Leu Val Gly Arg Leu Thr Asn Arg Ile Cys Pro Val
          110          115          120
Pro Pro Gly Ser Val Ala Ser Ser Met Ser Leu Gln Ala Gly Arg
          125          130          135
Cys Gly Asn Pro Val Val Leu Pro Gln Pro Met Pro Pro Gly Leu
          140          145          150
Leu Cys Met Asn Glu Cys Ser Leu Val Pro Gly Leu Gly Arg Gly
          155          160          165
Gln Val Asn Ser Arg Val
          170

```

&lt;210&gt; 16

&lt;211&gt; 78

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1603403

&lt;400&gt; 16

```

Met Gly Ser Gly Leu Pro Leu Val Leu Leu Thr Leu Leu Gly
  1           5           10           15
Ser Ser His Gly Thr Gly Pro Gly Met Thr Leu Gln Leu Lys Leu
           20           25           30
Lys Glu Ser Phe Leu Thr Asn Ser Ser Tyr Glu Ser Ser Phe Leu
           35           40           45
Glu Leu Leu Glu Lys Leu Cys Leu Leu Leu His Leu Pro Ser Gly
           50           55           60
Thr Ser Val Thr Leu His His Ala Arg Ser Gln His His Val Val
           65           70           75
Cys Asn Thr

```

<210> 17  
 <211> 71  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1652303

<400> 17  
 Met Lys Leu Leu Ser Cys Leu Leu Phe Leu Lys Ala Pro Leu Tyr  
 1 5 10 15  
 Pro Thr Leu Cys Ser Lys Asp Pro Arg Ala Gly His Ser Leu Ile  
 20 25 30  
 Cys Gly Gln Ala Gly Gln Ile Pro Glu Ala Gln Leu Gly Phe Ser  
 35 40 45  
 Ser Asp Phe Lys Leu Cys Trp Cys Trp Asp Gln Gln Lys Ala Asn  
 50 55 60  
 Val Gln Pro Thr His Arg Thr Val Arg Gly Leu  
 65 70

<210> 18  
 <211> 188  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1693358

<400> 18  
 Met Val Pro Gly Ala Ala Gly Trp Cys Cys Leu Val Leu Trp Leu  
 1 5 10 15  
 Pro Ala Cys Val Ala His Gly Phe Arg Ile His Asp Tyr Leu  
 20 25 30  
 Tyr Phe Gln Val Leu Ser Pro Gly Asp Ile Arg Tyr Ile Phe Thr  
 35 40 45  
 Ala Thr Pro Ala Lys Asp Phe Gly Gly Ile Phe His Thr Arg Tyr  
 50 55 60  
 Glu Gln Ile His Leu Val Pro Ala Glu Pro Pro Glu Ala Cys Gly  
 65 70 75  
 Glu Leu Ser Asn Gly Phe Phe Ile Gln Asp Gln Ile Ala Leu Val  
 80 85 90  
 Glu Arg Gly Gly Cys Ser Phe Leu Ser Lys Thr Arg Val Val Gln  
 95 100 105  
 Glu His Gly Gly Arg Ala Val Ile Ile Ser Asp Asn Ala Val Asp  
 110 115 120  
 Asn Asp Ser Phe Tyr Val Glu Met Ile Gln Asp Ser Thr Gln Arg  
 125 130 135  
 Thr Ala Asp Ile Pro Ala Leu Phe Leu Leu Gly Arg Asp Gly Tyr  
 140 145 150

```

Met Ile Arg Arg Ser Leu Glu Gln His Gly Leu Pro Trp Ala Ile
      155                      160                      165
Ile Ser Ile Pro Val Asn Val Thr Ser Ile Pro Thr Phe Glu Leu
      170                      175                      180
Leu Gln Pro Pro Trp Thr Phe Trp
      185

```

```

<210> 19
<211> 80
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1707711

```

```

<400> 19
Met Lys Ala Gln Pro Leu Glu Ala Leu Leu Leu Val Ala Leu Val
  1          5          10          15
Leu Ser Phe Cys Gly Val Trp Phe Glu Asp Trp Leu Ser Lys Trp
      20          25          30
Arg Phe Gln Cys Ile Phe Gln Leu Ala His Gln Pro Ala Leu Val
      35          40          45
Asn Ile Gln Phe Arg Gly Thr Val Leu Gly Ser Glu Thr Phe Leu
      50          55          60
Gly Ala Glu Glu Asn Ser Ala Asp Val Arg Ser Trp Gln Thr Leu
      65          70          75
Ser Tyr Phe Glu Leu
      80

```

```

<210> 20
<211> 80
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1738735

```

```

<400> 20
Met Ile Asp Leu Trp Leu Pro Ala Leu Phe Val Leu Val Ala Leu
  1          5          10          15
Glu Ser Leu Leu Leu Ser Pro Cys Pro Gly Thr Ser Ser Thr Leu
      20          25          30
Thr Arg Thr Phe Phe Pro Ser Leu Val Ser Cys Val Gln Val Pro
      35          40          45
Phe Ser Trp Ile Pro Cys Leu Glu Cys Phe Leu Ile Tyr Phe Leu
      50          55          60
Ile Leu Ala Glu Asp Val Leu Gln Leu Phe Ser Gly Asn Ala Asn
      65          70          75
Met Gln Val Asn Gln

```



80

<210> 21  
 <211> 84  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1749147

<400> 21  
 Met Gln Arg Pro Phe Leu Ser Val Pro Cys Leu Leu Leu Leu Pro  
   1                  5                  10                  15  
 Ala Arg Val Val Trp Gly Cys Trp Cys Phe Leu Pro Gly Glu Asp  
                   20                  25                  30  
 Gly Gly Gly Cys Pro Thr Pro Ser Ser Gly Arg Ile Lys Leu Leu  
                   35                  40                  45  
 Gln Gln Cys Leu Leu His Pro Ser Leu Arg Ser Ile Thr Val Ser  
                   50                  55                  60  
 Arg Arg Ser Ala Gln Leu Leu Cys Arg Leu Lys Leu Gln Asn His  
                   65                  70                  75  
 Ile Pro Lys Val Pro Gly Lys Asn Val  
                   80

<210> 22  
 <211> 171  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1817722

<400> 22  
 Met His Met Ile Leu Lys Val Leu Thr Thr Ala Leu Leu Leu Gln  
   1                  5                  10                  15  
 Ala Ala Ser Ala Leu Ala Asn Tyr Ile His Phe Ser Ser Tyr Ser  
                   20                  25                  30  
 Lys Asp Gly Ile Gly Val Pro Phe Met Gly Ser Leu Ala Glu Phe  
                   35                  40                  45  
 Phe Asp Ile Ala Ser Gln Ile Gln Met Leu Tyr Leu Leu Leu Ser  
                   50                  55                  60  
 Leu Cys Met Gly Trp Thr Ile Val Arg Met Lys Lys Ser Gln Ser  
                   65                  70                  75  
 Arg Pro Leu Gln Trp Asp Ser Thr Pro Ala Ser Thr Gly Ile Ala  
                   80                  85                  90  
 Val Phe Ile Val Met Thr Gln Ser Val Leu Leu Leu Trp Glu Gln  
                   95                  100                 105  
 Phe Glu Asp Ile Ser His His Ser Tyr His Ser His His Asn Leu  
                  110                 115                 120

```

Ala Gly Ile Leu Leu Ile Val Leu Arg Ile Cys Leu Ala Leu Ser
      125                      130                      135
Leu Gly Cys Gly Leu Tyr Gln Ile Ile Thr Val Glu Arg Ser Thr
      140                      145                      150
Leu Lys Arg Glu Phe Tyr Ile Thr Phe Ala Lys Val Trp Val Trp
      155                      160                      165
Lys Glu Asn Gly Leu Phe
      170

```

```

<210> 23
<211> 243
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1831290

```

```

<400> 23
Met Ser Ser Gly Thr Glu Leu Leu Trp Pro Gly Ala Ala Leu Leu
  1           5           10           15
Val Leu Leu Gly Val Ala Ala Ser Leu Cys Val Arg Cys Ser Arg
      20           25           30
Pro Gly Ala Lys Arg Ser Glu Lys Ile Tyr Gln Gln Arg Ser Leu
      35           40           45
Arg Glu Asp Gln Gln Ser Phe Thr Gly Ser Arg Thr Tyr Ser Leu
      50           55           60
Val Gly Gln Ala Trp Pro Gly Pro Leu Ala Asp Met Ala Pro Thr
      65           70           75
Arg Lys Asp Lys Leu Leu Gln Phe Tyr Pro Ser Leu Glu Asp Pro
      80           85           90
Ala Ser Ser Arg Tyr Gln Asn Phe Ser Lys Gly Ser Arg His Gly
      95          100          105
Ser Glu Glu Ala Tyr Ile Asp Pro Ile Ala Met Glu Tyr Tyr Asn
     110          115          120
Trp Gly Arg Phe Ser Lys Pro Pro Glu Asp Asp Ala Asn Ser
     125          130          135
Tyr Glu Asn Val Leu Ile Cys Lys Gln Lys Thr Thr Glu Thr Gly
     140          145          150
Ala Gln Gln Glu Gly Ile Gly Gly Leu Cys Arg Gly Asp Leu Ser
     155          160          165
Leu Ser Leu Ala Leu Lys Thr Gly Pro Thr Ser Gly Leu Cys Pro
     170          175          180
Ser Ala Ser Pro Glu Glu Asp Glu Glu Ser Glu Asp Tyr Gln Asn
     185          190          195
Ser Ala Ser Ile His Gln Trp Arg Glu Ser Arg Lys Val Met Gly
     200          205          210
Gln Leu Gln Arg Glu Ala Ser Pro Gly Pro Val Gly Ser Pro Asp
     215          220          225
Glu Glu Asp Gly Glu Pro Asp Tyr Val Asn Gly Glu Val Ala Ala
     230          235          240
Thr Glu Ala

```

<210> 24  
 <211> 311  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1831477

<400> 24  
 Met Gly Val Pro Thr Ala Pro Glu Ala Gly Ser Trp Arg Trp Gly  
 1 5 10 15  
 Ser Leu Leu Phe Ala Leu Phe Leu Ala Ala Ser Leu Gly Pro Val  
 20 25 30  
 Ala Ala Phe Lys Val Ala Thr Pro Tyr Ser Leu Tyr Val Cys Pro  
 35 40 45  
 Glu Gly Gln Asn Val Thr Leu Thr Cys Arg Leu Leu Gly Pro Val  
 50 55 60  
 Asp Lys Gly His Asp Val Thr Phe Tyr Lys Thr Trp Tyr Arg Ser  
 65 70 75  
 Ser Arg Gly Glu Val Gln Thr Cys Ser Glu Arg Arg Pro Ile Arg  
 80 85 90  
 Asn Leu Thr Phe Gln Asp Leu His Leu His His Gly Gly His Gln  
 95 100 105  
 Ala Ala Asn Thr Ser His Asp Leu Ala Gln Arg His Gly Leu Glu  
 110 115 120  
 Ser Ala Ser Asp His His Gly Asn Phe Ser Ile Thr Met Arg Asn  
 125 130 135  
 Leu Thr Leu Leu Asp Ser Gly Leu Tyr Cys Cys Leu Val Val Glu  
 140 145 150  
 Ile Arg His His His Ser Glu His Arg Val His Gly Ala Met Glu  
 155 160 165  
 Leu Gln Val Gln Thr Gly Lys Asp Ala Pro Ser Asn Cys Val Val  
 170 175 180  
 Tyr Pro Ser Ser Ser Gln Glu Ser Glu Asn Ile Thr Ala Ala Ala  
 185 190 195  
 Leu Ala Thr Gly Ala Cys Ile Val Gly Ile Leu Cys Leu Pro Leu  
 200 205 210  
 Ile Leu Leu Leu Val Tyr Lys Gln Arg Gln Ala Ala Ser Asn Arg  
 215 220 225  
 Arg Ala Gln Glu Leu Val Arg Met Asp Ser Asn Ile Gln Gly Ile  
 230 235 240  
 Glu Asn Pro Gly Phe Glu Ala Ser Pro Pro Ala Gln Gly Ile Pro  
 245 250 255  
 Glu Ala Lys Val Arg His Pro Leu Ser Tyr Val Ala Gln Arg Gln  
 260 265 270  
 Pro Ser Glu Ser Gly Arg His Leu Leu Ser Glu Pro Ser Thr Pro  
 275 280 285  
 Leu Ser Pro Pro Gly Pro Gly Asp Val Phe Phe Pro Ser Leu Asp  
 290 295 300  
 Pro Val Pro Asp Ser Pro Asn Phe Glu Val Ile  
 305 310

<210> 25  
<211> 57  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1841607

<400> 25  
Met Ala Ser Ser Cys Phe Ser Leu Ser Phe Pro Pro Leu Ser Leu  
1 5 10 15  
Ala Gly Ser Leu Ala Leu Trp Gly His Cys Cys Val Arg Leu Gly  
20 25 30  
Cys Ser Phe Trp Ser Val Ser Ala Met Ala Gln Arg Leu Pro Ser  
35 40 45  
Gln Asn Thr Tyr Asn Pro Pro Leu Cys Trp Ala Trp  
50 55

<210> 26  
<211> 82  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1852391

<400> 26  
Met Phe Ser Leu Phe Ser Cys Leu Leu Ala Cys Leu Leu Asp Leu  
1 5 10 15  
Leu Leu Ser Arg Val Ala Asp Glu Ala Phe Tyr Lys Gln Pro Phe  
20 25 30  
Ala Asp Val Ile Gly Tyr Val Tyr Val Ala Lys Leu Ile Pro Phe  
35 40 45  
Ser Thr Ser Asp Ser Phe Tyr Phe Cys Leu Glu Leu Met Leu Leu  
50 55 60  
Leu Cys His Gln Leu Leu Cys Phe Leu Asn Tyr Phe Lys Leu Ala  
65 70 75  
Leu Trp Gly Leu Pro Lys Asn  
80

<210> 27  
<211> 115  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1854555

&lt;400&gt; 27

```

Met Ala Gly Thr Val Leu Gly Val Gly Ala Gly Val Phe Ile Leu
 1           5           10           15
Ala Leu Leu Trp Val Ala Val Leu Leu Leu Cys Val Leu Leu Ser
 20           25           30
Arg Ala Ser Gly Ala Ala Arg Phe Ser Val Ile Phe Leu Phe Phe
 35           40           45
Gly Ala Val Ile Ile Thr Ser Val Leu Leu Leu Phe Pro Arg Ala
 50           55           60
Gly Glu Phe Pro Ala Pro Glu Val Glu Val Lys Ile Val Asp Asp
 65           70           75
Phe Phe Ile Gly Arg Tyr Val Leu Leu Ala Phe Leu Ser Ala Ile
 80           85           90
Phe Leu Gly Gly Leu Phe Leu Val Leu Ile His Tyr Val Leu Glu
 95           100          105
Pro Ile Tyr Ala Lys Pro Leu His Ser Tyr
 110          115

```

&lt;210&gt; 28

&lt;211&gt; 327

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1855755

&lt;400&gt; 28

```

Met Ala Glu Leu Pro Gly Pro Phe Leu Cys Gly Ala Leu Leu Gly
 1           5           10           15
Phe Leu Cys Leu Ser Gly Leu Ala Val Glu Val Lys Val Pro Thr
 20           25           30
Glu Pro Leu Ser Thr Pro Leu Gly Lys Thr Ala Glu Leu Thr Cys
 35           40           45
Thr Tyr Ser Thr Ser Val Gly Asp Ser Phe Ala Leu Glu Trp Ser
 50           55           60
Phe Val Gln Pro Gly Lys Pro Ile Ser Glu Ser His Pro Ile Leu
 65           70           75
Tyr Phe Thr Asn Gly His Leu Tyr Pro Thr Gly Ser Lys Ser Lys
 80           85           90
Arg Val Ser Leu Leu Gln Asn Pro Pro Thr Val Gly Val Ala Thr
 95           100          105
Leu Lys Leu Thr Asp Val His Pro Ser Asp Thr Gly Thr Tyr Leu
 110          115          120
Cys Gln Val Asn Asn Pro Pro Asp Phe Tyr Thr Asn Gly Leu Gly
 125          130          135
Leu Ile Asn Leu Thr Val Leu Val Pro Pro Ser Asn Pro Leu Cys
 140          145          150
Ser Gln Ser Gly Gln Thr Ser Val Gly Gly Ser Thr Ala Leu Arg
 155          160          165
Cys Ser Ser Ser Glu Gly Ala Pro Lys Pro Val Tyr Asn Trp Val
 170          175          180
Arg Leu Gly Thr Phe Pro Thr Pro Ser Pro Gly Ser Met Val Gln
 185          190          195

```

```

Asp Glu Val Ser Gly Gln Leu Ile Leu Thr Asn Leu Ser Leu Thr
      200                      205                      210
Ser Ser Gly Thr Tyr Arg Cys Val Ala Thr Asn Gln Met Gly Ser
      215                      220                      225
Ala Ser Cys Glu Leu Thr Leu Ser Val Thr Glu Pro Ser Gln Gly
      230                      235                      240
Arg Val Ala Gly Ala Leu Ile Gly Val Leu Leu Gly Val Leu Leu
      245                      250                      255
Leu Ser Val Ala Ala Phe Cys Leu Val Arg Phe Gln Lys Glu Arg
      260                      265                      270
Gly Lys Lys Pro Lys Glu Thr Tyr Gly Gly Ser Asp Leu Arg Glu
      275                      280                      285
Asp Ala Ile Ala Pro Gly Ile Ser Glu His Thr Cys Met Arg Ala
      290                      295                      300
Asp Ser Ser Lys Gly Phe Leu Glu Arg Pro Ser Ser Ala Ser Thr
      305                      310                      315
Val Thr Thr Thr Lys Ser Lys Leu Pro Met Val Val
      320                      325

```

```

<210> 29
<211> 133
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1861434

```

```

<400> 29
Met Arg Met Ser Leu Ala Gln Arg Val Leu Leu Thr Trp Leu Phe
  1           5           10           15
Thr Leu Leu Phe Leu Ile Met Leu Val Leu Lys Leu Asp Glu Lys
      20           25           30
Ala Pro Trp Asn Trp Phe Leu Ile Phe Ile Pro Val Trp Ile Phe
      35           40           45
Asp Thr Ile Leu Leu Val Leu Leu Ile Val Lys Met Ala Gly Arg
      50           55           60
Cys Lys Ser Gly Phe Asp Pro Arg His Gly Ser His Asn Ile Lys
      65           70           75
Lys Lys Ala Trp Tyr Leu Ile Ala Met Leu Leu Lys Leu Ala Phe
      80           85           90
Cys Leu Ala Leu Cys Ala Lys Leu Glu Gln Phe Thr Thr Met Asn
      95          100          105
Leu Ser Tyr Val Phe Ile Pro Leu Trp Ala Leu Leu Ala Gly Ala
     110          115          120
Leu Thr Glu Leu Gly Tyr Asn Val Phe Phe Val Arg Asp
     125          130

```

```

<210> 30
<211> 129
<212> PRT

```

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1872334

&lt;400&gt; 30

```

Met Gly Leu Thr Leu Leu Leu Leu Leu Leu Gly Leu Glu Gly
 1           5           10           15
Gln Gly Ile Val Gly Ser Leu Pro Glu Val Leu Gln Ala Pro Val
           20           25           30
Gly Ser Ser Ile Leu Val Gln Cys His Tyr Arg Leu Gln Asp Val
           35           40           45
Lys Ala Gln Lys Val Trp Cys Arg Phe Leu Pro Glu Gly Cys Gln
           50           55           60
Pro Leu Val Ser Ser Ala Val Asp Arg Arg Ala Pro Ala Gly Arg
           65           70           75
Arg Thr Phe Leu Thr Asp Leu Gly Gly Gly Leu Leu Gln Val Glu
           80           85           90
Met Val Thr Leu Gln Glu Glu Asp Ala Gly Glu Tyr Gly Cys Met
           95          100          105
Val Asp Gly Ala Arg Gly Pro Gln Ile Leu His Arg Val Ser Leu
          110          115          120
Asn Ile Leu Pro Pro Gly Glu Leu Ser
          125

```

&lt;210&gt; 31

&lt;211&gt; 472

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1877230

&lt;400&gt; 31

```

Met Lys Phe Leu Ile Phe Ala Phe Phe Gly Gly Val His Leu Leu
 1           5           10           15
Ser Leu Cys Ser Gly Lys Ala Ile Cys Lys Asn Gly Ile Ser Lys
           20           25           30
Arg Thr Phe Glu Glu Ile Lys Glu Glu Ile Ala Ser Cys Gly Asp
           35           40           45
Val Ala Lys Ala Ile Ile Asn Leu Ala Val Tyr Gly Lys Ala Gln
           50           55           60
Asn Arg Ser Tyr Glu Arg Leu Ala Leu Leu Val Asp Thr Val Gly
           65           70           75
Pro Arg Leu Ser Gly Ser Lys Asn Leu Glu Lys Ala Ile Gln Ile
           80           85           90
Met Tyr Gln Asn Leu Gln Gln Asp Gly Leu Glu Lys Val His Leu
           95          100          105
Glu Pro Val Arg Ile Pro His Trp Glu Arg Gly Glu Glu Ser Ala
          110          115          120
Val Met Leu Glu Pro Arg Ile His Lys Ile Ala Ile Leu Gly Leu
          125          130          135

```

Gly Ser Ser Ile	Gly Thr Pro Pro Glu	Gly Ile Thr Ala Glu Val	
140	145	150	
Leu Val Val Thr	Ser Phe Asp Glu Leu Gln Arg Arg Ala Ser Glu		
155	160	165	
Ala Arg Gly Lys	Ile Val Val Tyr Asn Gln Pro Tyr Ile Asn Tyr		
170	175	180	
Ser Arg Thr Val	Gln Tyr Arg Thr Gln Gly Ala Val Glu Ala Ala		
185	190	195	
Lys Val Gly Ala	Leu Ala Ser Leu Ile Arg Ser Val Ala Ser Phe		
200	205	210	
Ser Ile Tyr Ser	Pro His Thr Gly Ile Gln Glu Tyr Gln Asp Gly		
215	220	225	
Val Pro Lys Ile	Pro Thr Ala Cys Ile Thr Val Glu Asp Ala Glu		
230	235	240	
Met Met Ser Arg	Met Ala Ser His Gly Ile Lys Ile Val Ile Gln		
245	250	255	
Leu Lys Met Gly	Ala Lys Thr Tyr Pro Asp Thr Asp Ser Phe Asn		
260	265	270	
Thr Val Ala Glu	Ile Thr Gly Ser Lys Tyr Pro Glu Gln Val Val		
275	280	285	
Leu Val Ser Gly	His Leu Asp Ser Trp Asp Val Gly Gln Gly Ala		
290	295	300	
Met Asp Asp Gly	Gly Gly Ala Phe Ile Ser Trp Glu Ala Leu Ser		
305	310	315	
Leu Ile Lys Asp	Leu Gly Leu Arg Pro Lys Arg Thr Leu Arg Leu		
320	325	330	
Val Leu Trp Thr	Ala Glu Glu Gln Gly Gly Val Gly Ala Phe Gln		
335	340	345	
Tyr Tyr Gln Leu	His Lys Val Asn Ile Ser Asn Tyr Ser Leu Val		
350	355	360	
Met Glu Ser Asp	Ala Gly Thr Phe Leu Pro Thr Gly Leu Gln Phe		
365	370	375	
Thr Gly Ser Glu	Lys Ala Arg Ala Ile Met Glu Glu Val Met Ser		
380	385	390	
Leu Leu Gln Pro	Leu Asn Ile Thr Gln Val Leu Ser His Gly Glu		
395	400	405	
Gly Thr Asp Ile	Asn Phe Trp Ile Gln Ala Gly Val Pro Gly Ala		
410	415	420	
Ser Leu Leu Asp	Asp Leu Tyr Lys Tyr Phe Phe Phe His His Ser		
425	430	435	
His Gly Asp Thr	Met Thr Val Met Asp Pro Lys Gln Met Asn Val		
440	445	450	
Ala Ala Ala Val	Trp Ala Val Val Ser Tyr Val Val Ala Asp Met		
455	460	465	
Glu Glu Met Leu	Pro Arg Ser		
470			

&lt;210&gt; 32

&lt;211&gt; 93

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature



<223> Incyte Clone No: 1877885

<400> 32

```

Met Ile His Leu Gly His Ile Leu Phe Leu Leu Leu Leu Pro Val
 1             5             10             15
Ala Ala Ala Gln Thr Thr Pro Gly Glu Arg Ser Ser Leu Pro Ala
      20             25             30
Phe Tyr Pro Gly Thr Ser Gly Ser Cys Ser Gly Cys Gly Ser Leu
      35             40             45
Ser Leu Pro Leu Leu Ala Gly Leu Val Ala Ala Asp Ala Val Ala
      50             55             60
Ser Leu Leu Ile Val Gly Ala Val Phe Leu Cys Ala Arg Pro Arg
      65             70             75
Arg Ser Pro Ala Gln Glu Asp Gly Lys Val Tyr Ile Asn Met Pro
      80             85             90
Gly Arg Gly

```

<210> 33

<211> 92

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1889269

<400> 33

```

Met Asn Arg Pro Ser Ala Arg Asn Ala Leu Gly Asn Val Phe Val
 1             5             10             15
Ser Glu Leu Leu Glu Thr Leu Ala Gln Leu Arg Glu Asp Arg Gln
      20             25             30
Val Arg Val Leu Leu Phe Arg Ser Gly Val Lys Gly Val Phe Cys
      35             40             45
Ala Gly Ala Asp Leu Lys Glu Arg Glu Gln Met Ser Glu Ala Glu
      50             55             60
Val Gly Val Phe Val Gln Arg Leu Arg Gly Leu Met Asn Asp Ile
      65             70             75
Gly Glu Asp Leu Gly Val Gly Trp Arg Arg Gly Phe Gly Gly Pro
      80             85             90
Cys Arg

```

<210> 34

<211> 143

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1890243

<400> 34

```

Met Trp Ile Lys Gly Thr Met Lys Met Arg Gly Gly Lys Thr Ser
 1          5          10          15
Arg Ser Ala Val Leu Pro Val Ala Gln Leu Thr Leu Ile Ala Ser
          20          25          30
Cys Phe Pro Asn Ser Gln Thr Val Leu Gly Thr Glu Gly Thr Leu
          35          40          45
Asp Val Glu Ser Ser Pro Leu Ala Leu Leu Thr Gly Leu Trp Ala
          50          55          60
Ser Pro Glu Ser Leu Ser Leu Tyr Leu Val Thr Leu Leu Cys Val
          65          70          75
Cys Pro Ala Leu Gln Ser Cys Gln Gly Gln Gln Ala Asp Val Thr
          80          85          90
Leu Ala Pro Cys Glu Ile Phe Ile Pro Gln Thr Leu Ala Cys Glu
          95          100          105
Pro Phe Pro Ser Gln Trp Arg Ala Leu Lys Gly Ala Ser Leu Glu
          110          115          120
Ser Ser Ser Val Leu Trp Val Ala Pro Cys Arg Trp Pro Leu Thr
          125          130          135
Leu Arg Cys Ser Arg Val His Leu
          140

```

```

<210> 35
<211> 89
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1900433

```

```

<400> 35
Met Glu Arg Val Thr Leu Ala Leu Leu Leu Leu Ala Gly Leu Thr
 1          5          10          15
Ala Leu Glu Ala Asn Asp Pro Phe Ala Asn Lys Asp Asp Pro Phe
          20          25          30
Tyr Tyr Asp Trp Lys Asn Leu Gln Leu Ser Gly Leu Ile Cys Gly
          35          40          45
Gly Leu Leu Ala Ile Ala Gly Ile Ala Ala Val Leu Ser Gly Lys
          50          55          60
Cys Lys Tyr Lys Ser Ser Gln Lys Gln His Ser Pro Val Pro Glu
          65          70          75
Lys Ala Ile Pro Leu Ile Thr Pro Gly Ser Ala Thr Thr Cys
          80          85

```

```

<210> 36
<211> 560
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature

```

&lt;223&gt; Incyte Clone No: 1909441

&lt;400&gt; 36

Met	Ala	Lys	Lys	Lys	Leu	Thr	Glu	Met	Ile	Pro	Leu	Cys	Asn	His	1	5	10	15
Pro	Ala	Ser	Phe	Val	Lys	Leu	Phe	Val	Ala	Leu	Gly	Pro	Ile	Ala	20	25	30	
Gly	Pro	Glu	Glu	Lys	Lys	Gln	Leu	Lys	Ser	Thr	Met	Leu	Leu	Met	35	40	45	
Ser	Glu	Asp	Leu	Thr	Gly	Glu	Gln	Ala	Leu	Ala	Val	Leu	Gly	Ala	50	55	60	
Met	Gly	Asp	Met	Glu	Ser	Arg	Asn	Ser	Cys	Leu	Ile	Lys	Arg	Val	65	70	75	
Thr	Ser	Val	Leu	His	Lys	His	Leu	Asp	Gly	Tyr	Lys	Pro	Leu	Glu	80	85	90	
Leu	Leu	Lys	Ile	Thr	Gln	Glu	Leu	Thr	Phe	Leu	His	Phe	Gln	Arg	95	100	105	
Lys	Glu	Phe	Phe	Ala	Lys	Leu	Arg	Glu	Leu	Leu	Leu	Ser	Tyr	Leu	110	115	120	
Lys	Asn	Ser	Phe	Ile	Pro	Thr	Glu	Val	Ser	Val	Leu	Val	Arg	Ala	125	130	135	
Ile	Ser	Leu	Leu	Pro	Ser	Pro	His	Leu	Asp	Glu	Val	Gly	Ile	Ser	140	145	150	
Arg	Ile	Glu	Ala	Val	Leu	Pro	Gln	Cys	Asp	Leu	Asn	Asn	Leu	Ser	155	160	165	
Ser	Phe	Ala	Thr	Ser	Val	Leu	Arg	Trp	Ile	Gln	His	Asp	His	Met	170	175	180	
Tyr	Leu	Asp	Asn	Met	Thr	Ala	Lys	Gln	Leu	Lys	Leu	Leu	Gln	Lys	185	190	195	
Leu	Asp	His	Tyr	Gly	Arg	Gln	Arg	Leu	Gln	His	Ser	Asn	Ser	Leu	200	205	210	
Asp	Leu	Leu	Arg	Lys	Glu	Leu	Lys	Ser	Leu	Lys	Gly	Asn	Thr	Phe	215	220	225	
Pro	Glu	Ser	Leu	Leu	Glu	Glu	Met	Ile	Ala	Thr	Leu	Gln	His	Phe	230	235	240	
Met	Asp	Asp	Ile	Asn	Tyr	Ile	Asn	Val	Gly	Glu	Ile	Ala	Ser	Phe	245	250	255	
Ile	Ser	Ser	Thr	Asp	Tyr	Leu	Ser	Thr	Leu	Leu	Leu	Asp	Arg	Ile	260	265	270	
Ala	Ser	Val	Ala	Val	Gln	Gln	Ile	Glu	Lys	Ile	His	Pro	Phe	Thr	275	280	285	
Ile	Pro	Ala	Ile	Ile	Arg	Pro	Phe	Ser	Val	Leu	Asn	Tyr	Asp	Pro	290	295	300	
Pro	Gln	Arg	Asp	Glu	Phe	Leu	Gly	Thr	Cys	Val	Gln	His	Leu	Asn	305	310	315	
Ser	Tyr	Leu	Gly	Ile	Leu	Asp	Pro	Phe	Ile	Leu	Val	Phe	Leu	Gly	320	325	330	
Phe	Ser	Leu	Ala	Thr	Leu	Glu	Tyr	Phe	Pro	Glu	Asp	Leu	Leu	Lys	335	340	345	
Ala	Ile	Phe	Asn	Ile	Lys	Phe	Leu	Ala	Arg	Leu	Asp	Ser	Gln	Leu	350	355	360	
Glu	Ile	Leu	Ser	Pro	Ser	Arg	Ser	Ala	Arg	Val	Gln	Phe	His	Leu	365	370	375	
Met	Glu	Leu	Asn	Arg	Ser	Val	Cys	Leu	Glu	Cys	Pro	Glu	Phe	Gln	380	385	390	
Ile	Pro	Trp	Phe	His	Asp	Arg	Phe	Cys	Gln	Gln	Tyr	Asn	Lys	Gly	395	400	405	

```

Ile Gly Gly Met Asp Gly Thr Gln Gln Gln Ile Phe Lys Met Leu
    410                      415                      420
Ala Glu Val Leu Gly Gly Ile Asn Cys Val Lys Ala Ser Val Leu
    425                      430                      435
Thr Pro Tyr Tyr His Lys Val Asp Phe Glu Cys Ile Leu Asp Lys
    440                      445                      450
Arg Lys Lys Pro Leu Pro Tyr Gly Ser His Asn Ile Ala Leu Gly
    455                      460                      465
Gln Leu Pro Glu Met Pro Trp Glu Ser Asn Ile Glu Ile Val Gly
    470                      475                      480
Ser Arg Leu Pro Pro Gly Ala Glu Arg Ile Ala Leu Glu Phe Leu
    485                      490                      495
Asp Ser Lys Ala Leu Cys Arg Asn Ile Pro His Met Lys Gly Lys
    500                      505                      510
Ser Ala Met Lys Lys Arg His Leu Glu Ile Leu Gly Tyr Arg Val
    515                      520                      525
Ile Gln Ile Ser Gln Phe Glu Trp Asn Ser Met Ala Leu Ser Thr
    530                      535                      540
Lys Asp Ala Arg Met Asp Tyr Leu Arg Glu Cys Ile Phe Gly Glu
    545                      550                      555
Val Lys Ser Cys Leu
    560

```

&lt;210&gt; 37

&lt;211&gt; 197

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932226

&lt;400&gt; 37

```

Met Gly Val Pro Leu Gly Leu Gly Ala Ala Trp Leu Leu Ala Trp
    1                      5                      10                      15
Pro Gly Leu Ala Leu Pro Leu Val Ala Met Ala Ala Gly Gly Arg
    20                      25                      30
Trp Val Arg Gln Gln Gly Pro Arg Val Arg Arg Gly Ile Ser Arg
    35                      40                      45
Leu Trp Leu Arg Val Leu Leu Arg Leu Ser Pro Met Ala Phe Arg
    50                      55                      60
Ala Leu Gln Gly Cys Gly Ala Val Gly Asp Arg Gly Leu Phe Ala
    65                      70                      75
Leu Tyr Pro Lys Thr Asn Lys Asp Gly Phe Arg Ser Arg Leu Pro
    80                      85                      90
Val Pro Gly Pro Arg Arg Arg Asn Pro Arg Thr Thr Gln His Pro
    95                      100                     105
Leu Ala Leu Leu Ala Arg Val Trp Val Leu Cys Lys Gly Trp Asn
    110                     115                     120
Trp Arg Leu Ala Arg Ala Ser Gln Gly Leu Ala Ser His Leu Pro
    125                     130                     135
Pro Trp Ala Ile His Thr Leu Ala Ser Trp Gly Leu Leu Arg Gly
    140                     145                     150
Glu Arg Pro Thr Arg Ile Pro Arg Leu Leu Pro Arg Ser Gln Arg

```

	155	160	165
Gln Leu Gly Pro	Pro Ala Ser Arg Gln	Pro Leu Pro Gly Thr	Leu
	170	175	180
Ala Gly Arg Arg	Ser Arg Thr Arg Gln	Ser Arg Ala Leu Pro	Pro
	185	190	195
Trp Arg			

<210> 38  
 <211> 437  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1932647

<400> 38

Met Ser Ala Val	Leu Leu Leu Ala	Leu Leu Gly Phe	Ile Leu Pro
1	5	10	15
Leu Pro Gly Val	Gln Ala Leu Leu Cys	Gln Phe Gly Thr	Val Gln
	20	25	30
His Val Trp Lys	Val Ser Asp Leu Pro	Arg Gln Trp Thr	Pro Lys
	35	40	45
Asn Thr Ser Cys	Asp Ser Gly Leu Gly	Cys Gln Asp Thr	Leu Met
	50	55	60
Leu Ile Glu Ser	Gly Pro Gln Val Ser	Leu Val Leu Ser	Lys Gly
	65	70	75
Cys Thr Glu Ala	Lys Asp Gln Glu Pro	Arg Val Thr Glu	His Arg
	80	85	90
Met Gly Pro Gly	Leu Ser Leu Ile Ser	Tyr Thr Phe Val	Cys Arg
	95	100	105
Gln Glu Asp Phe	Cys Asn Asn Leu Val	Asn Ser Leu Pro	Leu Trp
	110	115	120
Ala Pro Gln Pro	Pro Ala Asp Pro Gly	Ser Leu Arg Cys	Pro Val
	125	130	135
Cys Leu Ser Met	Glu Gly Cys Leu Glu	Gly Thr Thr Glu	Glu Ile
	140	145	150
Cys Pro Lys Gly	Thr Thr His Cys Tyr	Asp Gly Leu Leu	Arg Leu
	155	160	165
Arg Gly Gly Gly	Ile Phe Ser Asn Leu	Arg Val Gln Gly	Cys Met
	170	175	180
Pro Gln Pro Gly	Cys Asn Leu Leu Asn	Gly Thr Gln Glu	Ile Gly
	185	190	195
Pro Val Gly Met	Thr Glu Asn Cys Asn	Arg Lys Asp Phe	Leu Thr
	200	205	210
Cys His Arg Gly	Thr Thr Ile Met Thr	His Gly Asn Leu	Ala Gln
	215	220	225
Glu Pro Thr Asp	Trp Thr Thr Ser Asn	Thr Glu Met Cys	Glu Val
	230	235	240
Gly Gln Val Cys	Gln Glu Thr Leu Leu	Leu Ile Asp Val	Gly Leu
	245	250	255
Thr Ser Thr Leu	Val Gly Thr Lys Gly	Cys Ser Thr Val	Gly Ala
	260	265	270
Gln Asn Ser Gln	Lys Thr Thr Ile His	Ser Ala Pro Pro	Gly Val

	275		280		285
Leu Val Ala Ser Tyr Thr His Phe Cys Ser Ser Asp Leu Cys Asn					
	290		295		300
Ser Ala Ser Ser Ser Ser Val Leu Leu Asn Ser Leu Pro Pro Gln					
	305		310		315
Ala Ala Pro Val Pro Gly Asp Arg Gln Cys Pro Thr Cys Val Gln					
	320		325		330
Pro Leu Gly Thr Cys Ser Ser Gly Ser Pro Arg Met Thr Cys Pro					
	335		340		345
Arg Gly Ala Thr His Cys Tyr Asp Gly Tyr Ile His Leu Ser Gly					
	350		355		360
Gly Gly Leu Ser Thr Lys Met Ser Ile Gln Gly Cys Val Ala Gln					
	365		370		375
Pro Ser Ser Phe Leu Leu Asn His Thr Arg Gln Ile Gly Ile Phe					
	380		385		390
Ser Ala Arg Glu Lys Arg Asp Val Gln Pro Pro Ala Ser Gln His					
	395		400		405
Glu Gly Gly Gly Ala Glu Gly Leu Glu Ser Leu Thr Trp Gly Val					
	410		415		420
Gly Leu Ala Leu Ala Pro Ala Leu Trp Trp Gly Val Val Cys Pro					
	425		430		435
Ser Cys					

&lt;210&gt; 39

&lt;211&gt; 330

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2124245

&lt;400&gt; 39

Met Glu Gly Ala Pro Pro Gly Ser Leu Ala Leu Arg Leu Leu Leu			
1	5	10	15
Phe Val Ala Leu Pro Ala Ser Gly Trp Leu Thr Thr Gly Ala Pro			
	20	25	30
Glu Pro Pro Pro Leu Ser Gly Ala Pro Gln Asp Gly Ile Arg Ile			
	35	40	45
Asn Val Thr Thr Leu Lys Asp Asp Gly Asp Ile Ser Lys Gln Gln			
	50	55	60
Val Val Leu Asn Ile Thr Tyr Glu Ser Gly Gln Val Tyr Val Asn			
	65	70	75
Asp Leu Pro Val Asn Ser Gly Val Thr Arg Ile Ser Cys Gln Thr			
	80	85	90
Leu Ile Val Lys Asn Glu Asn Leu Glu Asn Leu Glu Glu Lys Glu			
	95	100	105
Tyr Phe Gly Ile Val Ser Val Arg Ile Leu Val His Glu Trp Pro			
	110	115	120
Met Thr Ser Gly Ser Ser Leu Gln Leu Ile Val Ile Gln Glu Glu			
	125	130	135
Val Val Glu Ile Asp Gly Lys Gln Val Gln Gln Lys Asp Val Thr			
	140	145	150
Glu Ile Asp Ile Leu Val Lys Asn Arg Gly Val Leu Arg His Ser			

	155		160		165
Asn Tyr Thr Leu Pro Leu Glu Glu Ser Met Leu Tyr Ser Ile Ser					
	170		175		180
Arg Asp Ser Asp Ile Leu Phe Thr Leu Pro Asn Leu Ser Lys Lys					
	185		190		195
Glu Ser Val Ser Ser Leu Gln Thr Thr Ser Gln Tyr Leu Ile Arg					
	200		205		210
Asn Val Glu Thr Thr Val Asp Glu Asp Val Leu Pro Gly Lys Leu					
	215		220		225
Pro Glu Thr Pro Leu Arg Ala Glu Pro Pro Ser Ser Tyr Lys Val					
	230		235		240
Met Cys Gln Trp Met Glu Lys Phe Arg Lys Asp Leu Cys Arg Phe					
	245		250		255
Trp Ser Asn Val Phe Pro Val Phe Phe Gln Phe Leu Asn Ile Met					
	260		265		270
Val Val Gly Ile Thr Gly Ala Ala Val Val Ile Thr Ile Leu Lys					
	275		280		285
Val Phe Phe Pro Val Ser Glu Tyr Lys Gly Ile Leu Gln Leu Asp					
	290		295		300
Lys Val Asp Val Ile Pro Val Thr Ala Ile Asn Leu Tyr Pro Asp					
	305		310		315
Gly Pro Glu Lys Arg Ala Glu Asn Leu Glu Asp Lys Thr Cys Ile					
	320		325		330

&lt;210&gt; 40

&lt;211&gt; 148

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2132626

&lt;400&gt; 40

Met Glu Thr Gly Ala Leu Arg Arg Pro Gln Leu Leu Pro Leu Leu		
1	5	10
Leu Leu Leu Cys Gly Gly Cys Pro Arg Ala Gly Gly Cys Asn Glu		15
	20	25
Thr Gly Met Leu Glu Arg Leu Pro Leu Cys Gly Lys Ala Phe Ala		30
	35	40
Asp Met Met Gly Lys Val Asp Val Trp Lys Trp Cys Asn Leu Ser		45
	50	55
Glu Phe Ile Val Tyr Tyr Glu Ser Phe Thr Asn Cys Thr Glu Met		60
	65	70
Glu Ala Asn Val Val Gly Cys Tyr Trp Pro Asn Pro Leu Ala Gln		75
	80	85
Gly Phe Ile Thr Gly Ile His Arg Gln Phe Phe Ser Asn Cys Thr		90
	95	100
Val Asp Arg Val His Leu Glu Asp Pro Pro Asp Glu Val Leu Ile		105
	110	115
Pro Leu Ile Val Ile Pro Val Val Leu Thr Val Ala Met Ala Gly		120
	125	130
Leu Val Val Trp Arg Ser Lys Arg Thr Asp Thr Leu Leu		135
	140	145

<210> 41  
 <211> 188  
 <212> PRT  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2280639

<400> 41  
 Met Ala Pro Pro Pro Pro Ser Pro Gln Leu Leu Leu Leu Ala Ala  
 1 5 10 15  
 Leu Ala Arg Leu Leu Gly Pro Ser Glu Val Met Ala Gly Pro Ala  
 20 25 30  
 Glu Glu Ala Gly Ala His Cys Pro Glu Ser Leu Trp Pro Leu Pro  
 35 40 45  
 Pro Gln Val Ser Pro Arg Val Thr Tyr Thr Arg Val Ser Pro Gly  
 50 55 60  
 Gln Ala Glu Asp Val Thr Phe Leu Tyr His Pro Cys Ala His Pro  
 65 70 75  
 Trp Leu Lys Leu Gln Leu Ala Leu Leu Ala Tyr Ala Cys Met Ala  
 80 85 90  
 Asn Pro Ser Leu Thr Pro Asp Phe Ser Leu Thr Gln Asp Arg Pro  
 95 100 105  
 Leu Val Leu Thr Ala Trp Gly Leu Ala Leu Glu Met Ala Trp Val  
 110 115 120  
 Glu Pro Ala Trp Ala Ala His Trp Leu Met Arg Arg Arg Arg Arg  
 125 130 135  
 Lys Gln Arg Lys Lys Lys Ala Trp Ile Tyr Cys Glu Ser Leu Ser  
 140 145 150  
 Gly Pro Ala Pro Ser Glu Pro Thr Pro Gly Arg Gly Arg Leu Cys  
 155 160 165  
 Arg Arg Gly Cys Val Gln Ala Leu Ala Leu Ala Phe Ala Leu Arg  
 170 175 180  
 Thr Gly Gly Pro Leu Ala Gln Arg  
 185

<210> 42  
 <211> 222  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2292356

<400> 42  
 Met Ala Ala Ala Ala Leu Thr Ser Leu Ser Thr Ser Pro Leu Leu  
 1 5 10 15  
 Leu Gly Ala Pro Val Ala Ala Phe Ser Pro Glu Pro Gly Leu Glu  
 20 25 30



```

Pro Trp Lys Glu Ala Leu Val Arg Pro Pro Gly Ser Tyr Ser Ser
      35              40              45
Ser Ser Asn Ser Gly Asp Trp Gly Trp Asp Leu Ala Ser Asp Gln
      50              55              60
Ser Ser Pro Ser Thr Pro Ser Pro Pro Leu Pro Pro Glu Ala Ala
      65              70              75
His Phe Leu Phe Gly Glu Pro Thr Leu Arg Lys Arg Lys Ser Pro
      80              85              90
Ala Gln Val Met Phe Gln Cys Leu Trp Lys Ser Cys Gly Lys Val
      95              100             105
Leu Ser Thr Ala Ser Ala Met Gln Arg His Ile Arg Leu Val His
      110             115             120
Leu Gly Cys Gly Gly Ala Trp Gly Ala Ala Gly Pro Ala Gly Trp
      125             130             135
Leu Gly Leu Leu Gly Pro Ala Arg Pro Pro Leu Gln Leu Pro Leu
      140             145             150
Ala Gly Cys Val Ser Arg Arg Arg Gln Ala Glu Pro Glu Gln Ser
      155             160             165
Asp Gly Glu Glu Asp Phe Tyr Tyr Thr Glu Leu Asp Val Gly Val
      170             175             180
Asp Thr Leu Thr Asp Gly Leu Ser Ser Leu Thr Pro Val Phe Pro
      185             190             195
Glu Gly Phe His Ala Ser Leu Pro Ser Pro Ala Leu Lys Leu Arg
      200             205             210
Arg Leu Gly Gly Thr Arg Gln Pro Arg Gln Tyr Pro
      215             220

```

&lt;210&gt; 43

&lt;211&gt; 111

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2349310

&lt;400&gt; 43

```

Met Gly Pro Ser Ser Cys Leu Leu Leu Ile Leu Ile Pro Leu Leu
  1              5              10              15
Gln Leu Ile Asn Leu Gly Ser Thr Gln Cys Ser Leu Asp Ser Val
      20              25              30
Met Asp Lys Lys Ile Lys Asp Val Leu Asn Ser Leu Glu Tyr Ser
      35              40              45
Pro Ser Pro Ile Ser Lys Lys Leu Ser Cys Ala Ser Val Lys Ser
      50              55              60
Gln Gly Arg Pro Ser Ser Cys Pro Ala Gly Met Ala Val Thr Gly
      65              70              75
Cys Ala Cys Gly Tyr Gly Cys Gly Ser Trp Asp Val Gln Leu Glu
      80              85              90
Thr Thr Cys His Cys Gln Cys Ser Val Val Asp Trp Thr Thr Ala
      95              100             105
Arg Cys Cys His Leu Thr
      110

```

```
<210> 44
<211> 341
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> misc_feature
<223> Incyte Clone No: 2373227
```

<400> 44														
Met	Val	Pro	Ala	Ala	Gly	Ala	Leu	Leu	Trp	Val	Leu	Leu	Leu	Asn
1				5					10					15
Leu	Gly	Pro	Arg	Ala	Ala	Gly	Ala	Gln	Gly	Leu	Thr	Gln	Thr	Pro
				20					25					30
Thr	Glu	Met	Gln	Arg	Val	Ser	Leu	Arg	Phe	Gly	Gly	Pro	Met	Thr
				35					40					45
Arg	Ser	Tyr	Arg	Ser	Thr	Ala	Arg	Thr	Gly	Leu	Pro	Arg	Lys	Thr
				50					55					60
Arg	Ile	Ile	Leu	Glu	Asp	Glu	Asn	Asp	Ala	Met	Ala	Asp	Ala	Asp
				65					70					75
Arg	Leu	Ala	Gly	Pro	Ala	Ala	Ala	Glu	Leu	Leu	Ala	Ala	Thr	Val
				80					85					90
Ser	Thr	Gly	Phe	Ser	Arg	Ser	Ser	Ala	Ile	Asn	Glu	Glu	Asp	Gly
				95					100					105
Ser	Ser	Glu	Glu	Gly	Val	Val	Ile	Asn	Ala	Gly	Lys	Asp	Ser	Thr
				110					115					120
Ser	Arg	Glu	Leu	Pro	Ser	Ala	Thr	Pro	Asn	Thr	Ala	Gly	Ser	Ser
				125					130					135
Ser	Thr	Arg	Phe	Ile	Ala	Asn	Ser	Gln	Glu	Pro	Glu	Ile	Arg	Leu
				140					145					150
Thr	Ser	Ser	Leu	Pro	Arg	Ser	Pro	Gly	Arg	Ser	Thr	Glu	Asp	Leu
				155					160					165
Pro	Gly	Ser	Gln	Ala	Thr	Leu	Ser	Gln	Trp	Ser	Thr	Pro	Gly	Ser
				170					175					180
Thr	Pro	Ser	Arg	Trp	Pro	Ser	Pro	Ser	Pro	Thr	Ala	Met	Pro	Ser
				185					190					195
Pro	Glu	Asp	Leu	Arg	Leu	Val	Leu	Met	Pro	Trp	Gly	Pro	Trp	His
				200					205					210
Cys	His	Cys	Lys	Ser	Gly	Thr	Met	Ser	Arg	Ser	Arg	Ser	Gly	Lys
				215					220					225
Leu	His	Gly	Leu	Ser	Gly	Arg	Leu	Arg	Val	Gly	Ala	Leu	Ser	Gln
				230					235					240
Leu	Arg	Thr	Glu	His	Lys	Pro	Cys	Thr	Tyr	Gln	Gln	Cys	Pro	Cys
				245					250					255
Asn	Arg	Leu	Arg	Glu	Glu	Cys	Pro	Leu	Asp	Thr	Ser	Leu	Cys	Thr
				260					265					270
Asp	Thr	Asn	Cys	Ala	Ser	Gln	Ser	Thr	Thr	Ser	Thr	Arg	Thr	Thr
				275					280					285
Thr	Thr	Pro	Phe	Pro	Thr	Ile	His	Leu	Arg	Ser	Ser	Pro	Ser	Leu
				290					295					300
Pro	Pro	Ala	Ser	Pro	Cys	Pro	Ala	Leu	Ala	Phe	Trp	Lys	Arg	Val
				305					310					315
Arg	Ile	Gly	Leu	Glu	Asp	Ile	Trp	Asn	Ser	Leu	Ser	Ser	Val	Phe
				320					325					330
Thr	Glu	Met	Gln	Pro	Ile	Asp	Arg	Asn	Gln					

335

340

<210> 45  
 <211> 148  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2457682

<400> 45  
 Met Ala Gly Leu Ala Ala Arg Leu Val Leu Leu Ala Gly Ala Ala  
   1                  5                  10                  15  
 Ala Leu Ala Ser Gly Ser Gln Gly Asp Arg Glu Pro Val Tyr Arg  
                   20                  25                  30  
 Asp Cys Val Leu Gln Cys Glu Glu Gln Asn Cys Ser Gly Gly Ala  
                   35                  40                  45  
 Leu Asn His Phe Arg Ser Arg Gln Pro Ile Tyr Met Ser Leu Ala  
                   50                  55                  60  
 Gly Trp Thr Cys Arg Asp Asp Cys Lys Tyr Glu Cys Met Trp Val  
                   65                  70                  75  
 Thr Val Gly Leu Tyr Leu Gln Glu Gly His Lys Val Pro Gln Phe  
                   80                  85                  90  
 His Gly Lys Trp Pro Phe Ser Arg Phe Leu Phe Phe Gln Glu Pro  
                   95                  100                 105  
 Ala Ser Ala Val Ala Ser Phe Leu Asn Gly Leu Ala Ser Leu Val  
                  110                 115                 120  
 Met Leu Cys Arg Tyr Arg Thr Phe Val Pro Ala Ser Ser Pro Met  
                  125                 130                 135  
 Tyr His Thr Cys Val Ala Phe Ala Trp Leu Ser Gly Arg  
                  140                 145

<210> 46  
 <211> 87  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2480426

<400> 46  
 Met Arg Pro Leu Leu Val Leu Leu Leu Leu Gly Leu Ala Ala Gly  
   1                  5                  10                  15  
 Ser Pro Pro Leu Asp Asp Asn Lys Ile Pro Ser Leu Cys Pro Gly  
                   20                  25                  30  
 Leu Pro Gly Pro Arg Gly Asp Pro Gly Pro Arg Gly Glu Ala Gly  
                   35                  40                  45  
 Pro Ala Gly Pro Thr Gly Leu Ala Gly Glu Cys Ser Val Pro Pro  
                   50                  55                  60

Arg Ser Ala Phe Ser Ala Lys Arg Ser Glu Ile Arg Val Pro Pro  
 65 70 75  
 Leu Ser Asp Ala Pro Leu Pro Ser Thr Ala Cys Trp  
 80 85

<210> 47

<211> 383

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2503743

<400> 47

Met Ala Gly Ile Pro Gly Leu Leu Phe Leu Leu Phe Phe Leu Leu  
 1 5 10 15  
 Cys Ala Val Gly Gln Val Ser Pro Tyr Ser Ala Pro Trp Lys Pro  
 20 25 30  
 Thr Trp Pro Ala Tyr Arg Leu Pro Val Val Leu Pro Gln Ser Thr  
 35 40 45  
 Leu Asn Leu Ala Lys Pro Asp Phe Gly Ala Glu Ala Lys Leu Glu  
 50 55 60  
 Val Ser Ser Ser Cys Gly Pro Gln Cys His Lys Gly Thr Pro Leu  
 65 70 75  
 Pro Thr Tyr Glu Glu Ala Lys Gln Tyr Leu Ser Tyr Glu Thr Leu  
 80 85 90  
 Tyr Ala Asn Gly Ser Arg Thr Glu Thr Gln Val Gly Ile Tyr Ile  
 95 100 105  
 Leu Ser Ser Ser Gly Asp Gly Ala Gln His Arg Asp Ser Gly Ser  
 110 115 120  
 Ser Gly Lys Ser Arg Arg Lys Arg Gln Ile Tyr Gly Tyr Asp Ser  
 125 130 135  
 Arg Phe Ser Ile Phe Gly Lys Asp Phe Leu Leu Asn Tyr Pro Phe  
 140 145 150  
 Ser Thr Ser Val Lys Leu Ser Thr Gly Cys Thr Gly Thr Leu Val  
 155 160 165  
 Ala Glu Lys His Val Leu Thr Ala Ala His Cys Ile His Asp Gly  
 170 175 180  
 Lys Thr Tyr Val Lys Gly Thr Gln Lys Leu Arg Val Gly Phe Leu  
 185 190 195  
 Lys Pro Lys Phe Lys Asp Gly Gly Arg Gly Ala Asn Asp Ser Thr  
 200 205 210  
 Ser Ala Met Pro Glu Gln Met Lys Phe Gln Trp Ile Arg Val Lys  
 215 220 225  
 Arg Thr His Val Pro Lys Gly Trp Ile Lys Gly Asn Ala Asn Asp  
 230 235 240  
 Ile Gly Met Asp Tyr Asp Tyr Ala Leu Leu Glu Leu Lys Lys Pro  
 245 250 255  
 His Lys Arg Lys Phe Met Lys Ile Gly Val Ser Pro Pro Ala Lys  
 260 265 270  
 Gln Leu Pro Gly Gly Arg Ile His Phe Ser Gly Tyr Asp Asn Asp  
 275 280 285  
 Arg Pro Gly Asn Leu Val Tyr Arg Phe Cys Asp Val Lys Asp Glu

290	295	300
Thr Tyr Asp Leu Leu Tyr Gln Gln Cys	Asp Ala Gln Pro Gly Ala	
305	310	315
Ser Gly Ser Gly Val Tyr Val Arg Met	Trp Lys Arg Gln Gln Gln	
320	325	330
Lys Trp Glu Arg Lys Ile Ile Gly Ile	Phe Ser Gly His Gln Trp	
335	340	345
Val Asp Met Asn Gly Ser Pro Gln Asp	Phe Asn Val Ala Val Arg	
350	355	360
Ile Thr Pro Leu Lys Tyr Ala Gln Ile	Cys Tyr Trp Ile Lys Gly	
365	370	375
Asn Tyr Leu Asp Cys Arg Glu Gly		
380		

<210> 48  
 <211> 109  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2537684

<400> 48

Met Leu Leu Pro Ala Leu Cys Ala Trp Leu Leu Trp Val Pro Trp	
1 5 10 15	
Cys Leu Leu Val Ala Gly Ser Gly Arg Ser Gly Gly Glu Leu Cys	
20 25 30	
Cys Ser Ser Tyr Gly Val Ser Val Ile Ser Val Trp Ser Lys Cys	
35 40 45	
Ser Val Cys Arg Cys Leu Met Gly Ser Val Pro Arg Ile Phe Phe	
50 55 60	
Ala Phe Tyr Pro Ile Ala Trp Leu Pro Leu Pro Gly Ser Gln Gly	
65 70 75	
Cys Trp Ser Arg Ser Trp Glu Trp Pro Leu Val Glu Pro Ala Ser	
80 85 90	
Cys Leu Val Cys Leu Cys Phe Thr Phe Gly Val Leu Ser Gly Val	
95 100 105	
Val Ala Val Lys	

<210> 49  
 <211> 185  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2593853

<400> 49

Met Lys Phe Thr Ile Val Phe Ala Gly Leu Leu Gly Val Phe Leu
---

```

1           5           10           15
Ala Pro Ala Leu Ala Asn Tyr Asn Ile Asn Val Asn Asp Asp Asn
20           25           30
Asn Asn Ala Gly Ser Gly Gln Gln Ser Val Ser Val Asn Asn Glu
35           40           45
His Asn Val Ala Asn Val Asp Asn Asn Asn Gly Trp Asp Ser Trp
50           55           60
Asn Ser Ile Trp Asp Tyr Gly Asn Gly Phe Ala Ala Thr Arg Leu
65           70           75
Phe Gln Lys Lys Thr Cys Ile Val His Lys Met Asn Lys Glu Val
80           85           90
Met Pro Ser Ile Gln Ser Leu Asp Ala Leu Val Lys Glu Lys Lys
95           100          105
Leu Gln Gly Lys Gly Pro Gly Gly Pro Pro Pro Lys Gly Leu Met
110          115          120
Tyr Ser Val Asn Pro Asn Lys Val Asp Asp Leu Ser Lys Phe Gly
125          130          135
Lys Asn Ile Ala Asn Met Cys Arg Gly Ile Pro Thr Tyr Met Ala
140          145          150
Glu Glu Met Gln Glu Ala Ser Leu Phe Phe Tyr Ser Gly Thr Cys
155          160          165
Tyr Thr Thr Ser Val Leu Trp Ile Val Asp Ile Ser Phe Cys Gly
170          175          180
Asp Thr Val Glu Asn
185

```

&lt;210&gt; 50

&lt;211&gt; 110

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2622354

&lt;400&gt; 50

```

Met Ala Pro Arg Gly Cys Ile Val Ala Val Phe Ala Ile Phe Cys
1           5           10           15
Ile Ser Arg Leu Leu Cys Ser His Gly Ala Pro Val Ala Pro Met
20           25           30
Thr Pro Tyr Leu Met Leu Cys Gln Pro His Lys Arg Cys Gly Asp
35           40           45
Lys Phe Tyr Asp Pro Leu Gln His Cys Cys Tyr Asp Asp Ala Val
50           55           60
Val Pro Leu Ala Arg Thr Gln Thr Cys Gly Asn Cys Thr Phe Arg
65           70           75
Val Cys Phe Glu Gln Cys Cys Pro Trp Thr Phe Met Val Lys Leu
80           85           90
Ile Asn Gln Asn Cys Asp Ser Ala Arg Thr Ser Asp Asp Arg Leu
95           100          105
Cys Arg Ser Val Ser
110

```

<210> 51  
 <211> 126  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2641377

<400> 51  
 Met Trp Leu Gly Ser Trp Leu Thr Ser Leu Leu Leu Ser Pro Tyr  
   1                  5                  10                  15  
 Gly Ser Gly Trp Glu Lys Val Pro Cys Cys Val Thr Gly His Leu  
                   20                  25                  30  
 Arg Ser Cys Ser Cys Cys Leu Leu Gly Leu Ala Gly Val Gln Ser  
                   35                  40                  45  
 Asp His Phe Ser Glu Gly Phe Phe Ser Glu Tyr Ser Ser Asp Val  
                   50                  55                  60  
 Leu Pro Trp Gly Arg Ser Phe Leu Pro Gln Gly Asp Ala Ser  
                   65                  70                  75  
 Leu Leu Ala Cys Glu Cys Phe Leu His Leu Gln Val Val Trp Gly  
                   80                  85                  90  
 Gln Phe Cys Leu Leu Glu Ala Trp Ala Gly Phe Thr Glu Gly Ser  
                   95                  100                 105  
 Met Pro Ala Pro Ser Cys Arg Val His Phe Trp Cys Arg Val Asn  
                  110                 115                 120  
 Thr Cys Ala Phe Met Ser  
                  125

<210> 52  
 <211> 488  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2674857

<400> 52  
 Met Ala Gly Lys Gly Ser Ser Gly Arg Arg Pro Leu Leu Leu Gly  
   1                  5                  10                 15  
 Leu Leu Val Ala Val Ala Thr Val His Leu Val Ile Cys Pro Tyr  
                   20                  25                  30  
 Thr Lys Val Glu Glu Ser Phe Asn Leu Gln Ala Thr His Asp Leu  
                   35                  40                  45  
 Leu Tyr His Trp Gln Asp Leu Glu Gln Tyr Asp His Leu Glu Phe  
                   50                  55                  60  
 Pro Gly Val Val Pro Arg Thr Phe Leu Gly Pro Val Val Ile Ala  
                   65                  70                  75  
 Val Phe Ser Ser Pro Ala Val Tyr Val Leu Ser Leu Leu Glu Met  
                   80                  85                  90  
 Ser Lys Phe Tyr Ser Gln Leu Ile Val Arg Gly Val Leu Gly Leu  
                   95                 100                 105

Gly Val Ile Phe Gly Leu Trp Thr Leu Gln Lys Glu Val Arg Arg	110	115	120
His Phe Gly Ala Met Val Ala Thr Met Phe Cys Trp Val Thr Ala	125	130	135
Met Gln Phe His Leu Met Phe Tyr Cys Thr Arg Thr Leu Pro Asn	140	145	150
Val Leu Ala Leu Pro Val Val Leu Leu Ala Leu Ala Ala Trp Leu	155	160	165
Arg His Glu Trp Ala Arg Phe Ile Trp Leu Ser Ala Phe Ala Ile	170	175	180
Ile Val Phe Arg Val Glu Leu Cys Leu Phe Leu Gly Leu Leu Leu	185	190	195
Leu Leu Ala Leu Gly Asn Arg Lys Val Ser Val Val Arg Ala Leu	200	205	210
Arg His Ala Val Pro Ala Gly Ile Leu Cys Leu Gly Leu Thr Val	215	220	225
Ala Val Asp Ser Tyr Phe Trp Arg Gln Leu Thr Trp Pro Glu Gly	230	235	240
Lys Val Leu Trp Tyr Asn Thr Val Leu Asn Lys Ser Ser Asn Trp	245	250	255
Gly Thr Ser Pro Leu Leu Trp Tyr Phe Tyr Ser Ala Leu Pro Arg	260	265	270
Gly Leu Gly Cys Ser Leu Leu Phe Ile Pro Leu Gly Leu Val Asp	275	280	285
Arg Arg Thr His Ala Pro Thr Val Leu Ala Leu Gly Phe Met Ala	290	295	300
Leu Tyr Ser Leu Leu Pro His Lys Glu Leu Arg Phe Ile Ile Tyr	305	310	315
Ala Phe Pro Met Leu Asn Ile Thr Ala Ala Arg Gly Cys Ser Tyr	320	325	330
Leu Leu Asn Asn Tyr Lys Lys Ser Trp Leu Tyr Lys Ala Gly Ser	335	340	345
Leu Leu Val Ile Gly His Leu Val Val Asn Ala Ala Tyr Ser Ala	350	355	360
Thr Ala Leu Tyr Val Ser His Phe Asn Tyr Pro Gly Gly Val Ala	365	370	375
Met Gln Arg Leu His Gln Leu Val Pro Pro Gln Thr Asp Val Leu	380	385	390
Leu His Ile Asp Val Ala Ala Ala Gln Thr Gly Val Ser Arg Phe	395	400	405
Leu Gln Val Asn Ser Ala Trp Arg Tyr Asp Lys Arg Glu Asp Val	410	415	420
Gln Pro Gly Thr Gly Met Leu Ala Tyr Thr His Ile Leu Met Glu	425	430	435
Ala Ala Pro Gly Leu Leu Ala Leu Tyr Arg Asp Thr His Arg Val	440	445	450
Leu Ala Ser Val Val Gly Thr Thr Gly Val Ser Leu Asn Leu Thr	455	460	465
Gln Leu Pro Pro Phe Asn Val His Leu Gln Thr Lys Leu Val Leu	470	475	480
Leu Glu Arg Leu Pro Arg Pro Ser	485		



<211> 197  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2758485

<400> 53  
 Met Ser Pro Arg Arg Thr Leu Pro Arg Pro Leu Ser Leu Cys Leu  
 1 5 10 15  
 Ser Leu Cys Leu Cys Leu Cys Leu Ala Ala Ala Leu Gly Ser Ala  
 20 25 30  
 Gln Ser Gly Ser Cys Arg Asp Lys Lys Asn Cys Lys Val Val Phe  
 35 40 45  
 Ser Gln Gln Glu Leu Arg Lys Arg Leu Thr Pro Leu Gln Tyr His  
 50 55 60  
 Val Thr Gln Glu Lys Gly Thr Glu Ser Ala Phe Glu Gly Glu Tyr  
 65 70 75  
 Thr His His Lys Asp Pro Gly Ile Tyr Lys Cys Val Val Cys Gly  
 80 85 90  
 Thr Pro Leu Phe Lys Ser Glu Thr Lys Phe Asp Ser Gly Ser Gly  
 95 100 105  
 Trp Pro Ser Phe His Asp Val Ile Asn Ser Glu Ala Ile Thr Phe  
 110 115 120  
 Thr Asp Asp Phe Ser Tyr Gly Met His Arg Val Glu Thr Ser Cys  
 125 130 135  
 Ser Gln Cys Gly Ala His Leu Gly His Ile Phe Asp Asp Gly Pro  
 140 145 150  
 Arg Pro Thr Gly Lys Arg Tyr Cys Ile Asn Ser Ala Ala Leu Ser  
 155 160 165  
 Phe Thr Pro Ala Asp Ser Ser Gly Thr Ala Glu Gly Gly Ser Gly  
 170 175 180  
 Val Ala Ser Pro Ala Gln Ala Asp Lys Ala Asp Ser Glu Ser Asn  
 185 190 195  
 Gly Glu

<210> 54  
 <211> 84  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2763296

<400> 54  
 Met Thr Pro Gln Ser Leu Leu Gln Thr Thr Leu Phe Leu Leu Ser  
 1 5 10 15  
 Leu Leu Phe Leu Val Gln Gly Ala His Gly Arg Gly His Arg Glu  
 20 25 30  
 Asp Phe Arg Phe Cys Ser Gln Arg Asn Gln Thr His Arg Ser Ser  
 35 40 45  
 Leu His Tyr Tyr Trp Ser Met Arg Leu Gln Ala Arg Gly Gly Pro

```

          50          55          60
Ser Pro Leu Lys Ser Asn Ser Asp Ser Ala Arg Leu Pro Ile Ser
          65          70          75
Ser Gly Ser Thr Ser Ser Ser Arg Ile
          80

```

```

<210> 55
<211> 97
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2779436

```

```

<400> 55
Met Gln Leu Gly Thr Gly Leu Leu Leu Ala Ala Val Leu Ser Leu
  1          5          10          15
Gln Leu Ala Ala Ala Glu Ala Ile Trp Cys His Gln Cys Thr Gly
          20          25          30
Phe Gly Gly Cys Ser His Gly Ser Arg Cys Leu Arg Asp Ser Thr
          35          40          45
His Cys Val Thr Thr Ala Thr Arg Val Leu Ser Asn Thr Glu Asp
          50          55          60
Leu Pro Leu Val Thr Lys Met Cys His Ile Gly Cys Pro Asp Ile
          65          70          75
Pro Ser Leu Gly Leu Gly Pro Tyr Val Ser Ile Ala Cys Cys Gln
          80          85          90
Thr Ser Leu Cys Asn His Asp
          95

```

```

<210> 56
<211> 140
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2808528

```

```

<400> 56
Met Ala Ala Ser Leu Gly Gln Val Leu Ala Leu Val Leu Val Ala
  1          5          10          15
Ala Leu Trp Gly Gly Thr Gln Pro Leu Leu Lys Arg Ala Ser Ala
          20          25          30
Gly Leu Gln Arg Val His Glu Pro Thr Trp Ala Gln Gln Leu Leu
          35          40          45
Gln Glu Met Lys Thr Leu Phe Leu Asn Thr Glu Tyr Leu Met Pro
          50          55          60
Phe Leu Leu Asn Gln Cys Gly Ser Leu Leu Tyr Tyr Leu Thr Leu
          65          70          75

```

```

Ala Ser Thr Asp Leu Thr Leu Ala Val Pro Ile Cys Asn Ser Leu
      80                      85                      90
Ala Ile Ile Phe Thr Leu Ile Val Gly Lys Ala Leu Gly Glu Asp
      95                      100                     105
Ile Gly Gly Lys Arg Ala Val Ala Gly Met Val Leu Thr Val Ile
      110                     115                     120
Gly Ile Ser Leu Cys Ile Thr Ser Ser Val Ser Lys Thr Gln Gly
      125                     130                     135
Gln Gln Ser Thr Leu
      140

```

```

<210> 57
<211> 285
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2809230

```

```

<400> 57
Met Glu Val Pro Pro Pro Ala Pro Arg Ser Phe Leu Cys Arg Ala
  1          5          10          15
Leu Cys Leu Phe Pro Arg Val Phe Ala Ala Glu Ala Val Thr Ala
      20          25          30
Asp Ser Glu Val Leu Glu Glu Arg Gln Lys Arg Leu Pro Tyr Val
      35          40          45
Pro Glu Pro Tyr Tyr Pro Glu Ser Gly Trp Asp Arg Leu Arg Glu
      50          55          60
Leu Phe Gly Lys Asp Glu Gln Gln Arg Ile Ser Lys Asp Leu Ala
      65          70          75
Asn Ile Cys Lys Thr Ala Ala Thr Ala Gly Ile Ile Gly Trp Val
      80          85          90
Tyr Gly Gly Ile Pro Ala Phe Ile His Ala Lys Gln Gln Tyr Ile
      95          100         105
Glu Gln Ser Gln Ala Glu Ile Tyr His Asn Arg Phe Asp Ala Val
      110         115         120
Gln Ser Ala His Arg Ala Ala Thr Arg Gly Phe Ile Arg Tyr Gly
      125         130         135
Trp Arg Trp Gly Trp Arg Thr Ala Val Phe Val Thr Ile Phe Asn
      140         145         150
Thr Val Asn Thr Ser Leu Asn Val Tyr Arg Asn Lys Asp Ala Leu
      155         160         165
Ser His Phe Val Ile Ala Gly Ala Val Thr Gly Ser Leu Phe Arg
      170         175         180
Ile Asn Val Gly Leu Arg Gly Leu Val Ala Gly Gly Ile Ile Gly
      185         190         195
Ala Leu Leu Gly Thr Pro Val Gly Gly Leu Leu Met Ala Phe Gln
      200         205         210
Lys Tyr Ser Gly Glu Thr Val Gln Glu Arg Lys Gln Lys Asp Arg
      215         220         225
Lys Ala Leu His Glu Leu Lys Leu Glu Glu Trp Lys Gly Arg Leu
      230         235         240
Gln Val Thr Glu His Leu Pro Glu Lys Ile Glu Ser Ser Leu Gln

```

	245		250		255
Glu Asp Glu Pro	Glu Asn Asp Ala Lys	Lys Ile Glu Ala Leu	Leu		
	260		265		270
Asn Leu Pro Arg	Asn Pro Ser Val Ile	Asp Lys Gln Asp Lys	Asp		
	275		280		285

&lt;210&gt; 58

&lt;211&gt; 262

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2816821

&lt;400&gt; 58

Met Thr Gln Pro Val	Pro Arg Leu Ser Val	Pro Ala Ala Leu Ala	
1	5	10	15
Leu Gly Ser Ala Ala	Leu Gly Ala Ala Phe	Ala Thr Gly Leu Phe	
	20	25	30
Leu Gly Arg Arg Cys	Pro Pro Trp Arg Gly	Arg Arg Glu Gln Cys	
	35	40	45
Leu Leu Pro Pro Glu	Asp Ser Arg Leu Trp	Gln Tyr Leu Leu Ser	
	50	55	60
Arg Ser Met Arg Glu	His Pro Ala Leu Arg	Ser Leu Arg Leu Leu	
	65	70	75
Thr Leu Glu Gln Pro	Gln Gly Asp Ser Met	Met Thr Cys Glu Gln	
	80	85	90
Ala Gln Leu Leu Ala	Asn Leu Ala Arg Leu	Ile Gln Ala Lys Lys	
	95	100	105
Ala Leu Asp Leu Gly	Thr Phe Thr Gly Tyr	Ser Ala Leu Ala Leu	
	110	115	120
Ala Leu Ala Leu Pro	Ala Asp Gly Arg Val	Val Thr Cys Glu Val	
	125	130	135
Asp Ala Gln Pro Pro	Glu Leu Gly Arg Pro	Leu Trp Arg Gln Ala	
	140	145	150
Glu Ala Glu His Lys	Ile Asp Leu Arg Leu	Lys Pro Ala Leu Glu	
	155	160	165
Thr Leu Asp Glu Leu	Leu Ala Ala Gly Glu	Ala Gly Thr Phe Asp	
	170	175	180
Val Ala Val Val Asp	Ala Asp Lys Glu Asn	Cys Ser Ala Tyr Tyr	
	185	190	195
Glu Arg Cys Leu Gln	Leu Leu Arg Pro Gly	Gly Ile Leu Ala Val	
	200	205	210
Leu Arg Val Leu Trp	Arg Gly Lys Val Leu	Gln Pro Pro Lys Gly	
	215	220	225
Asp Val Ala Ala Glu	Cys Val Arg Asn Leu	Asn Glu Arg Ile Arg	
	230	235	240
Arg Asp Val Arg Val	Tyr Ile Ser Leu Leu	Pro Leu Gly Asp Gly	
	245	250	255
Leu Thr Leu Ala Phe	Lys Ile		
	260		

<210> 59  
 <211> 189  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2817268

<400> 59  
 Met Ala Leu Leu Ser Arg Pro Ala Leu Thr Leu Leu Leu Leu Leu  
     1                    5                    10                    15  
 Met Ala Ala Val Val Arg Cys Gln Glu Gln Ala Gln Thr Thr Asp  
                     20                    25                    30  
 Trp Arg Ala Thr Leu Lys Thr Ile Arg Asn Gly Val His Lys Ile  
                     35                    40                    45  
 Asp Thr Tyr Leu Asn Ala Ala Leu Asp Leu Leu Gly Gly Glu Asp  
                     50                    55                    60  
 Gly Leu Cys Gln Tyr Lys Cys Ser Asp Gly Ser Lys Pro Phe Pro  
                     65                    70                    75  
 Arg Tyr Gly Tyr Lys Pro Ser Pro Pro Asn Gly Cys Gly Ser Pro  
                     80                    85                    90  
 Leu Phe Gly Val His Leu Asn Ile Gly Ile Pro Ser Leu Thr Lys  
                     95                    100                    105  
 Cys Cys Asn Gln His Asp Arg Cys Tyr Glu Thr Cys Gly Lys Ser  
                     110                    115                    120  
 Lys Asn Asp Cys Asp Glu Glu Phe Gln Tyr Cys Leu Ser Lys Ile  
                     125                    130                    135  
 Cys Arg Asp Val Gln Lys Thr Leu Gly Leu Thr Gln His Val Gln  
                     140                    145                    150  
 Ala Cys Glu Thr Thr Val Glu Leu Leu Phe Asp Ser Val Ile His  
                     155                    160                    165  
 Leu Gly Cys Lys Pro Tyr Leu Asp Ser Gln Arg Ala Ala Cys Arg  
                     170                    175                    180  
 Cys His Tyr Glu Glu Lys Thr Asp Leu  
                     185

<210> 60  
 <211> 257  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2923165

<400> 60  
 Met Thr Ala Ala Val Phe Phe Gly Cys Ala Phe Ile Ala Phe Gly  
     1                    5                    10                    15  
 Pro Ala Leu Ala Leu Tyr Val Phe Thr Ile Ala Thr Glu Pro Leu  
                     20                    25                    30  
 Arg Ile Ile Phe Leu Ile Ala Gly Ala Phe Phe Trp Leu Val Ser  
                     35                    40                    45

```

Leu Leu Ile Ser Ser Leu Val Trp Phe Met Ala Arg Val Ile Ile
      50                      55                      60
Asp Asn Lys Asp Gly Pro Thr Gln Lys Tyr Leu Leu Ile Phe Gly
      65                      70                      75
Ala Phe Val Ser Val Tyr Ile Gln Glu Met Phe Arg Phe Ala Tyr
      80                      85                      90
Tyr Lys Leu Leu Lys Lys Ala Ser Glu Gly Leu Lys Ser Ile Asn
      95                      100                     105
Pro Gly Glu Thr Ala Pro Ser Met Arg Leu Leu Ala Tyr Val Ser
     110                      115                     120
Gly Leu Gly Phe Gly Ile Met Ser Gly Val Phe Ser Phe Val Asn
     125                      130                     135
Thr Leu Ser Asp Ser Leu Gly Pro Gly Thr Val Gly Ile His Gly
     140                      145                     150
Asp Ser Pro Gln Phe Phe Leu Tyr Ser Ala Phe Met Thr Leu Val
     155                      160                     165
Ile Ile Leu Leu His Val Phe Trp Gly Ile Val Phe Phe Asp Gly
     170                      175                     180
Cys Glu Lys Lys Lys Trp Gly Ile Leu Leu Ile Val Leu Leu Thr
     185                      190                     195
His Leu Leu Val Ser Ala Gln Thr Phe Ile Ser Ser Tyr Tyr Gly
     200                      205                     210
Ile Asn Leu Ala Ser Ala Phe Ile Ile Leu Val Leu Met Gly Thr
     215                      220                     225
Trp Ala Phe Leu Ala Ala Gly Gly Ser Cys Arg Ser Leu Lys Leu
     230                      235                     240
Cys Leu Leu Cys Gln Asp Lys Asn Phe Leu Leu Tyr Asn Gln Arg
     245                      250                     255
Ser Arg

```

```

<210> 61
<211> 82
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2949822

```

```

<400> 61
Met Pro Phe Ser Trp Met Val Ile Ile Leu Gly Phe Leu Cys Gly
  1          5          10          15
Leu Ser Gly Gln Leu Gln Ile Met Asn Thr Leu Ser Ser Leu Pro
      20          25          30
Ile Val Leu Leu Val Ser Ser Ser Cys Leu Ile Leu Ala Arg Met
      35          40          45
Ser Tyr Ser Ile Leu Thr Ser Ser Tyr Gly Gly Gly Val Phe Ile
      50          55          60
Leu Leu Asp Leu Lys Arg Asn Thr Ser Lys Val Ser Pro Leu Met
      65          70          75
Met Met Phe Ala Ile Gly His
      80

```

<210> 62  
 <211> 202  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2992192

<400> 62  
 Met Ala Ala Pro Trp Arg Arg Trp Pro Thr Gly Leu Leu Ala Val  
   1                  5                  10                  15  
 Leu Arg Pro Leu Leu Thr Cys Arg Pro Leu Gln Gly Thr Thr Leu  
                   20                  25                  30  
 Gln Arg Asp Val Leu Leu Phe Glu His Asp Arg Gly Arg Phe Phe  
                   35                  40                  45  
 Thr Ile Leu Gly Leu Phe Cys Ala Gly Gln Gly Val Phe Trp Ala  
                   50                  55                  60  
 Ser Met Ala Val Ala Ala Val Ser Arg Pro Pro Val Pro Val Gln  
                   65                  70                  75  
 Pro Leu Asp Ala Glu Val Pro Asn Arg Gly Pro Phe Asp Leu Arg  
                   80                  85                  90  
 Ser Ala Leu Trp Arg Tyr Gly Leu Ala Val Gly Cys Gly Ala Ile  
                   95                  100                 105  
 Gly Ala Leu Val Leu Gly Ala Gly Leu Leu Phe Ser Leu Arg Ser  
                  110                 115                 120  
 Val Arg Ser Val Val Leu Arg Ala Gly Gly Gln Gln Val Thr Leu  
                  125                 130                 135  
 Thr Thr His Ala Pro Phe Gly Leu Gly Ala His Phe Thr Val Pro  
                  140                 145                 150  
 Leu Lys Gln Val Ser Cys Met Ala His Arg Gly Glu Val Pro Ala  
                  155                 160                 165  
 Met Leu Pro Leu Lys Val Lys Gly Arg Arg Phe Tyr Phe Leu Leu  
                  170                 175                 180  
 Asp Lys Thr Gly His Phe Pro Asn Thr Lys Leu Phe Asp Asn Thr  
                  185                 190                 195  
 Val Gly Ala Tyr Arg Ser Leu  
                  200

<210> 63  
 <211> 450  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2992458

<400> 63  
 Met Leu Val Thr Ala Tyr Leu Ala Phe Val Gly Leu Leu Ala Ser  
   1                  5                  10                  15  
 Cys Leu Gly Leu Glu Leu Ser Arg Cys Arg Ala Lys Pro Pro Gly  
                   20                  25                  30

Arg	Ala	Cys	Ser	Asn	Pro	Ser	Phe	Leu	Arg	Phe	Gln	Leu	Asp	Phe
				35					40					45
Tyr	Gln	Val	Tyr	Phe	Leu	Ala	Leu	Ala	Ala	Asp	Trp	Leu	Gln	Ala
				50					55					60
Pro	Tyr	Leu	Tyr	Lys	Leu	Tyr	Gln	His	Tyr	Tyr	Phe	Leu	Glu	Gly
				65					70					75
Gln	Ile	Ala	Ile	Leu	Tyr	Val	Cys	Gly	Leu	Ala	Ser	Thr	Val	Leu
				80					85					90
Phe	Gly	Leu	Val	Ala	Ser	Ser	Leu	Val	Asp	Trp	Leu	Gly	Arg	Lys
				95					100					105
Asn	Ser	Cys	Val	Leu	Phe	Ser	Leu	Thr	Tyr	Ser	Leu	Cys	Cys	Leu
				110					115					120
Thr	Lys	Leu	Ser	Gln	Asp	Tyr	Phe	Val	Leu	Leu	Val	Gly	Arg	Ala
				125					130					135
Leu	Gly	Gly	Leu	Ser	Thr	Ala	Leu	Leu	Phe	Ser	Ala	Phe	Glu	Ala
				140					145					150
Trp	Tyr	Ile	His	Glu	His	Val	Glu	Arg	His	Asp	Phe	Pro	Ala	Glu
				155					160					165
Trp	Ile	Pro	Ala	Thr	Phe	Ala	Arg	Ala	Ala	Phe	Trp	Asn	His	Val
				170					175					180
Leu	Ala	Val	Val	Ala	Gly	Val	Ala	Ala	Glu	Ala	Val	Ala	Ser	Trp
				185					190					195
Ile	Gly	Leu	Gly	Pro	Val	Ala	Pro	Phe	Val	Ala	Ala	Ile	Pro	Leu
				200					205					210
Leu	Ala	Leu	Ala	Gly	Ala	Leu	Ala	Leu	Arg	Asn	Trp	Gly	Glu	Asn
				215					220					225
Tyr	Asp	Arg	Gln	Arg	Ala	Phe	Ser	Arg	Thr	Cys	Ala	Gly	Gly	Leu
				230					235					240
Arg	Cys	Leu	Leu	Ser	Asp	Arg	Arg	Val	Leu	Leu	Leu	Gly	Thr	Ile
				245					250					255
Gln	Ala	Leu	Phe	Glu	Ser	Val	Ile	Phe	Ile	Phe	Val	Phe	Leu	Trp
				260					265					270
Thr	Pro	Val	Leu	Asp	Pro	His	Gly	Ala	Pro	Leu	Gly	Ile	Ile	Phe
				275					280					285
Ser	Ser	Phe	Met	Ala	Ala	Ser	Leu	Leu	Gly	Ser	Ser	Leu	Tyr	Arg
				290					295					300
Ile	Ala	Thr	Ser	Lys	Arg	Tyr	His	Leu	Gln	Pro	Met	His	Leu	Leu
				305					310					315
Ser	Leu	Ala	Val	Leu	Ile	Val	Val	Phe	Ser	Leu	Phe	Met	Leu	Thr
				320					325					330
Phe	Ser	Thr	Ser	Pro	Gly	Gln	Glu	Ser	Pro	Val	Glu	Ser	Phe	Ile
				335					340					345
Ala	Phe	Leu	Leu	Ile	Glu	Leu	Ala	Cys	Gly	Leu	Tyr	Phe	Pro	Ser
				350					355					360
Met	Ser	Phe	Leu	Arg	Arg	Lys	Val	Ile	Pro	Glu	Thr	Glu	Gln	Ala
				365					370					375
Gly	Val	Leu	Asn	Trp	Phe	Arg	Val	Pro	Leu	His	Ser	Leu	Ala	Cys
				380					385					390
Leu	Gly	Leu	Leu	Val	Leu	His	Asp	Ser	Asp	Arg	Lys	Thr	Gly	Thr
				395					400					405
Arg	Asn	Met	Phe	Ser	Ile	Cys	Ser	Ala	Val	Met	Val	Met	Ala	Leu
				410					415					420
Leu	Ala	Val	Val	Gly	Leu	Phe	Thr	Val	Val	Arg	His	Asp	Ala	Glu
				425					430					435
Leu	Arg	Val	Pro	Ser	Pro	Thr	Glu	Glu	Pro	Tyr	Ala	Pro	Glu	Leu
				440					445					450



<210> 64  
 <211> 322  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3044710

<400> 64  
 Met Ala Arg Cys Phe Ser Leu Val Leu Leu Leu Thr Ser Ile Trp  
 1 5 10 15  
 Thr Thr Arg Leu Leu Val Gln Gly Ser Leu Arg Ala Glu Glu Leu  
 20 25 30  
 Ser Ile Gln Val Ser Cys Arg Ile Met Gly Ile Thr Leu Val Ser  
 35 40 45  
 Lys Lys Ala Asn Gln Gln Leu Asn Phe Thr Glu Ala Lys Glu Ala  
 50 55 60  
 Cys Arg Leu Leu Gly Leu Ser Leu Ala Gly Lys Asp Gln Val Glu  
 65 70 75  
 Thr Ala Leu Lys Ala Ser Phe Glu Thr Cys Ser Tyr Gly Trp Val  
 80 85 90  
 Gly Asp Gly Phe Val Val Ile Ser Arg Ile Ser Pro Asn Pro Lys  
 95 100 105  
 Cys Gly Lys Asn Gly Val Gly Val Leu Ile Trp Lys Val Pro Val  
 110 115 120  
 Ser Arg Gln Phe Ala Ala Tyr Cys Tyr Asn Ser Ser Asp Thr Trp  
 125 130 135  
 Thr Asn Ser Cys Ile Pro Glu Ile Ile Thr Thr Lys Asp Pro Ile  
 140 145 150  
 Phe Asn Thr Gln Thr Ala Thr Gln Thr Thr Glu Phe Ile Val Ser  
 155 160 165  
 Asp Ser Thr Tyr Ser Val Ala Ser Pro Tyr Ser Thr Ile Pro Ala  
 170 175 180  
 Pro Thr Thr Thr Pro Pro Ala Pro Ala Ser Thr Ser Ile Pro Arg  
 185 190 195  
 Arg Lys Lys Leu Ile Cys Val Thr Glu Val Phe Met Glu Thr Ser  
 200 205 210  
 Thr Met Ser Thr Glu Thr Glu Pro Phe Val Glu Asn Lys Ala Ala  
 215 220 225  
 Phe Lys Asn Glu Ala Ala Gly Phe Gly Gly Val Pro Thr Ala Leu  
 230 235 240  
 Leu Val Leu Ala Leu Leu Phe Phe Gly Ala Ala Ala Gly Leu Gly  
 245 250 255  
 Phe Cys Tyr Val Lys Arg Tyr Val Lys Ala Phe Pro Phe Thr Asn  
 260 265 270  
 Lys Asn Gln Gln Lys Glu Met Ile Glu Thr Lys Val Val Lys Glu  
 275 280 285  
 Glu Lys Ala Asn Asp Ser Asn Pro Asn Glu Glu Ser Lys Lys Thr  
 290 295 300  
 Asp Lys Asn Pro Glu Glu Ser Lys Ser Pro Ser Lys Thr Thr Val  
 305 310 315  
 Arg Cys Leu Glu Ala Glu Val  
 320

<210> 65  
 <211> 104  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3120415

<400> 65  
 Met Lys Leu Ala Ala Leu Leu Gly Leu Cys Val Ala Leu Ser Cys  
     1                    5                    10                    15  
 Ser Ser Ala Ala Ala Phe Leu Val Gly Ser Ala Lys Pro Val Ala  
                     20                    25                    30  
 Gln Pro Val Ala Ala Leu Glu Ser Ala Ala Glu Ala Gly Ala Gly  
                     35                    40                    45  
 Thr Leu Ala Asn Pro Leu Gly Thr Leu Asn Pro Leu Lys Leu Leu  
                     50                    55                    60  
 Leu Ser Ser Leu Gly Ile Pro Val Asn His Leu Ile Glu Gly Ser  
                     65                    70                    75  
 Gln Lys Cys Val Ala Glu Leu Gly Pro Gln Ala Val Gly Ala Val  
                     80                    85                    90  
 Lys Ala Leu Lys Ala Leu Leu Gly Ala Leu Thr Val Phe Gly  
                     95                    100

<210> 66  
 <211> 93  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 126758

<400> 66  
 Met Lys Leu Val Thr Ile Phe Leu Leu Val Thr Ile Ser Leu Cys  
     1                    5                    10                    15  
 Ser Tyr Ser Ala Thr Ala Phe Leu Ile Asn Lys Val Pro Leu Pro  
                     20                    25                    30  
 Val Asp Lys Leu Ala Pro Leu Pro Leu Asp Asn Ile Leu Pro Phe  
                     35                    40                    45  
 Met Asp Pro Leu Lys Leu Leu Leu Lys Thr Leu Gly Ile Ser Val  
                     50                    55                    60  
 Glu His Leu Val Glu Gly Leu Arg Lys Cys Val Asn Glu Leu Gly  
                     65                    70                    75  
 Pro Glu Ala Ser Glu Ala Val Lys Lys Leu Leu Glu Ala Leu Ser  
                     80                    85                    90  
 His Leu Val

<210> 67  
 <211> 71  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 674760

<400> 67  
 Met Thr Ala Gly Gln Phe Pro Ala Leu Val Ser Leu Ala Leu Leu  
 1 5 10 15  
 Leu Asp Gly Gly Arg Arg Ala Ser Ala Arg Arg Asn Arg Gly His  
 20 25 30  
 Leu Trp Val Phe Cys Thr Ser Phe Leu Leu Ala Pro Trp Glu Val  
 35 40 45  
 Glu Asp Val Gly Trp Lys Lys Gly Leu Asp Leu Pro Pro Ser Ser  
 50 55 60  
 Ser Pro Pro Ser Pro Lys Glu Leu Ala Leu Gln  
 65 70

<210> 68  
 <211> 394  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1229438

<400> 68  
 Met Lys Arg Gln Asn Val Arg Thr Leu Ala Leu Ile Val Cys Thr  
 1 5 10 15  
 Phe Thr Tyr Leu Leu Val Gly Ala Ala Val Phe Asp Ala Leu Glu  
 20 25 30  
 Ser Glu Pro Glu Leu Ile Glu Arg Gln Arg Leu Glu Leu Arg Gln  
 35 40 45  
 Gln Glu Leu Arg Ala Arg Tyr Asn Leu Ser Gln Gly Gly Tyr Glu  
 50 55 60  
 Glu Leu Glu Arg Val Val Leu Arg Leu Lys Pro His Lys Ala Gly  
 65 70 75  
 Val Gln Trp Arg Phe Ala Gly Ser Phe Tyr Phe Ala Ile Thr Val  
 80 85 90  
 Ile Thr Thr Ile Gly Tyr Gly His Ala Ala Pro Ser Thr Asp Gly  
 95 100 105  
 Gly Lys Val Phe Cys Met Phe Tyr Ala Leu Leu Gly Ile Pro Leu  
 110 115 120  
 Thr Leu Val Met Phe Gln Ser Leu Gly Glu Arg Ile Asn Thr Leu  
 125 130 135  
 Val Arg Tyr Leu Leu His Arg Ala Lys Lys Gly Leu Gly Met Arg  
 140 145 150  
 Arg Ala Asp Val Ser Met Ala Asn Met Val Leu Ile Gly Phe Phe  
 155 160 165  
 Ser Cys Ile Ser Thr Leu Cys Ile Gly Ala Ala Ala Phe Ser His

	170		175		180
Tyr Glu His Trp	Thr Phe Phe Gln Ala	Tyr Tyr Tyr Cys Phe	Ile		
	185		190		195
Thr Leu Thr Thr	Ile Gly Phe Gly Asp	Tyr Val Ala Leu Gln	Lys		
	200		205		210
Asp Gln Ala Leu	Gln Thr Gln Pro Gln	Tyr Val Ala Phe Ser	Phe		
	215		220		225
Val Tyr Ile Leu	Thr Gly Leu Thr Val	Ile Gly Ala Phe Leu	Asn		
	230		235		240
Leu Val Val Leu	Arg Phe Met Thr Met	Asn Ala Glu Asp Glu	Lys		
	245		250		255
Arg Asp Ala Glu	His Arg Ala Leu Leu	Thr Arg Asn Gly Gln	Ala		
	260		265		270
Gly Gly Gly Gly	Gly Gly Gly Ser Ala	His Thr Thr Asp Thr	Ala		
	275		280		285
Ser Ser Thr Ala	Ala Ala Gly Gly Gly	Gly Phe Arg Asn Val	Tyr		
	290		295		300
Ala Glu Val Leu	His Phe Gln Ser Met	Cys Ser Cys Leu Trp	Tyr		
	305		310		315
Lys Ser Arg Glu	Lys Leu Gln Tyr Ser	Ile Pro Met Ile Ile	Pro		
	320		325		330
Arg Asp Leu Ser	Thr Ser Asp Thr Cys	Val Glu Gln Ser His	Ser		
	335		340		345
Ser Pro Gly Gly	Gly Gly Arg Tyr Ser	Asp Thr Pro Ser Arg	Arg		
	350		355		360
Cys Leu Cys Ser	Gly Ala Pro Arg Ser	Ala Ile Ser Ser Val	Ser		
	365		370		375
Thr Gly Leu His	Ser Leu Ser Thr Phe	Arg Gly Leu Met Lys	Arg		
	380		385		390
Arg Ser Ser Val					

&lt;210&gt; 69

&lt;211&gt; 72

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236935

&lt;400&gt; 69

Met Cys Pro Phe Phe	Pro Leu Thr Ser	Leu Ile Val Phe	Leu Ile
1	5	10	15
Leu Phe Phe Lys Thr	Ile Ala Ser Ser	Gly Ser Gly Gly	Ser Cys
	20	25	30
Leu Gly Leu Pro Lys	Cys Trp Asp Tyr	Arg Arg Glu His	Arg Ala
	35	40	45
Arg Pro Thr Ile Val	Phe Ser Lys His	Val Tyr Thr Tyr	Ser Met
	50	55	60
Arg Met Gln Ile Glu	Ile Ser Thr Asn	Ile Ser Gln	
	65	70	

<210> 70  
 <211> 71  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1359283

<400> 70  
 Met Arg Leu Thr Gly Leu Thr Leu Leu Leu Ser Leu Met Glu Ser  
     1                    5                    10                    15  
 Leu Gly Gln Val Glu Asp Arg Phe Phe Ser Thr His Arg Arg Phe  
                     20                    25                    30  
 Pro His His Thr Pro Ile Ser Gly Leu Leu Cys Arg Glu Phe Ser  
                     35                    40                    45  
 Leu Pro Lys Arg Ser Gly Val Pro Trp Thr Arg Val Leu Ile Ser  
                     50                    55                    60  
 Cys Ile Trp Arg Ser Gly Ala Gly Lys Arg Met  
                     65                    70

<210> 71  
 <211> 247  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1450703

<400> 71  
 Met His Leu Ala Arg Leu Val Gly Ser Cys Ser Leu Leu Leu Leu  
     1                    5                    10                    15  
 Leu Gly Ala Leu Ser Gly Trp Ala Ala Ser Asp Asp Pro Ile Glu  
                     20                    25                    30  
 Lys Val Ile Glu Gly Ile Asn Arg Gly Leu Ser Asn Ala Glu Arg  
                     35                    40                    45  
 Glu Val Gly Lys Ala Leu Asp Gly Ile Asn Ser Gly Ile Thr His  
                     50                    55                    60  
 Ala Gly Arg Glu Val Glu Lys Val Phe Asn Gly Leu Ser Asn Met  
                     65                    70                    75  
 Gly Ser His Thr Gly Lys Glu Leu Asp Lys Gly Val Gln Gly Leu  
                     80                    85                    90  
 Asn His Gly Met Asp Lys Val Ala His Glu Ile Asn His Gly Ile  
                     95                    100                    105  
 Gly Gln Ala Gly Lys Glu Ala Glu Lys Leu Gly His Gly Val Asn  
                     110                    115                    120  
 Asn Ala Ala Gly Gln Ala Gly Lys Glu Ala Asp Lys Ala Val Gln  
                     125                    130                    135  
 Gly Phe His Thr Gly Val His Gln Ala Gly Lys Glu Ala Glu Lys  
                     140                    145                    150  
 Leu Gly Gln Gly Val Asn His Ala Ala Asp Gln Ala Gly Lys Glu  
                     155                    160                    165  
 Val Glu Lys Leu Gly Gln Gly Ala His His Ala Ala Gly Gln Ala

```

      170      175      180
Gly Lys Glu Leu Gln Asn Ala His Asn Gly Val Asn Gln Ala Ser
      185      190      195
Lys Glu Ala Asn Gln Leu Leu Asn Gly Asn His Gln Ser Gly Ser
      200      205      210
Ser Ser His Gln Gly Gly Ala Thr Thr Thr Pro Leu Ala Ser Gly
      215      220      225
Ala Ser Val Asn Thr Pro Phe Ile Asn Leu Pro Ala Leu Trp Arg
      230      235      240
Ser Val Ala Asn Ile Met Pro
      245

```

```

<210> 72
<211> 73
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1910668

```

```

<400> 72
Met Thr Cys Trp Met Leu Pro Pro Ile Ser Phe Leu Ser Tyr Leu
  1           5           10           15
Pro Leu Trp Leu Gly Pro Ile Trp Pro Cys Ser Gly Ser Thr Leu
      20           25           30
Gly Lys Pro Asp Pro Gly Val Trp Pro Ser Leu Phe Arg Pro Trp
      35           40           45
Asp Ala Ala Ser Pro Gly Asn Tyr Ala Leu Ser Arg Gly Glu Asn
      50           55           60
Gln Tyr Glu Lys Trp Gly Gln Gly Thr His Ser Ser Leu
      65           70

```

```

<210> 73
<211> 70
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1955143

```

```

<400> 73
Met Gly Arg Leu Arg Tyr Phe Phe Ser Leu Leu Leu Arg Trp
  1           5           10           15
Gly Gln Leu Leu Gly Ala Asp Glu Phe Cys Cys His Lys Ser Tyr
      20           25           30
Ile Ala His Leu Val Cys Thr Glu Ser Ala Ile Leu Asn Pro Gly
      35           40           45
His Ala Leu Glu Leu Tyr Lys Lys Asn Leu Gln Val Ser Ile Leu
      50           55           60

```

Ser Pro Tyr Pro Thr Asp Pro Ile His Leu  
65 70

<210> 74  
<211> 67  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1961637

<400> 74  
Met Met Phe Thr Ser Leu Ser Leu Ala Leu Pro Phe Leu Leu Gln  
1 5 10 15  
Thr Met Leu Cys Leu Arg Ala Leu Leu Ile Ala Val Pro His Gly  
20 25 30  
His Asp Trp Asn Arg Asp Ala Thr Ser Phe Tyr Thr Ser Thr Val  
35 40 45  
Ser Trp Val Lys Ser Phe Phe Leu Phe Val Leu Asp Gly Val Ser  
50 55 60  
Leu Leu Leu Pro Arg Leu Glu  
65

<210> 75  
<211> 91  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1990762

<400> 75  
Met Trp Pro Thr Thr Trp Ala Trp Ser Trp Val Gln Thr Leu Thr  
1 5 10 15  
Leu Ala Leu Leu Ile Ser Cys Val Thr Leu Gly Gln Leu Ile Thr  
20 25 30  
Thr Leu Gln Val Ser Phe Leu Ile Cys Glu Met Asp Val Ile Ile  
35 40 45  
Gly Cys Asp Glu Met Ile Pro Ser Glu Ser Leu Val Leu Leu Trp  
50 55 60  
Pro Pro Pro Leu Leu Leu Leu Gly Glu Phe Trp Ile Trp Asn Pro  
65 70 75  
Val Ser Arg Ile Leu Phe Trp Leu Cys His Val Pro Ala Gly Gln  
80 85 90  
Leu

<210> 76  
<211> 56  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1994131

<400> 76  
Met Asn Glu Trp Trp Leu Leu Leu Leu Leu His Leu His Pro Pro  
1 5 10 15  
Arg Val Ile Ser Pro Phe Trp Phe Ile Val Ser Val Leu Thr Ala  
20 25 30  
Cys Asp Asn Arg Lys Tyr Ile Leu Leu Arg Thr Val Pro Val Phe  
35 40 45  
Ser Phe Pro Glu Asn Thr Tyr Phe Asp Val Gly  
50 55

<210> 77  
<211> 112  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1997745

<400> 77  
Met Pro Leu Phe Leu Ser Ile Pro Ser Leu Phe Leu Thr Leu Ser  
1 5 10 15  
Gly Leu Gly Leu Ala Val Gln Ser Pro Ala Gly Gly Cys Trp Gly  
20 25 30  
Leu Ser Leu Cys Arg His Cys Val Phe Leu Arg Gly Cys Pro Gln  
35 40 45  
Asn Thr Pro Pro Ala Pro Trp Gly Ser Ser Gly Ser His Phe Ser  
50 55 60  
Trp Ser Leu Arg Ser Gln Lys Gln Leu Leu Gln Glu Ala Lys Lys  
65 70 75  
Arg Leu Gly Trp Leu Leu Val Leu Met Met Ala Phe Ile Leu Leu  
80 85 90  
Gly His Phe Gly Tyr Ile His Gly His Cys Phe His Leu Ser Phe  
95 100 105  
Leu Pro Val Pro Pro Leu Pro  
110

<210> 78  
<211> 54  
<212> PRT  
<213> Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009035

&lt;400&gt; 78

```

Met Met Leu Gln Pro Val Asp Leu Leu Gln Ser Tyr Leu Leu Leu
 1           5           10           15
Leu Tyr Cys Trp Ser Phe Ser Leu Leu Phe Thr Leu Leu Cys Asn
           20           25           30
Ala Val Arg Asn Asp Phe Phe His Lys Leu Phe Ser Ile Tyr Trp
           35           40           45
Met Tyr Asn Leu Thr His Ser Lys His
           50

```

&lt;210&gt; 79

&lt;211&gt; 57

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009152

&lt;400&gt; 79

```

Met Lys Phe Tyr Ala Val Leu Leu Ser Ile Cys Leu Leu Leu Ser
 1           5           10           15
Cys Trp Cys Ala Cys His Val Arg Asp Cys Asn Leu Ile Cys Leu
           20           25           30
Phe Ser Thr Val Lys Ala Ile Thr Arg Glu Leu Leu Gln Leu Pro
           35           40           45
Ser Tyr Val Lys Arg Phe Phe Phe Asn Ser Leu Arg
           50           55

```

&lt;210&gt; 80

&lt;211&gt; 52

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061752

&lt;400&gt; 80

```

Met Gln Arg Leu Gly Lys Ala Pro Gly Thr Trp Gln Ala Ile Ser
 1           5           10           15
Lys Cys Trp Leu Leu Leu Leu Ser Leu Pro Phe Ser Gln Ser
           20           25           30
Ile Ile Ile Ser Leu Arg Ala Gly Thr Met Ser Tyr Leu Pro Leu
           35           40           45
Tyr Phe Pro Gln Tyr Phe Pro
           50

```

<210> 81  
<211> 64  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2061933

<400> 81  
Met Lys Leu Leu Leu Lys Leu Asp Phe Phe Ile Leu Leu Gly  
1 5 10 15  
Ser Glu Glu Ser Arg Cys Leu Val Asp Val Gln Tyr Val Ile Phe  
20 25 30  
Phe Leu Ile Glu Cys Val His Leu Lys Ser Ser Leu Thr Phe Leu  
35 40 45  
Glu Arg Leu Leu Ser Ile Asn Asn Gly Ile Leu Glu Glu Lys Trp  
50 55 60  
Phe Phe Lys Ser

<210> 82  
<211> 65  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2081422

<400> 82  
Met Lys Pro Leu Ile Pro Phe Leu Ser Pro Pro Pro Leu Leu Pro  
1 5 10 15  
Leu Thr Phe Phe Leu Ser Ser Leu Leu Leu Ser Pro Leu Cys Arg  
20 25 30  
Ala Leu Gly Thr Ser Gln Ala Val Pro Pro Leu Arg Ala Leu Ser  
35 40 45  
Val Thr Asp Ala His Gly Ser Leu Leu Leu His Pro Lys Thr Leu  
50 55 60  
Ala Cys Pro Cys Leu  
65

<210> 83  
<211> 56  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature

<223> Incyte Clone No: 2101278

<400> 83

```

Met Arg Ala Asp Arg Leu Leu Pro Ile Ser Ala Leu Cys Leu Leu
 1           5           10           15
Tyr Thr Pro Gly Gly Ala Leu Glu Pro Ala Gln Val Gly Tyr Thr
          20           25           30
Ile Phe Leu Asn Ser Ile Trp Leu Pro Ala Tyr Phe Phe His Leu
          35           40           45
Phe Thr Val Ile Ser Gly Val Phe Leu Phe Ile
          50           55

```

<210> 84

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2121353

<400> 84

```

Met Pro Ala Leu Pro Pro Gly Phe Ser Gln Ala Gly Ser Cys Val
 1           5           10           15
Pro Thr Gly Ser Ser Leu Val Leu Cys Leu Leu Ala Ala Ser Leu
          20           25           30
Leu Leu Phe Val Pro Thr Leu Ala Leu Leu Thr Gly Ala Thr Thr
          35           40           45
Cys Trp Cys Leu His Asn Lys Arg Leu Ala Leu Arg Pro Leu Ala
          50           55           60
Trp Gln Gly Leu Trp Gly Leu Val Ser Thr Arg Leu Ser His Gly
          65           70           75
Arg Thr Ser Phe Tyr Phe Asn Ser Leu Pro Leu Gln Thr Asn Ser
          80           85           90
Ser Thr Cys Gln Asn His Ser Trp Asp Ser Gly Ala Arg Ala Thr
          95          100          105
Ala Leu Ala Ser Gly Arg Thr Gln Glu Gly Gly Val Gly Ser Val
          110          115          120

```

<210> 85

<211> 67

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2241736

<400> 85

```

Met Asn Ser Leu Val Leu Phe Leu Gly His Leu Gly Leu Leu Ile
 1           5           10           15

```

```

Lys Asp Cys Val Leu Leu Phe Ala Met Ser Lys Val Ser Gln Lys
      20                      25                      30
Gln Lys Val Leu Gly Pro Phe Gly Ser Pro Glu Leu Glu Ser Leu
      35                      40                      45
Gly Ile Gly Pro Arg Tyr Leu His Phe His Arg Phe Leu Val Gly
      50                      55                      60
Asp Phe Leu Gln Ala Lys Val
      65

```

```

<210> 86
<211> 62
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2271935

```

```

<400> 86
Met Ala Trp Leu Ser Phe Ala Ala Val Glu Met Thr Leu Leu Leu
  1                      5                      10                      15
His Ser Ser Ser Leu Leu Ser Phe Ala Lys Val Val Leu Ser Leu
      20                      25                      30
Pro Glu Ile Arg Pro Phe Gly Asp Gly Asn Phe Ser Leu Lys Gln
      35                      40                      45
Ser Ser Lys Gln Asn Pro Asn Pro Ala Arg Val Gly Arg Lys Ser
      50                      55                      60
Met Phe

```

```

<210> 87
<211> 75
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2295344

```

```

<400> 87
Met Met Ile Leu Leu Ser Leu Leu Val Ala Leu Ile Ser Val Ser
  1                      5                      10                      15
Leu Val Phe Leu Gly Leu Val Arg Phe Ser Arg Glu Asp Phe Ser
      20                      25                      30
Phe Pro Leu Trp Arg Glu Lys Ala Phe Tyr Gln His Ser Ser Ser
      35                      40                      45
Ser Val Gly Glu Arg Leu Gln Ala Leu Arg Lys His Ala Phe Thr
      50                      55                      60
Leu Phe Gly Thr Ile Pro Leu Leu Val Thr Val Pro Gln Val Pro
      65                      70                      75

```

<210> 88  
<211> 80  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2303994

<400> 88  
Met Asn Ser Ile Phe Phe Leu Ser Leu Cys Leu Pro Leu Trp Val  
1 5 10 15  
Ser Leu Leu Trp Ala Lys Pro Leu Glu Met His Lys Thr Ser Arg  
20 25 30  
His Gly Phe Trp Gln Lys Leu His Asp Phe Lys Leu Ala Leu Leu  
35 40 45  
Leu Leu Thr Phe His Arg Glu Lys Ile Phe Pro Leu Lys Lys Thr  
50 55 60  
Gly Leu Val Ile Phe Ser Leu Val Ala Leu Ser Arg Asp Ile Ser  
65 70 75  
Ala Leu His Tyr Thr  
80

<210> 89  
<211> 50  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2497805

<400> 89  
Met Arg Pro Ala Arg Leu Gly Pro Arg Cys Ser Asp Leu Asp Phe  
1 5 10 15  
Gly Leu Val Leu Ser Ser Trp Leu Arg Leu Ala Arg Cys Pro Leu  
20 25 30  
Glu Ser Ser Phe Gly Phe Ala Phe Phe Val Cys Leu Phe Ser Pro  
35 40 45  
Asn Phe Cys Gln Thr  
50

<210> 90  
<211> 116  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2646362

&lt;400&gt; 90

```

Met Trp Trp Ala Leu Cys Ser Met Leu Pro Leu Leu Gly Cys Ala
 1           5           10           15
Cys Ser Ser Gly Cys Trp Gly Ser Gly Pro Thr Pro Leu Leu Ala
          20           25           30
Glu Pro Thr Phe Leu Cys Val Ser Ser Arg Pro His Asn Pro Leu
          35           40           45
Ser Phe Leu Ser Val Leu Pro Cys Ser Arg Gly Pro Gly Pro Ser
          50           55           60
Gly Leu Gln Gly Asp Gly Ala Gly Leu Pro Ala His Leu Gly Pro
          65           70           75
Leu Ser Cys Ile Cys Leu Pro Ser Leu Leu Cys Asp Leu Gly Glu
          80           85           90
Arg Gln Cys Pro Leu Trp Ala Val Arg Ser Thr Gln Cys Leu Ile
          95          100          105
Ala Gly Lys Lys Val Leu Gln Arg Leu Cys Pro
          110          115

```

&lt;210&gt; 91

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2657146

&lt;400&gt; 91

```

Met Ile Cys Gln Cys Leu Arg Leu Leu Leu Val Leu Val Thr Leu
 1           5           10           15
Leu Ile Cys Phe Ser Pro Asp Arg Leu Thr Cys Pro Leu Asn Ser
          20           25           30
Ala Val Val Leu Ala Ser Tyr Ala Val Gln Cys Lys Ser Gln Arg
          35           40           45
Glu His Phe Thr Asp Gly Gln Val Val Leu Ile Ser Val Trp Arg
          50           55           60
Lys Ser Leu Val Pro Pro Ala
          65

```

&lt;210&gt; 92

&lt;211&gt; 538

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2755786

&lt;400&gt; 92

```

Met Ala Gly Ala Arg Ala Ala Ala Ala Ala Ser Ala Gly Ser
 1           5           10           15

```

Ser	Ala	Ser	Ser	Gly	Asn	Gln	Pro	Pro	Gln	Glu	Leu	Gly	Leu	Gly	
				20					25					30	
Glu	Leu	Leu	Glu	Glu	Phe	Ser	Arg	Thr	Gln	Tyr	Arg	Ala	Lys	Asp	
				35					40					45	
Gly	Ser	Gly	Thr	Gly	Gly	Ser	Lys	Val	Glu	Arg	Ile	Glu	Lys	Arg	
				50					55					60	
Cys	Leu	Glu	Leu	Phe	Gly	Arg	Asp	Tyr	Cys	Phe	Ser	Val	Ile	Pro	
				65					70					75	
Asn	Thr	Asn	Gly	Asp	Ile	Cys	Gly	His	Tyr	Pro	Arg	His	Ile	Val	
				80					85					90	
Phe	Leu	Glu	Tyr	Glu	Ser	Ser	Glu	Lys	Glu	Lys	Asp	Thr	Phe	Glu	
				95					100					105	
Ser	Thr	Val	Gln	Val	Ser	Lys	Leu	Gln	Asp	Leu	Ile	His	Arg	Ser	
				110					115					120	
Lys	Met	Ala	Arg	Cys	Arg	Gly	Arg	Phe	Val	Cys	Pro	Val	Ile	Leu	
				125					130					135	
Phe	Lys	Gly	Lys	His	Ile	Cys	Arg	Ser	Ala	Thr	Leu	Ala	Gly	Trp	
				140					145					150	
Gly	Glu	Leu	Tyr	Gly	Arg	Ser	Gly	Tyr	Asn	Tyr	Phe	Phe	Ser	Gly	
				155					160					165	
Gly	Ala	Asp	Asp	Ala	Trp	Ala	Asp	Val	Glu	Asp	Val	Thr	Glu	Glu	
				170					175					180	
Asp	Cys	Ala	Leu	Arg	Ser	Gly	Asp	Thr	His	Leu	Phe	Asp	Lys	Val	
				185					190					195	
Arg	Gly	Tyr	Asp	Ile	Lys	Leu	Leu	Arg	Tyr	Leu	Ser	Val	Lys	Tyr	
				200					205					210	
Ile	Cys	Asp	Leu	Met	Val	Glu	Asn	Lys	Lys	Val	Lys	Phe	Gly	Met	
				215					220					225	
Asn	Val	Thr	Ser	Ser	Glu	Lys	Val	Asp	Lys	Ala	Gln	Arg	Tyr	Ala	
				230					235					240	
Asp	Phe	Thr	Leu	Leu	Ser	Ile	Pro	Tyr	Pro	Gly	Cys	Glu	Phe	Phe	
				245					250					255	
Lys	Glu	Tyr	Lys	Asp	Arg	Asp	Tyr	Met	Ala	Glu	Gly	Leu	Ile	Phe	
				260					265					270	
Asn	Trp	Lys	Gln	Asp	Tyr	Val	Asp	Ala	Pro	Leu	Ser	Ile	Pro	Asp	
				275					280					285	
Phe	Leu	Thr	His	Ser	Leu	Asn	Ile	Asp	Trp	Ser	Gln	Tyr	Gln	Cys	
				290					295					300	
Trp	Asp	Leu	Val	Gln	Gln	Thr	Gln	Asn	Tyr	Leu	Lys	Leu	Leu	Leu	
				305					310					315	
Ser	Leu	Val	Asn	Ser	Asp	Asp	Asp	Ser	Gly	Leu	Leu	Val	His	Cys	
				320					325					330	
Ile	Ser	Gly	Trp	Asp	Arg	Thr	Pro	Leu	Phe	Ile	Ser	Leu	Leu	Arg	
				335					340					345	
Leu	Ser	Leu	Trp	Ala	Asp	Gly	Leu	Ile	His	Thr	Ser	Leu	Lys	Pro	
				350					355					360	
Thr	Glu	Ile	Leu	Tyr	Leu	Thr	Val	Ala	Tyr	Asp	Trp	Phe	Leu	Phe	
				365					370					375	
Gly	His	Met	Leu	Val	Asp	Arg	Leu	Ser	Lys	Gly	Glu	Glu	Ile	Phe	
				380					385					390	
Phe	Phe	Cys	Phe	Asn	Phe	Leu	Lys	His	Ile	Thr	Ser	Glu	Glu	Phe	
				395					400					405	
Ser	Ala	Leu	Lys	Thr	Gln	Arg	Arg	Lys	Ser	Leu	Pro	Ala	Arg	Asp	
				410					415					420	
Gly	Gly	Phe	Thr	Leu	Glu	Asp	Ile	Cys	Met	Leu	Arg	Arg	Lys	Asp	
				425					430					435	
Arg	Gly	Ser	Thr	Thr	Ser	Leu	Gly	Ser	Asp	Phe	Ser	Leu	Val	Met	

	440		445		450
Glu Ser Ser Pro	Gly Ala Thr Gly Ser	Phe Thr Tyr Glu Ala Val			
	455		460		465
Glu Leu Val Pro	Ala Gly Ala Pro Thr	Gln Ala Ala Trp Leu Ala			
	470		475		480
Ala Leu Ser Asp	Arg Glu Thr Arg Leu	Gln Glu Val Arg Ser Ala			
	485		490		495
Phe Leu Ala Ala	Tyr Ser Ser Thr Val	Gly Leu Arg Ala Val Ala			
	500		505		510
Pro Ser Pro Ser	Gly Ala Ile Gly Gly	Leu Leu Glu Gln Phe Ala			
	515		520		525
Arg Gly Val Gly	Leu Arg Ser Ile Ser	Ser Asn Ala Leu			
	530		535		

<210> 93  
 <211> 58  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2831245

<400> 93
Met Glu Met Lys Gly Ser Arg Val Trp Leu Leu Leu Leu Phe Met
1 5 10 15
Trp Lys Ala Arg Pro Thr Phe Phe Gln Ser Cys Val Val Pro Phe
20 25 30
Ile Leu Ser Pro Gln Asn Cys Val Gln Thr His Ser Leu Gly Pro
35 40 45
Gly Val Trp Leu Gly Val Phe Pro Ser Gly Ser Leu His
50 55

<210> 94  
 <211> 119  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3116250

<400> 94
Met Lys Val Leu Ile Ser Ser Leu Leu Leu Leu Pro Leu Met
1 5 10 15
Leu Met Ser Met Val Ser Ser Ser Leu Asn Pro Gly Val Ala Arg
20 25 30
Gly His Arg Asp Arg Gly Gln Ala Ser Arg Arg Trp Leu Gln Glu
35 40 45
Gly Gly Gln Glu Cys Glu Cys Lys Asp Trp Phe Leu Arg Ala Pro
50 55 60



```

Arg Arg Lys Phe Met Thr Val Ser Gly Leu Pro Lys Lys Gln Cys
      65                      70                      75
Pro Cys Asp His Phe Lys Gly Asn Val Lys Lys Thr Arg His Gln
      80                      85                      90
Arg His His Arg Lys Pro Asn Lys His Ser Arg Ala Cys Gln Gln
      95                      100                     105
Phe Leu Lys Gln Cys Gln Leu Arg Ser Phe Ala Leu Pro Leu
      110                     115

```

<210> 95  
 <211> 128  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3129630

```

<400> 95
Met Ala Tyr Ser Thr Val Gln Arg Val Ala Leu Ala Ser Gly Leu
  1          5          10          15
Val Leu Ala Leu Ser Leu Leu Leu Pro Lys Ala Phe Leu Ser Arg
      20          25          30
Gly Lys Arg Gln Glu Pro Pro Pro Thr Pro Glu Gly Lys Leu Gly
      35          40          45
Arg Phe Pro Pro Met Met His His His Gln Ala Pro Ser Asp Gly
      50          55          60
Gln Thr Pro Gly Ala Arg Phe Gln Arg Ser His Leu Ala Glu Ala
      65          70          75
Phe Ala Lys Ala Lys Gly Ser Gly Gly Ala Gly Gly Gly Gly
      80          85          90
Ser Gly Arg Gly Leu Met Gly Gln Ile Ile Pro Ile Tyr Gly Phe
      95          100         105
Gly Ile Phe Leu Tyr Ile Leu Tyr Ile Leu Phe Lys Val Ser Arg
      110         115         120
Ile Ile Leu Ile Ile Leu His Gln
      125

```

<210> 96  
 <211> 124  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 007632

```

<400> 96
Met Tyr Lys Leu Ala Ser Cys Cys Leu Leu Phe Ile Gly Phe Leu
  1          5          10          15
Asn Pro Leu Leu Ser Leu Pro Leu Leu Asp Ser Arg Glu Ile Ser

```

	20		25		30									
Phe	Gln	Leu	Ser	Ala	Pro	His	Glu	Asp	Ala	Arg	Leu	Thr	Pro	Glu
	35		40		45									
Glu	Leu	Glu	Arg	Ala	Ser	Leu	Leu	Gln	Ile	Leu	Pro	Glu	Met	Leu
	50		55		60									
Gly	Ala	Glu	Arg	Gly	Asp	Ile	Leu	Arg	Lys	Ala	Asp	Ser	Ser	Thr
	65		70		75									
Asn	Ile	Phe	Asn	Pro	Arg	Gly	Asn	Leu	Arg	Lys	Phe	Gln	Asp	Phe
	80		85		90									
Ser	Gly	Gln	Asp	Pro	Asn	Ile	Leu	Leu	Ser	His	Leu	Leu	Ala	Arg
	95		100		105									
Ile	Trp	Lys	Pro	Tyr	Lys	Lys	Arg	Glu	Thr	Pro	Asp	Cys	Phe	Trp
	110		115		120									
Lys	Tyr	Cys	Val											

&lt;210&gt; 97

&lt;211&gt; 182

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236968

&lt;400&gt; 97

Met	Trp	Pro	Leu	Ser	Ser	Asp	Ser	Ser	Trp	Ser	Leu	Trp	Ile	Ser
1			5						10					15
Thr	Gly	Met	Ala	Pro	Ala	Pro	Ser	Ser	Ser	Thr	Arg	Ser	Phe	Ser
			20						25					30
Glu	Ser	Leu	Lys	Gln	Lys	Leu	Val	Arg	Val	Leu	Glu	Glu	Asn	Leu
			35						40					45
Ile	Leu	Ser	Glu	Lys	Ile	Gln	Gln	Leu	Glu	Glu	Gly	Ala	Ala	Ile
			50						55					60
Ser	Ile	Val	Ser	Gly	Gln	Gln	Ser	His	Thr	Tyr	Asp	Asp	Leu	Leu
			65						70					75
His	Lys	Asn	Gln	Gln	Leu	Thr	Met	Gln	Val	Ala	Cys	Leu	Asn	Gln
			80						85					90
Glu	Leu	Ala	Gln	Leu	Lys	Lys	Leu	Glu	Lys	Thr	Val	Ala	Ile	Leu
			95						100					105
His	Glu	Ser	Gln	Arg	Ser	Leu	Val	Val	Thr	Asn	Glu	Tyr	Leu	Leu
			110						115					120
Gln	Gln	Leu	Asn	Lys	Glu	Pro	Lys	Gly	Tyr	Ser	Gly	Lys	Ala	Leu
			125						130					135
Leu	Pro	Pro	Glu	Lys	Gly	His	His	Leu	Gly	Arg	Ser	Ser	Pro	Phe
			140						145					150
Gly	Lys	Ser	Thr	Leu	Ser	Ser	Ser	Ser	Pro	Val	Ala	His	Glu	Thr
			155						160					165
Gly	Gln	Tyr	Leu	Ile	Gln	Ser	Val	Leu	Asp	Ala	Ala	Pro	Glu	Pro
			170						175					180
Gly	Leu													

<210> 98  
 <211> 237  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1334153

<400> 98  
 Met Lys Gly Ile Leu Val Ala Gly Ile Thr Ala Val Leu Val Ala  
 1 5 10 15  
 Ala Val Glu Ser Leu Ser Cys Val Pro Cys Asn Ser Trp Glu Lys  
 20 25 30  
 Ser Cys Val Asn Ser Ile Ala Ser Glu Cys Pro Ser His Ala Asn  
 35 40 45  
 Thr Ser Cys Ile Ser Ser Ser Ala Ser Ser Ser Leu Glu Thr Pro  
 50 55 60  
 Val Arg Leu Tyr Gln Asn Met Phe Cys Ser Ala Glu Asn Cys Ser  
 65 70 75  
 Glu Glu Thr His Ile Thr Ala Phe Thr Val His Val Ser Ala Glu  
 80 85 90  
 Glu His Phe His Phe Val Ser Gln Cys Cys Gln Gly Lys Glu Cys  
 95 100 105  
 Ser Asn Thr Ser Asp Ala Leu Asp Pro Pro Leu Lys Asn Val Ser  
 110 115 120  
 Ser Asn Ala Glu Cys Pro Ala Cys Tyr Glu Ser Asn Gly Thr Ser  
 125 130 135  
 Cys Arg Gly Lys Pro Trp Lys Cys Tyr Glu Glu Glu Gln Cys Val  
 140 145 150  
 Phe Leu Val Ala Glu Leu Lys Asn Asp Ile Glu Ser Lys Ser Leu  
 155 160 165  
 Val Leu Lys Gly Cys Ser Asn Val Ser Asn Ala Thr Cys Gln Phe  
 170 175 180  
 Leu Ser Gly Glu Asn Lys Thr Leu Gly Gly Val Ile Phe Arg Lys  
 185 190 195  
 Phe Glu Cys Ala Asn Val Asn Ser Leu Thr Pro Thr Ser Ala Pro  
 200 205 210  
 Thr Thr Ser His Asn Val Gly Ser Lys Ala Ser Leu Tyr Leu Leu  
 215 220 225  
 Ala Leu Ala Ser Leu Leu Leu Arg Gly Leu Leu Pro  
 230 235

<210> 99  
 <211> 160  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1396975

<400> 99  
 Met Arg Pro Gly Pro Met Leu Gln Ala Arg Val Ser Ile Pro Ala

```

1           5           10           15
Ala Leu Gly Thr Leu Phe Pro Arg Pro Gly Trp Ala Pro Gly Glu
20           25           30
Val Ser Ser Glu Ile Ser Ser Arg Asp Leu Leu Asn Pro His Pro
35           40           45
Ser Thr Pro Ser Cys Cys Ser Gln Ser Trp Ser Pro Met Ser Val
50           55           60
Leu Glu Pro Asp Ser Arg Gly Pro Pro Pro Ile Ser Leu Thr His
65           70           75
Thr Gly Ile His Thr Pro Gln Lys Thr Ser Gln Met Arg Pro Asp
80           85           90
Ser Gly Ser Arg Gly Met Cys Phe Cys Pro Cys Lys Gly Phe Gly
95           100          105
Glu Gly Gly Asn Ile Val Glu Ala Gly Lys Ser Pro Gln Thr Cys
110          115          120
Ala His Ala Pro Pro Ala Leu Arg Phe His Ser Ala Phe Ser Glu
125          130          135
Cys Pro Cys Cys Thr Gln Thr Thr Gly Gln Glu Arg Pro Ser Leu
140          145          150
Pro Leu Gln Pro Leu Ser Leu Pro Phe Asn
155          160

```

&lt;210&gt; 100

&lt;211&gt; 148

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1501749

&lt;400&gt; 100

```

Met Ala Ala Ser Pro Ala Arg Pro Ala Val Leu Ala Leu Thr Gly
1           5           10           15
Leu Ala Leu Leu Leu Leu Leu Cys Trp Gly Pro Gly Gly Ile Ser
20           25           30
Gly Asn Lys Leu Lys Leu Met Leu Gln Lys Arg Glu Ala Pro Val
35           40           45
Pro Thr Lys Thr Lys Val Ala Val Asp Glu Asn Lys Ala Lys Glu
50           55           60
Phe Leu Gly Ser Leu Lys Arg Gln Lys Arg Gln Leu Trp Asp Arg
65           70           75
Thr Arg Pro Glu Val Gln Gln Trp Tyr Gln Gln Phe Leu Tyr Met
80           85           90
Gly Phe Asp Glu Ala Lys Phe Glu Asp Asp Ile Thr Tyr Trp Leu
95           100          105
Asn Arg Asp Arg Asn Gly His Glu Tyr Tyr Gly Asp Tyr Tyr Gln
110          115          120
Arg His Tyr Asp Glu Asp Ser Ala Ile Gly Pro Arg Ser Pro Tyr
125          130          135
Gly Phe Arg His Gly Ala Ser Val Asn Tyr Asp Asp Tyr
140          145

```

<210> 101  
 <211> 170  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1575240

<400> 101  
 Met Thr Pro Thr Lys Arg Glu Pro Pro Ala Ala Pro Leu Leu Leu  
 1 5 10 15  
 Arg Val Leu Pro Gln Leu Ser Ala Met Ser Leu Arg Leu Ser Thr  
 20 25 30  
 Arg Arg Glu Asp Met Ile Gly Gln Thr Ser Gly Met Cys Ser Phe  
 35 40 45  
 Cys Ser Phe Gln Asn Met Arg Gly Glu Ser Ile Trp Leu Leu Cys  
 50 55 60  
 Leu Glu Glu Glu Gly Ala Gly Leu Cys Gln Asn Ser Leu Asp Lys  
 65 70 75  
 Arg Phe Ser Gln Lys Glu Gly Cys Ser Asp Asp Lys Ser Pro Leu  
 80 85 90  
 His His Phe Pro Trp Leu Ser Asp Ala Pro Pro Ser Ser His Ala  
 95 100 105  
 Arg Thr Ser Glu Ile Arg Leu Pro Pro Asp Ile Thr Gln Pro Cys  
 110 115 120  
 Leu Thr Lys Arg Gln Trp Phe Ile Pro Ser Leu Gly Glu Lys Arg  
 125 130 135  
 Gly Asn Ala Lys Leu Leu His Gln Leu Leu Ile Leu Leu Pro Ala  
 140 145 150  
 Arg Asn Pro Gly Tyr Leu Gln Val Ser Leu Pro Leu Val Trp Ser  
 155 160 165  
 Trp Leu Ser Leu Phe  
 170

<210> 102  
 <211> 150  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1647884

<400> 102  
 Met Gly Ala Ala Ala Trp Ala Arg Pro Leu Ser Val Ser Phe Leu  
 1 5 10 15  
 Leu Leu Leu Leu Pro Leu Pro Gly Met Pro Ala Gly Ser Trp Asp  
 20 25 30  
 Pro Ala Gly Tyr Leu Leu Tyr Cys Pro Cys Met Gly Lys Ala Ser  
 35 40 45  
 Gln Ala Leu Cys Ser Asp Gly Glu Thr Glu Ala Gly Arg Gly Lys  
 50 55 60

Ala	Thr	Pro	Gln	Met	Arg	Pro	Glu	Thr	Pro	Ser	Gln	Val	Gln	Glu
				65						70				75
Arg	Thr	Ser	Glu	Arg	Asp	Gly	Ala	Cys	Ser	Ser	Pro	Leu	Cys	Leu
				80						85				90
Ser	Cys	Lys	Gly	Thr	Glu	Gly	Pro	Thr	Cys	Pro	Thr	Phe	His	Leu
				95						100				105
Thr	Asp	Glu	Lys	Thr	Glu	Ala	Gly	Arg	Gly	Tyr	Val	Thr	Cys	Leu
				110						115				120
Arg	Ser	Lys	Pro	Val	Gln	Gly	Pro	Val	Asn	Gly	Val	Ser	Gly	Ala
				125						130				135
Gly	Leu	Asp	Val	Thr	Asp	Pro	Arg	Trp	Leu	Leu	Val	Ile	Phe	His
				140						145				150

&lt;210&gt; 103

&lt;211&gt; 142

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1661144

&lt;400&gt; 103

Met	Gly	Cys	Leu	Val	Trp	Gly	Pro	Ser	Trp	Pro	Pro	Leu	Ser	Leu
1				5					10					15
Leu	Ala	Ser	Leu	Leu	His	Ser	Gly	Ile	Ala	Gly	Arg	Cys	Leu	Leu
				20					25					30
Cys	Leu	Phe	Lys	Gly	Leu	Ala	Ala	Ala	Ala	Ser	Leu	Gln	Ile	Arg
				35					40					45
Asp	Leu	Ala	Ser	Arg	Leu	Thr	Thr	Gly	Pro	Arg	Thr	Cys	Arg	Val
				50					55					60
Gln	Pro	Pro	Pro	His	Pro	Gln	Ser	Ser	Pro	Pro	Trp	Pro	Gly	Pro
				65					70					75
Pro	Gly	Ala	Glu	Thr	Cys	Arg	Pro	Leu	Ser	Arg	Thr	Val	Gly	Gly
				80					85					90
Val	Cys	Pro	Ser	Asp	Trp	Pro	Val	Ser	Trp	Leu	Leu	Leu	Pro	Pro
				95					100					105
Leu	Pro	Glu	Val	Val	Thr	Cys	Ser	Cys	Pro	Arg	Ile	Lys	Ala	Arg
				110					115					120
Pro	Glu	Arg	Thr	Pro	Glu	Leu	Leu	Cys	Ala	Trp	Gly	Gly	Arg	Gly
				125					130					135
Lys	His	Ser	Gln	Leu	Val	Ala								
				140										

&lt;210&gt; 104

&lt;211&gt; 110

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

<223> Incyte Clone No: 1685409

<400> 104

```

Met Glu Thr Gly Arg Leu Leu Ser Leu Ser Ser Leu Pro Leu Val
 1           5           10           15
Leu Leu Gly Trp Glu Tyr Ser Ser Gln Thr Leu Asn Leu Val Pro
           20           25           30
Ser Thr Ser Ile Leu Ser Phe Val Pro Phe Ile Pro Leu His Leu
           35           40           45
Val Leu Phe Ala Leu Trp Tyr Leu Pro Val Pro His His Leu Tyr
           50           55           60
Pro Gln Gly Leu Gly Asp His Ala Ala Glu Ala Glu Lys Gly Lys
           65           70           75
Arg Glu Glu Gly Gly Thr Gln Val Ala Leu Trp Leu Arg Val Gln
           80           85           90
Pro Ser Cys Pro Ser Pro Val Cys Leu Glu Pro Val Pro Pro Arg
           95          100          105
Ser Arg Phe Leu Leu
           110

```

<210> 105

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1731419

<400> 105

```

Met Ser Arg Ala Gly Met Leu Gly Val Val Cys Ala Leu Leu Val
 1           5           10           15
Trp Ala Tyr Leu Ala Val Gly Lys Leu Val Val Arg Met Thr Phe
           20           25           30
Thr Glu Leu Cys Thr His His Pro Trp Ser Leu Arg Cys Glu Ser
           35           40           45
Phe Cys Arg Ser Arg Val Thr Ala Cys Leu Pro Ala Pro Ala Pro
           50           55           60
Trp Leu Arg Pro Phe Leu Cys Pro Met Leu Phe Ser Asp Arg Asn
           65           70           75
Pro Val Glu Cys His Leu Phe Gly Glu Ala Val Ser Asp Pro Val
           80           85           90
Cys Lys Gly Leu Leu Pro His Tyr Phe Trp His Pro Thr Phe Phe
           95          100          105
Pro Val Lys Ala Asn Cys Leu Val Ser Phe Cys Pro Thr Thr Val
           110          115          120

```

<210> 106

<211> 135

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2650265

&lt;400&gt; 106

```

Met Ala Arg Phe Trp Val Cys Val Ala Gly Ala Gly Phe Phe Leu
 1           5           10           15
Ala Phe Leu Val Leu His Ser Arg Phe Cys Gly Ser Pro Val Leu
          20           25           30
Arg Asn Phe Thr Phe Ala Val Ser Trp Arg Thr Glu Lys Ile Leu
          35           40           45
Tyr Arg Leu Asp Val Gly Trp Pro Lys His Pro Glu Tyr Phe Thr
          50           55           60
Gly Thr Thr Phe Cys Val Ala Val Asp Ser Leu Asn Gly Leu Val
          65           70           75
Tyr Ile Gly Gln Arg Gly Asp Asn Ile Pro Lys Ile Leu Val Phe
          80           85           90
Thr Glu Asp Gly Tyr Phe Leu Arg Ala Trp Asn Tyr Thr Val Asp
          95          100          105
Thr Pro His Gly Ile Phe Ala Ala Ser Thr Leu Tyr Glu Gln Ser
          110          115          120
Val Trp Ile Thr Asp Val Gly Ser Gly Met Tyr Ser Asn Ile Tyr
          125          130          135

```

&lt;210&gt; 107

&lt;211&gt; 301

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2677129

&lt;400&gt; 107

```

Met Leu Met Ile Ile Ile Ile Glu Pro Phe Ser Val Leu Ile Leu
 1           5           10           15
Phe Lys Ser Gly Ile Leu Ala Asp Phe Phe Ala Leu Leu Leu Leu
          20           25           30
Ile Asn Phe Phe Leu Val Ser Phe Phe Leu Ala Tyr Pro Leu Phe
          35           40           45
Asn Asn Gln Ile Asn Ser Arg Ser Met Asn Glu Ile Lys Asn Leu
          50           55           60
Gln Tyr Leu Pro Arg Thr Ser Glu Pro Arg Glu Val Leu Phe Glu
          65           70           75
Asp Arg Thr Arg Ala His Ala Asp His Val Gly Gln Gly Phe Asp
          80           85           90
Trp Gln Ser Thr Ala Ala Val Gly Val Leu Lys Ala Val Gln Phe
          95          100          105
Gly Glu Trp Ser Asp Gln Pro Arg Ile Thr Lys Asp Val Ile Cys
          110          115          120
Phe His Ala Glu Asp Phe Thr Asp Val Val Gln Arg Leu Gln Leu
          125          130          135
Asp Leu His Glu Pro Pro Val Ser Gln Cys Val Gln Trp Val Asp
          140          145          150

```



```

Glu Ala Lys Leu Asn Gln Met Arg Arg Glu Gly Ile Arg Tyr Ala
      155      160      165
Arg Ile Gln Leu Cys Asp Asn Asp Ile Tyr Phe Ile Pro Arg Asn
      170      175      180
Val Ile His Gln Phe Lys Thr Val Ser Ala Val Cys Ser Leu Ala
      185      190      195
Trp His Ile Arg Leu Lys Gln Tyr His Pro Val Val Glu Ala Thr
      200      205      210
Gln Asn Thr Glu Ser Asn Ser Asn Met Asp Cys Gly Leu Thr Gly
      215      220      225
Lys Arg Glu Leu Glu Val Asp Ser Gln Cys Val Arg Ile Lys Thr
      230      235      240
Glu Ser Glu Glu Ala Cys Thr Glu Ile Gln Leu Leu Thr Thr Ala
      245      250      255
Ser Ser Ser Phe Pro Pro Ala Ser Glu Leu Asn Leu Gln Gln Asp
      260      265      270
Gln Lys Thr Gln Pro Ile Pro Val Leu Lys Val Glu Ser Arg Leu
      275      280      285
Asp Ser Asp Gln Gln His Asn Leu Gln Glu His Ser Thr Thr Ser
      290      295      300
Val

```

```

<210> 108
<211> 103
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 3151073

```

```

<400> 108
Met Ser Phe Val Pro Gly Leu Leu Leu Cys Phe Val Leu Leu Leu
  1      5      10      15
Cys Val Ser Pro Val Tyr Leu Pro Ser Arg Ser Pro Ser Thr Phe
      20      25      30
Pro Ile Ser Glu Pro Leu Ser Phe Ile Gly Met Ser Ala Trp Pro
      35      40      45
Gln Cys Ser Pro Ile Tyr Ser Gln Thr Pro Gly Leu Ala Tyr Glu
      50      55      60
Pro Ser Ser Phe Pro Lys Arg Arg Tyr Trp Val Cys Thr Leu His
      65      70      75
Glu Ile Lys Trp Glu Cys Pro Arg Ser Arg Arg Thr Ser Asp Ala
      80      85      90
Val His Ala Asn Lys Leu Gly Leu Pro Leu Lys Ile Ile
      95      100

```

```

<210> 109
<211> 95
<212> PRT
<213> Homo sapiens

```

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3170095

&lt;400&gt; 109

```

Met Lys Phe Leu Leu Val Leu Ala Ala Leu Gly Phe Leu Thr
 1           5           10           15
Gln Val Ile Pro Ala Ser Ala Gly Gly Ser Lys Cys Val Ser Asn
           20           25           30
Thr Pro Gly Tyr Cys Arg Thr Cys Cys His Trp Gly Glu Thr Ala
           35           40           45
Leu Phe Met Cys Asn Ala Ser Arg Lys Cys Cys Ile Ser Tyr Ser
           50           55           60
Phe Leu Pro Lys Pro Asp Leu Pro Gln Leu Ile Gly Asn His Trp
           65           70           75
Gln Ser Arg Arg Arg Asn Thr Gln Arg Lys Asp Lys Lys Gln Gln
           80           85           90
Thr Thr Val Thr Ser
           95

```

&lt;210&gt; 110

&lt;211&gt; 113

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3475168

&lt;400&gt; 110

```

Met Ser Pro Ser Pro Arg Trp Gly Phe Leu Cys Val Leu Phe Thr
 1           5           10           15
Ala Val His Pro Ala Pro Ser Thr Ala Pro Val Gln Asp Lys Cys
           20           25           30
Pro Val Asn Thr Trp Glu Ala Met Gln Ala Ser Ser Gln Gln Leu
           35           40           45
Leu Gln Thr Asp Pro Arg Pro Lys Pro Phe Leu Leu Pro Pro Leu
           50           55           60
Pro Pro Leu Leu Leu Ile Ser Ala Gly Thr Glu Val Ser Ser Leu
           65           70           75
Val Phe Gln Lys Ser Pro Leu His Thr Gln Pro Glu Gly Ala Ile
           80           85           90
Lys Thr Ala Gly Gln Pro Thr Ser Val His Ser Lys Val Leu Ser
           95          100          105
Lys Gly Ser Leu Leu Leu Gly Glu
           110

```

&lt;210&gt; 111

&lt;211&gt; 234

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3836893

&lt;400&gt; 111

```

Met Arg Lys Thr Arg Leu Trp Gly Leu Leu Trp Met Leu Phe Val
 1           5           10           15
Ser Glu Leu Arg Ala Thr Lys Leu Thr Glu Glu Lys Tyr Glu
          20           25           30
Leu Lys Glu Gly Gln Thr Leu Asp Val Lys Cys Asp Tyr Thr Leu
          35           40           45
Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln Ile Ile Arg Asp
          50           55           60
Gly Glu Met Pro Lys Thr Leu Ala Cys Thr Glu Arg Pro Ser Lys
          65           70           75
Asn Ser His Pro Val Gln Val Gly Arg Ile Ile Leu Glu Asp Tyr
          80           85           90
His Asp His Gly Leu Leu Arg Val Arg Met Val Asn Leu Gln Val
          95          100          105
Glu Asp Ser Gly Leu Tyr Gln Cys Val Ile Tyr Gln Pro Pro Lys
          110          115          120
Glu Pro His Met Leu Phe Asp Arg Ile Arg Leu Val Val Thr Lys
          125          130          135
Gly Phe Ser Gly Thr Pro Gly Ser Asn Glu Asn Ser Thr Gln Asn
          140          145          150
Val Tyr Lys Ile Pro Pro Thr Thr Thr Lys Ala Leu Cys Pro Leu
          155          160          165
Tyr Thr Ser Pro Arg Thr Val Thr Gln Ala Pro Pro Lys Ser Thr
          170          175          180
Ala Asp Val Ser Thr Pro Asp Ser Glu Ile Asn Leu Thr Asn Val
          185          190          195
Thr Asp Ile Ile Arg Val Pro Val Phe Asn Ile Val Ile Leu Leu
          200          205          210
Ala Gly Gly Phe Leu Ser Lys Ser Leu Val Phe Ser Val Leu Phe
          215          220          225
Ala Val Thr Leu Arg Ser Phe Val Pro
          230

```

&lt;210&gt; 112

&lt;211&gt; 119

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 4072159

&lt;400&gt; 112

```

Met Val Leu Pro Leu Pro Trp Leu Ser Arg Tyr His Phe Leu Arg
 1           5           10           15
Leu Leu Leu Pro Ser Trp Ser Leu Ala Pro Gln Gly Ser His Gly
          20           25           30
Cys Cys Ser Gln Asn Pro Lys Ala Ser Met Glu Glu Gln Thr Asn
          35           40           45

```

```

Ser Arg Gly Asn Gly Lys Met Thr Ser Pro Pro Arg Gly Pro Gly
      50                      55                      60
Thr His Arg Thr Ala Glu Leu Ala Arg Ala Glu Glu Leu Leu Glu
      65                      70                      75
Gln Gln Leu Glu Leu Tyr Gln Ala Leu Leu Glu Gly Gln Glu Gly
      80                      85                      90
Ala Trp Glu Ala Gln Ala Leu Val Leu Lys Ile Gln Lys Leu Lys
      95                      100                     105
Glu Gln Met Arg Arg His Gln Glu Ser Leu Gly Gly Gly Ala
      110                     115

```

&lt;210&gt; 113

&lt;211&gt; 200

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1003916

&lt;400&gt; 113

```

Met Ala Ser Ser Leu Thr Cys Thr Gly Val Ile Trp Ala Leu Leu
  1      5      10      15
Ser Phe Leu Cys Ala Ala Thr Ser Cys Val Gly Phe Phe Met Pro
      20      25      30
Tyr Trp Leu Trp Gly Ser Gln Leu Gly Lys Pro Val Ser Phe Gly
      35      40      45
Thr Phe Arg Arg Cys Ser Tyr Pro Val His Asp Glu Ser Arg Gln
      50      55      60
Met Met Val Met Val Glu Glu Cys Gly Arg Tyr Ala Ser Phe Gln
      65      70      75
Gly Ile Pro Ser Ala Glu Trp Arg Ile Cys Thr Ile Val Thr Gly
      80      85      90
Leu Gly Cys Gly Leu Leu Leu Leu Val Ala Leu Thr Ala Leu Met
      95     100     105
Gly Cys Cys Val Ser Asp Leu Ile Ser Arg Thr Val Gly Arg Val
     110     115     120
Ala Gly Gly Ile Gln Phe Leu Gly Gly Leu Leu Ile Gly Ala Gly
     125     130     135
Cys Ala Leu Tyr Pro Leu Gly Trp Asp Ser Glu Glu Val Arg Gln
     140     145     150
Thr Cys Gly Tyr Thr Ser Gly Gln Phe Asp Leu Gly Lys Cys Glu
     155     160     165
Ile Gly Trp Ala Tyr Tyr Cys Thr Gly Ala Gly Ala Thr Ala Ala
     170     175     180
Met Leu Leu Cys Thr Trp Leu Ala Cys Phe Ser Gly Lys Lys Gln
     185     190     195
Lys His Tyr Pro Tyr
     200

```

&lt;210&gt; 114

<211> 225  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2093492

<400> 114  
 Met Gly Phe Arg Leu Glu Gly Ile Phe Pro Ala Ala Leu Leu Pro  
 1 5 10 15  
 Leu Leu Leu Thr Met Ile Leu Phe Leu Gly Pro Leu Met Gln Leu  
 20 25 30  
 Ser Met Asp Cys Pro Cys Asp Leu Ala Asp Gly Leu Lys Val Val  
 35 40 45  
 Leu Ala Pro Arg Ser Trp Ala Arg Cys Leu Thr Asp Met Arg Trp  
 50 55 60  
 Leu Arg Asn Gln Val Ile Ala Pro Leu Thr Glu Glu Leu Val Phe  
 65 70 75  
 Arg Ala Cys Met Leu Pro Met Leu Ala Pro Cys Met Gly Leu Gly  
 80 85 90  
 Pro Ala Val Phe Thr Cys Pro Leu Phe Phe Gly Val Ala His Phe  
 95 100 105  
 His His Ile Ile Glu Gln Leu Arg Phe Arg Gln Ser Ser Val Gly  
 110 115 120  
 Asn Ile Phe Leu Ser Ala Ala Phe Gln Phe Ser Tyr Thr Ala Val  
 125 130 135  
 Phe Gly Ala Tyr Thr Ala Phe Leu Phe Ile Arg Thr Gly His Leu  
 140 145 150  
 Ile Gly Pro Val Leu Cys His Ser Phe Cys Asn Tyr Met Gly Phe  
 155 160 165  
 Pro Ala Val Cys Ala Ala Leu Glu His Pro Gln Arg Arg Pro Leu  
 170 175 180  
 Leu Ala Gly Tyr Ala Leu Gly Val Gly Leu Phe Leu Leu Leu Leu  
 185 190 195  
 Gln Pro Leu Thr Asp Pro Lys Leu Tyr Gly Ser Leu Pro Leu Cys  
 200 205 210  
 Val Leu Leu Glu Arg Ala Gly Asp Ser Glu Ala Pro Leu Cys Ser  
 215 220 225

<210> 115  
 <211> 155  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2108789

<400> 115  
 Met Ser Gly Leu Leu Ile Pro Pro Leu Pro Gly Trp Val Leu Gly  
 1 5 10 15  
 Pro Leu Met Trp Ala Cys Arg Pro Pro Gln Asp Glu Pro Ser Gly  
 20 25 30

```

Thr Asp Pro Pro Pro Pro Arg Leu Gln Pro His His Val Ser Gly
      35                      40                      45
Leu Gly Leu Gly Gln Ala Trp Ala Gln Ser Trp Ala Pro Arg Gly
      50                      55                      60
Ser Pro Pro Leu Thr Trp Leu Leu Pro Thr Leu Pro Leu Lys Asp
      65                      70                      75
Gly Pro Ala Ala Arg Leu Pro Pro Pro Pro His Thr Thr Leu Gly
      80                      85                      90
Gly Leu Ser His Pro Pro Gln Pro Arg Ser Ala Gln Thr Asp Pro
      95                      100                     105
His Ser Ile Pro Arg Pro Ala Ala Gln Val Arg Gly Pro Val Leu
      110                     115                     120
Pro Gly Ala Trp Ala Thr Pro Tyr Ala Ile Ser Ser Glu Gln Pro
      125                     130                     135
Gly Pro Thr Asp Pro His Ala Leu Ser Tyr Val Pro Phe Ser Pro
      140                     145                     150
Asp Phe Phe Cys Thr
      155

```

&lt;210&gt; 116

&lt;211&gt; 468

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2171401

&lt;400&gt; 116

```

Met Gly Arg Gly Trp Gly Phe Leu Phe Gly Leu Leu Gly Ala Val
  1                      5                      10                      15
Trp Leu Leu Ser Ser Gly His Gly Glu Gln Pro Pro Glu Thr
      20                      25                      30
Ala Ala Gln Arg Cys Phe Cys Gln Val Ser Gly Tyr Leu Asp Asp
      35                      40                      45
Cys Thr Cys Asp Val Glu Thr Ile Asp Arg Phe Asn Asn Tyr Arg
      50                      55                      60
Leu Phe Pro Arg Leu Gln Lys Leu Leu Glu Ser Asp Tyr Phe Arg
      65                      70                      75
Tyr Tyr Lys Val Asn Leu Lys Arg Pro Cys Pro Phe Trp Asn Asp
      80                      85                      90
Ile Ser Gln Cys Gly Arg Arg Asp Cys Ala Val Lys Pro Cys Gln
      95                      100                     105
Ser Asp Glu Val Pro Asp Gly Ile Lys Ser Ala Ser Tyr Lys Tyr
      110                     115                     120
Ser Glu Glu Ala Asn Asn Leu Ile Glu Glu Cys Glu Gln Ala Glu
      125                     130                     135
Arg Leu Gly Ala Val Asp Glu Ser Leu Ser Glu Glu Thr Gln Lys
      140                     145                     150
Ala Val Leu Gln Trp Thr Lys His Asp Asp Ser Ser Asp Asn Phe
      155                     160                     165
Cys Glu Ala Asp Asp Ile Gln Ser Pro Glu Ala Glu Tyr Val Asp
      170                     175                     180
Leu Leu Leu Asn Pro Glu Arg Tyr Thr Gly Tyr Lys Gly Pro Asp

```

	185		190		195
Ala Trp Lys Ile	Trp Asn Val Ile Tyr	Glu Glu Asn Cys Phe Lys			
	200		205		210
Pro Gln Thr Ile	Lys Arg Pro Leu Asn	Pro Leu Ala Ser Gly Gln			
	215		220		225
Gly Thr Ser Glu	Glu Asn Thr Phe Tyr	Ser Trp Leu Glu Gly Leu			
	230		235		240
Cys Val Glu Lys	Arg Ala Phe Tyr Arg	Leu Ile Ser Gly Leu His			
	245		250		255
Ala Ser Ile Asn	Val His Leu Ser Ala	Arg Tyr Leu Leu Gln Glu			
	260		265		270
Thr Trp Leu Glu	Lys Lys Trp Gly His	Asn Ile Thr Glu Phe Gln			
	275		280		285
Gln Arg Phe Asp	Gly Ile Leu Thr Glu	Gly Glu Gly Pro Arg Arg			
	290		295		300
Leu Lys Asn Leu	Tyr Phe Leu Tyr Leu	Ile Glu Leu Arg Ala Leu			
	305		310		315
Ser Lys Val Leu	Pro Phe Phe Glu Arg	Pro Asp Phe Gln Leu Phe			
	320		325		330
Thr Gly Asn Lys	Ile Gln Asp Glu Glu	Asn Lys Met Leu Leu Leu			
	335		340		345
Glu Ile Leu His	Glu Ile Lys Ser Phe	Pro Leu His Phe Asp Glu			
	350		355		360
Asn Ser Phe Phe	Ala Gly Asp Lys Lys	Glu Ala His Lys Leu Lys			
	365		370		375
Glu Asp Phe Arg	Leu His Phe Arg Asn	Ile Ser Arg Ile Met Asp			
	380		385		390
Cys Val Gly Cys	Phe Lys Cys Arg Leu	Trp Gly Lys Leu Gln Thr			
	395		400		405
Gln Gly Leu Gly	Thr Ala Leu Lys Ile	Leu Phe Ser Glu Lys Leu			
	410		415		420
Ile Ala Asn Met	Pro Glu Ser Gly Pro	Ser Tyr Glu Phe His Leu			
	425		430		435
Thr Arg Gln Glu	Ile Val Ser Leu Phe	Asn Ala Phe Gly Arg Ile			
	440		445		450
Ser Thr Ser Val	Lys Glu Leu Glu Asn	Phe Arg Asn Leu Leu Gln			
	455		460		465
Asn Ile His					

&lt;210&gt; 117

&lt;211&gt; 403

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2212530

&lt;400&gt; 117

Met Ser Thr Ser	Thr Ser Pro Ala Ala	Met Leu Leu Arg Arg	Leu
1	5	10	15
Arg Arg Leu Ser	Trp Gly Ser Thr Ala	Val Gln Leu Phe Ile	Leu
	20	25	30
Thr Val Val Thr	Phe Gly Leu Leu Ala	Pro Leu Ala Cys His	Arg

	35		40		45
Leu Leu His Ser Tyr Phe Tyr Leu Arg His Trp His Leu Asn Gln					
	50		55		60
Met Ser Gln Glu Phe Leu Gln Gln Ser Leu Lys Glu Gly Glu Ala					
	65		70		75
Ala Leu His Tyr Phe Glu Glu Leu Pro Ser Ala Asn Gly Ser Val					
	80		85		90
Pro Ile Val Trp Gln Ala Thr Pro Arg Pro Trp Leu Val Ile Thr					
	95		100		105
Ile Ile Thr Val Asp Arg Gln Pro Gly Phe His Tyr Val Leu Gln					
	110		115		120
Val Val Ser Gln Phe His Arg Leu Leu Gln Gln Cys Gly Pro Gln					
	125		130		135
Cys Glu Gly His Gln Leu Phe Leu Cys Asn Val Glu Arg Ser Val					
	140		145		150
Ser His Phe Asp Ala Lys Leu Leu Ser Lys Tyr Val Pro Val Ala					
	155		160		165
Asn Arg Tyr Glu Gly Thr Glu Asp Asp Tyr Gly Asp Asp Pro Ser					
	170		175		180
Thr Asn Ser Phe Glu Lys Glu Lys Gln Asp Tyr Val Tyr Cys Leu					
	185		190		195
Glu Ser Ser Leu Gln Thr Tyr Asn Pro Asp Tyr Val Leu Met Val					
	200		205		210
Glu Asp Asp Ala Val Pro Glu Glu Gln Ile Phe Pro Val Leu Glu					
	215		220		225
His Leu Leu Arg Ala Arg Phe Ser Glu Pro His Leu Arg Asp Ala					
	230		235		240
Leu Tyr Leu Lys Leu Tyr His Pro Glu Arg Leu Gln His Tyr Ile					
	245		250		255
Asn Pro Glu Pro Met Arg Ile Leu Glu Trp Val Gly Val Gly Met					
	260		265		270
Leu Leu Gly Pro Leu Leu Thr Trp Ile Tyr Met Arg Phe Ala Ser					
	275		280		285
Arg Pro Gly Phe Ser Trp Pro Val Met Leu Phe Phe Ser Leu Tyr					
	290		295		300
Ser Met Gly Leu Val Glu Leu Val Gly Arg His Tyr Phe Leu Glu					
	305		310		315
Leu Arg Arg Leu Ser Pro Ser Leu Tyr Ser Val Val Pro Ala Ser					
	320		325		330
Gln Cys Cys Thr Pro Ala Met Leu Phe Pro Ala Pro Ala Ala Arg					
	335		340		345
Arg Thr Leu Thr Tyr Leu Ser Gln Val Tyr Cys His Lys Gly Phe					
	350		355		360
Gly Lys Asp Met Ala Leu Tyr Ser Leu Leu Arg Ala Lys Gly Glu					
	365		370		375
Arg Ala Tyr Val Val Glu Pro Asn Leu Val Lys His Ile Gly Leu					
	380		385		390
Phe Ser Ser Leu Arg Tyr Asn Phe His Pro Ser Leu Leu					
	395		400		

&lt;210&gt; 118

&lt;211&gt; 131

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2253036

&lt;400&gt; 118

```

Met Glu Arg Cys Phe His Cys Phe Pro Val His Leu Val Phe Asn
 1           5           10           15
Leu Val Gln Ser Phe Ser Pro Ile Ser Gly Val Glu Ser Cys Leu
          20           25           30
Leu Pro Gln Cys Asp Lys Cys Trp Pro Met Val Tyr Arg Ser Cys
          35           40           45
Asp Ala Ser Arg Gly Leu Val Asn Ala Cys Ile Leu Gly Phe Val
          50           55           60
Leu Leu Glu Cys Ser Phe Val Gly Ala Leu Asn Asn Tyr Val Arg
          65           70           75
Ser Leu Ala Thr Leu Leu Glu Arg Thr His Gly Gly Lys Arg Leu
          80           85           90
Lys Leu Cys Glu Glu Ser Gln Ala Ser His Pro Ser Phe Ser Ala
          95          100          105
Glu Pro Arg His Gln Pro Thr Cys Gln Leu Asn Ala Thr Val Arg
          110          115          120
Val Ile Thr Ser Lys Ile Thr Arg Lys Thr Thr
          125          130

```

&lt;210&gt; 119

&lt;211&gt; 556

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2280161

&lt;400&gt; 119

```

Met Ala Ala Ala Ala Trp Leu Gln Val Leu Pro Val Ile Leu Leu
 1           5           10           15
Leu Leu Gly Ala His Pro Ser Pro Leu Ser Phe Phe Ser Ala Gly
          20           25           30
Pro Ala Thr Val Ala Ala Ala Asp Arg Ser Lys Trp His Ile Pro
          35           40           45
Ile Pro Ser Gly Lys Asn Tyr Phe Ser Phe Gly Lys Ile Leu Phe
          50           55           60
Arg Asn Thr Thr Ile Phe Leu Lys Phe Asp Gly Glu Pro Cys Asp
          65           70           75
Leu Ser Leu Asn Ile Thr Trp Tyr Leu Lys Ser Ala Asp Cys Tyr
          80           85           90
Asn Glu Ile Tyr Asn Phe Lys Ala Glu Glu Val Glu Leu Tyr Leu
          95          100          105
Glu Lys Leu Lys Glu Lys Arg Gly Leu Ser Gly Lys Tyr Gln Thr
          110          115          120
Ser Ser Lys Leu Phe Gln Asn Cys Ser Glu Leu Phe Lys Thr Gln
          125          130          135
Thr Phe Ser Gly Asp Phe Met His Arg Leu Pro Leu Leu Gly Glu
          140          145          150

```

Lys	Gln	Glu	Ala	Lys	Glu	Asn	Gly	Thr	Asn	Leu	Thr	Phe	Ile	Gly	
				155					160					165	
Asp	Lys	Thr	Ala	Met	His	Glu	Pro	Leu	Gln	Thr	Trp	Gln	Asp	Ala	
				170					175					180	
Pro	Tyr	Ile	Phe	Ile	Val	His	Ile	Gly	Ile	Ser	Ser	Ser	Lys	Glu	
				185					190					195	
Ser	Ser	Lys	Glu	Asn	Ser	Leu	Ser	Asn	Leu	Phe	Thr	Met	Thr	Val	
				200					205					210	
Glu	Val	Lys	Gly	Pro	Tyr	Glu	Tyr	Leu	Thr	Leu	Glu	Asp	Tyr	Pro	
				215					220					225	
Leu	Met	Ile	Phe	Phe	Met	Val	Met	Cys	Ile	Val	Tyr	Val	Leu	Phe	
				230					235					240	
Gly	Val	Leu	Trp	Leu	Ala	Trp	Ser	Ala	Cys	Tyr	Trp	Arg	Asp	Leu	
				245					250					255	
Leu	Arg	Ile	Gln	Phe	Trp	Ile	Gly	Ala	Val	Ile	Phe	Leu	Gly	Met	
				260					265					270	
Leu	Glu	Lys	Ala	Val	Phe	Tyr	Ala	Glu	Phe	Gln	Asn	Ile	Arg	Tyr	
				275					280					285	
Lys	Gly	Glu	Ser	Val	Gln	Gly	Ala	Leu	Ile	Leu	Ala	Glu	Leu	Leu	
				290					295					300	
Ser	Ala	Val	Lys	Arg	Ser	Leu	Ala	Arg	Thr	Leu	Val	Ile	Ile	Val	
				305					310					315	
Ser	Leu	Gly	Tyr	Gly	Ile	Val	Lys	Pro	Arg	Leu	Gly	Val	Thr	Leu	
				320					325					330	
His	Lys	Val	Val	Val	Ala	Gly	Ala	Leu	Tyr	Leu	Leu	Phe	Ser	Gly	
				335					340					345	
Met	Glu	Gly	Val	Leu	Arg	Val	Thr	Gly	Tyr	Phe	Ser	Tyr	Pro	Leu	
				350					355					360	
Thr	Leu	Ile	Val	Asn	Leu	Ala	Leu	Ser	Ala	Val	Asp	Ala	Cys	Val	
				365					370					375	
Ile	Leu	Trp	Ile	Phe	Ile	Ser	Leu	Thr	Gln	Thr	Met	Lys	Leu	Leu	
				380					385					390	
Lys	Leu	Arg	Arg	Asn	Ile	Val	Lys	Leu	Ser	Leu	Tyr	Arg	His	Phe	
				395					400					405	
Thr	Asn	Thr	Leu	Ile	Leu	Ala	Val	Ala	Ser	Ile	Val	Phe	Ile		
				410					415					420	
Ile	Trp	Thr	Thr	Met	Lys	Phe	Arg	Ile	Val	Thr	Cys	Gln	Ser	Asp	
				425					430					435	
Trp	Arg	Glu	Leu	Trp	Val	Asp	Asp	Ala	Ile	Trp	Arg	Leu	Leu	Phe	
				440					445					450	
Ser	Met	Ile	Leu	Phe	Val	Ile	Met	Val	Leu	Trp	Arg	Pro	Ser	Ala	
				455					460					465	
Asn	Asn	Gln	Arg	Phe	Ala	Phe	Ser	Pro	Leu	Ser	Glu	Glu	Glu	Glu	
				470					475					480	
Glu	Asp	Glu	Gln	Lys	Glu	Pro	Met	Leu	Lys	Glu	Ser	Phe	Glu	Gly	
				485					490					495	
Met	Lys	Met	Arg	Ser	Thr	Lys	Gln	Glu	Pro	Asn	Gly	Asn	Ser	Lys	
				500					505					510	
Val	Asn	Lys	Ala	Gln	Glu	Asp	Asp	Leu	Lys	Trp	Val	Glu	Glu	Asn	
				515					520					525	
Val	Pro	Ser	Ser	Val	Thr	Asp	Val	Ala	Leu	Pro	Ala	Leu	Leu	Asp	
				530					535					540	
Ser	Asp	Glu	Glu	Arg	Met	Ile	Thr	His	Phe	Glu	Arg	Ser	Lys	Met	
				545					550					555	
Glu															

<210> 120  
 <211> 514  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2287485

<400> 120  
 Met Ser Trp Pro Arg Arg Leu Leu Leu Arg Tyr Leu Phe Pro Ala  
   1                  5                  10                  15  
 Leu Leu Leu His Gly Leu Gly Glu Gly Ser Ala Leu Leu His Pro  
                   20                  25                  30  
 Asp Ser Arg Ser His Pro Arg Ser Leu Glu Lys Ser Ala Trp Arg  
                   35                  40                  45  
 Ala Phe Lys Glu Ser Gln Cys His His Met Leu Lys His Leu His  
                   50                  55                  60  
 Asn Gly Ala Arg Ile Thr Val Gln Met Pro Pro Thr Ile Glu Gly  
                   65                  70                  75  
 His Trp Val Ser Thr Gly Cys Glu Val Arg Ser Gly Pro Glu Phe  
                   80                  85                  90  
 Ile Thr Arg Ser Tyr Arg Phe Tyr His Asn Asn Thr Phe Lys Ala  
                   95                  100                 105  
 Tyr Gln Phe Tyr Tyr Gly Ser Asn Arg Cys Thr Asn Pro Thr Tyr  
                  110                 115                 120  
 Thr Leu Ile Ile Arg Gly Lys Ile Arg Leu Arg Gln Ala Ser Trp  
                  125                 130                 135  
 Ile Ile Arg Gly Gly Thr Glu Ala Asp Tyr Gln Leu His Asn Val  
                  140                 145                 150  
 Gln Val Ile Cys His Thr Glu Ala Val Ala Glu Lys Leu Gly Gln  
                  155                 160                 165  
 Gln Val Asn Arg Thr Cys Pro Gly Phe Leu Ala Asp Gly Gly Pro  
                  170                 175                 180  
 Trp Val Gln Asp Val Ala Tyr Asp Leu Trp Arg Glu Glu Asn Gly  
                  185                 190                 195  
 Cys Glu Cys Thr Lys Ala Val Asn Phe Ala Met His Glu Leu Gln  
                  200                 205                 210  
 Leu Ile Arg Val Glu Lys Gln Tyr Leu His His Asn Leu Asp His  
                  215                 220                 225  
 Leu Val Glu Glu Leu Phe Leu Gly Asp Ile His Thr Asp Ala Thr  
                  230                 235                 240  
 Gln Arg Met Phe Tyr Arg Pro Ser Ser Tyr Gln Pro Pro Leu Gln  
                  245                 250                 255  
 Asn Ala Lys Asn His Asp His Ala Cys Ile Ala Cys Arg Ile Ile  
                  260                 265                 270  
 Tyr Arg Ser Asp Glu His His Pro Pro Ile Leu Pro Pro Lys Ala  
                  275                 280                 285  
 Asp Leu Thr Ile Gly Leu His Gly Glu Trp Val Ser Gln Arg Cys  
                  290                 295                 300  
 Glu Val Arg Pro Glu Val Leu Phe Leu Thr Arg His Phe Ile Phe  
                  305                 310                 315  
 His Asp Asn Asn Asn Thr Trp Glu Gly His Tyr Tyr His Tyr Ser  
                  320                 325                 330  
 Asp Pro Val Cys Lys His Pro Thr Phe Ser Ile Tyr Ala Arg Gly  
                  335                 340                 345

```

Arg Tyr Ser Arg Gly Val Leu Ser Ser Arg Val Met Gly Gly Thr
      350                      355                      360
Glu Phe Val Phe Lys Val Asn His Met Lys Val Thr Pro Met Asp
      365                      370                      375
Ala Ala Thr Ala Ser Leu Leu Asn Val Phe Asn Gly Asn Glu Cys
      380                      385                      390
Gly Ala Glu Gly Ser Trp Gln Val Gly Ile Gln Gln Asp Val Thr
      395                      400                      405
His Thr Asn Gly Cys Val Ala Leu Gly Ile Lys Leu Pro His Thr
      410                      415                      420
Glu Tyr Glu Ile Phe Lys Met Glu Gln Asp Ala Arg Gly Arg Tyr
      425                      430                      435
Leu Leu Phe Asn Gly Gln Arg Pro Ser Asp Gly Ser Ser Pro Asp
      440                      445                      450
Arg Pro Glu Lys Arg Ala Thr Ser Tyr Gln Met Pro Leu Val Gln
      455                      460                      465
Cys Ala Ser Ser Ser Pro Arg Ala Glu Asp Leu Ala Glu Asp Ser
      470                      475                      480
Gly Ser Ser Leu Tyr Gly Arg Ala Pro Gly Arg His Thr Trp Ser
      485                      490                      495
Leu Leu Leu Ala Ala Leu Ala Cys Leu Val Pro Leu Leu His Trp
      500                      505                      510
Asn Ile Arg Arg

```

&lt;210&gt; 121

&lt;211&gt; 109

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2380344

&lt;400&gt; 121

```

Met Leu Trp Trp Leu Val Leu Leu Leu Leu Pro Thr Leu Lys Ser
  1                      5                      10                      15
Val Phe Cys Ser Leu Val Thr Ser Leu Tyr Leu Pro Asn Thr Glu
      20                      25                      30
Asp Leu Ser Leu Trp Leu Trp Pro Lys Pro Asp Leu His Ser Gly
      35                      40                      45
Thr Arg Thr Glu Val Ser Thr His Thr Val Pro Ser Lys Pro Gly
      50                      55                      60
Thr Ala Ser Pro Cys Trp Pro Leu Ala Gly Ala Val Pro Ser Pro
      65                      70                      75
Thr Val Ser Arg Leu Glu Ala Leu Thr Arg Ala Val Gln Val Ala
      80                      85                      90
Glu Pro Leu Gly Ser Cys Gly Phe Gln Gly Gly Pro Cys Pro Gly
      95                      100                      105
Arg Arg Arg Asp

```

&lt;210&gt; 122

<211> 431  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2383171

<400> 122

Met	Ser	Trp	Val	Gln	Ala	Thr	Leu	Leu	Ala	Arg	Gly	Leu	Cys	Arg	
1				5					10					15	
Ala	Trp	Gly	Gly	Thr	Cys	Gly	Ala	Ala	Leu	Thr	Gly	Thr	Ser	Ile	
				20					25					30	
Ser	Gln	Val	Pro	Arg	Arg	Leu	Pro	Arg	Gly	Leu	His	Cys	Ser	Ala	
				35					40					45	
Ala	Ala	His	Ser	Ser	Glu	Gln	Ser	Leu	Val	Pro	Ser	Pro	Pro	Glu	
				50					55					60	
Pro	Arg	Gln	Arg	Pro	Thr	Lys	Ala	Leu	Val	Pro	Phe	Glu	Asp	Leu	
				65					70					75	
Phe	Gly	Gln	Ala	Pro	Gly	Gly	Glu	Arg	Asp	Lys	Ala	Ser	Phe	Leu	
				80					85					90	
Gln	Thr	Val	Gln	Lys	Phe	Ala	Glu	His	Ser	Val	Arg	Lys	Arg	Gly	
				95					100					105	
His	Ile	Asp	Phe	Ile	Tyr	Leu	Ala	Leu	Arg	Lys	Met	Arg	Glu	Tyr	
				110					115					120	
Gly	Val	Glu	Arg	Asp	Leu	Ala	Val	Tyr	Asn	Gln	Leu	Leu	Asn	Ile	
				125					130					135	
Phe	Pro	Lys	Glu	Val	Phe	Arg	Pro	Arg	Asn	Ile	Ile	Gln	Arg	Ile	
				140					145					150	
Phe	Val	His	Tyr	Pro	Arg	Gln	Gln	Glu	Cys	Gly	Ile	Ala	Val	Leu	
				155					160					165	
Glu	Gln	Met	Glu	Asn	His	Gly	Val	Met	Pro	Asn	Lys	Glu	Thr	Glu	
				170					175					180	
Phe	Leu	Leu	Ile	Gln	Ile	Phe	Gly	Arg	Lys	Ser	Tyr	Pro	Met	Leu	
				185					190					195	
Lys	Leu	Val	Arg	Leu	Lys	Leu	Trp	Phe	Pro	Arg	Phe	Met	Asn	Val	
				200					205					210	
Asn	Pro	Phe	Pro	Val	Pro	Arg	Asp	Leu	Pro	Gln	Asp	Pro	Val	Glu	
				215					220					225	
Leu	Ala	Met	Phe	Gly	Leu	Arg	His	Met	Glu	Pro	Asp	Leu	Ser	Ala	
				230					235					240	
Arg	Val	Thr	Ile	Tyr	Gln	Val	Pro	Leu	Pro	Lys	Asp	Ser	Thr	Gly	
				245					250					255	
Ala	Ala	Asp	Pro	Pro	Gln	Pro	His	Ile	Val	Gly	Ile	Gln	Ser	Pro	
				260					265					270	
Asp	Gln	Gln	Ala	Ala	Leu	Ala	Arg	His	Asn	Pro	Ala	Arg	Pro	Val	
				275					280					285	
Phe	Val	Glu	Gly	Pro	Phe	Ser	Leu	Trp	Leu	Arg	Asn	Lys	Cys	Val	
				290					295					300	
Tyr	Tyr	His	Ile	Leu	Arg	Ala	Asp	Leu	Leu	Pro	Pro	Glu	Glu	Arg	
				305					310					315	
Glu	Val	Glu	Glu	Thr	Pro	Glu	Glu	Trp	Asn	Leu	Tyr	Tyr	Pro	Met	
				320					325					330	
Gln	Leu	Asp	Leu	Glu	Tyr	Val	Arg	Ser	Gly	Trp	Asp	Asn	Tyr	Glu	
				335					340					345	
Phe	Asp	Ile	Asn	Glu	Val	Glu	Glu	Gly	Pro	Val	Phe	Ala	Met	Cys	
				350					355					360	

```

Met Ala Gly Ala His Asp Gln Ala Thr Met Ala Lys Trp Ile Gln
      365                      370                      375
Gly Leu Gln Glu Thr Asn Pro Thr Leu Ala Gln Ile Pro Val Val
      380                      385                      390
Phe Arg Leu Ala Gly Ser Thr Arg Glu Leu Gln Thr Ser Ser Ala
      395                      400                      405
Gly Leu Glu Glu Pro Pro Leu Pro Glu Asp His Gln Glu Glu Asp
      410                      415                      420
Asp Asn Leu Gln Arg Gln Gln Gln Gly Gln Ser
      425                      430

```

```

<210> 123
<211> 142
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2396046

```

```

<400> 123
Met Leu Leu Gly Val Arg Ala Val Pro Leu Cys Ser Ala Trp Gln
  1          5          10          15
Gly Ala Val Gly Leu Val Ser Leu Ala Ile Ser Ile Cys Lys His
  20          25          30
Gly Leu Ser Ser Gln Gln Asn Leu Val Pro Gly Lys Ser Asn Val
  35          40          45
Pro Lys Ala Ser Asp Met Pro Arg Cys Pro Pro Val Phe Gln Ser
  50          55          60
Pro Asn Leu Thr Pro Phe Pro His His Thr Lys His Thr Ser Gln
  65          70          75
Gly Ser His Leu Gly Val Pro Pro Pro Ala Pro Met Pro Trp Cys
  80          85          90
Pro Gln Ala Gln Gly Phe Gly Leu Ser Cys Gln Ser Leu Asp Ala
  95          100         105
Phe Glu Gly Gln Leu Gly Cys Gly Trp Gly Val Gln Ala Ala Gly
  110         115         120
Glu Pro Arg Leu Arg Ile Ile His Thr Leu Leu Phe Gly Ala Phe
  125         130         135
Val Glu Val Ser Arg Ile Pro
      140

```

```

<210> 124
<211> 643
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2456587

```

<400> 124  
Met Glu Cys Cys Arg Arg Ala Thr Pro Gly Thr Leu Leu Leu Phe  
1 5 10 15  
Leu Ala Phe Leu Leu Leu Ser Ser Arg Thr Ala Arg Ser Glu Glu  
20 25 30  
Asp Arg Asp Gly Leu Trp Asp Ala Trp Gly Pro Trp Ser Glu Cys  
35 40 45  
Ser Arg Thr Cys Gly Gly Gly Ala Ser Tyr Ser Leu Arg Arg Cys  
50 55 60  
Leu Ser Ser Lys Ser Cys Glu Gly Arg Asn Ile Arg Tyr Arg Thr  
65 70 75  
Cys Ser Asn Val Asp Cys Pro Pro Glu Ala Gly Asp Phe Arg Ala  
80 85 90  
Gln Gln Cys Ser Ala His Asn Asp Val Lys His His Gly Gln Phe  
95 100 105  
Tyr Glu Trp Leu Pro Val Ser Asn Asp Pro Asp Asn Pro Cys Ser  
110 115 120  
Leu Lys Cys Gln Ala Lys Gly Thr Thr Leu Val Val Glu Leu Ala  
125 130 135  
Pro Lys Val Leu Asp Gly Thr Arg Cys Tyr Thr Glu Ser Leu Asp  
140 145 150  
Met Cys Ile Ser Gly Leu Cys Gln Ile Val Gly Cys Asp His Gln  
155 160 165  
Leu Gly Ser Thr Val Lys Glu Asp Asn Cys Gly Val Cys Asn Gly  
170 175 180  
Asp Gly Ser Thr Cys Arg Leu Val Arg Gly Gln Tyr Lys Ser Gln  
185 190 195  
Leu Ser Ala Thr Lys Ser Asp Asp Thr Val Val Ala Ile Pro Tyr  
200 205 210  
Gly Ser Arg His Ile Arg Leu Val Leu Lys Gly Pro Asp His Leu  
215 220 225  
Tyr Leu Glu Thr Lys Thr Leu Gln Gly Thr Lys Gly Glu Asn Ser  
230 235 240  
Leu Ser Ser Thr Gly Thr Phe Leu Val Asp Asn Ser Ser Val Asp  
245 250 255  
Phe Gln Lys Phe Pro Asp Lys Glu Ile Leu Arg Met Ala Gly Pro  
260 265 270  
Leu Thr Ala Asp Phe Ile Val Lys Ile Arg Asn Ser Gly Ser Ala  
275 280 285  
Asp Ser Thr Val Gln Phe Ile Phe Tyr Gln Pro Ile Ile His Arg  
290 295 300  
Trp Arg Glu Thr Asp Phe Phe Pro Cys Ser Ala Thr Cys Gly Gly  
305 310 315  
Gly Tyr Gln Leu Thr Ser Ala Glu Cys Tyr Asp Leu Arg Ser Asn  
320 325 330  
Arg Val Val Ala Asp Gln Tyr Cys His Tyr Tyr Pro Glu Asn Ile  
335 340 345  
Lys Pro Lys Pro Lys Leu Gln Glu Cys Asn Leu Asp Pro Cys Pro  
350 355 360  
Ala Ser Asp Gly Tyr Lys Gln Ile Met Pro Tyr Asp Leu Tyr His  
365 370 375  
Pro Leu Pro Arg Trp Glu Ala Thr Pro Trp Thr Ala Cys Ser Ser  
380 385 390  
Ser Cys Gly Gly Gly Ile Gln Ser Arg Ala Val Ser Cys Val Glu  
395 400 405  
Glu Asp Ile Gln Gly His Val Thr Ser Val Glu Glu Trp Lys Cys  
410 415 420

```

Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys Asn Ile Phe
      425                      430                      435
Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys Thr Val
      440                      445                      450
Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile Asp
      455                      460                      465
His Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro
      470                      475                      480
His Ile Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro
      485                      490                      495
Lys Glu Lys Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln
      500                      505                      510
Ala Gln Glu Leu Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser
      515                      520                      525
Phe Ile Pro Glu Ala Trp Ser Ala Cys Thr Val Thr Cys Gly Val
      530                      535                      540
Gly Thr Gln Val Arg Ile Val Arg Cys Gln Val Leu Leu Ser Phe
      545                      550                      555
Ser Gln Ser Val Ala Asp Leu Pro Ile Asp Glu Cys Glu Gly Pro
      560                      565                      570
Lys Pro Ala Ser Gln Arg Ala Cys Tyr Ala Gly Pro Cys Ser Gly
      575                      580                      585
Glu Ile Pro Glu Phe Asn Pro Asp Glu Thr Asp Gly Leu Phe Gly
      590                      595                      600
Gly Leu Gln Asp Phe Asp Glu Leu Tyr Asp Trp Glu Tyr Glu Gly
      605                      610                      615
Phe Thr Lys Cys Ser Glu Ser Cys Gly Gly Gly Val Gln Glu Ala
      620                      625                      630
Val Val Ser Cys Leu Asn Lys Gln Thr Arg Glu Pro Cys
      635                      640

```

&lt;210&gt; 125

&lt;211&gt; 568

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2484813

&lt;400&gt; 125

```

Met Val Leu Leu His Trp Cys Leu Leu Trp Leu Leu Phe Pro Leu
  1              5              10              15
Ser Ser Arg Thr Gln Lys Leu Pro Thr Arg Asp Glu Glu Leu Phe
      20              25              30
Gln Met Gln Ile Arg Asp Lys Ala Phe Phe His Asp Ser Ser Val
      35              40              45
Ile Pro Asp Gly Ala Glu Ile Ser Ser Tyr Leu Phe Arg Asp Thr
      50              55              60
Pro Lys Arg Tyr Phe Phe Val Val Glu Glu Asp Asn Thr Pro Leu
      65              70              75
Ser Val Thr Val Thr Pro Cys Asp Ala Pro Leu Glu Trp Lys Leu
      80              85              90
Ser Leu Gln Glu Leu Pro Glu Asp Arg Ser Gly Glu Gly Ser Gly

```



	95		100		105
Asp Leu Glu Pro	Leu Glu Gln Gln Lys	Gln Gln Ile Ile Asn Glu			
	110		115		120
Glu Gly Thr Glu	Leu Phe Ser Tyr Lys	Gly Asn Asp Val Glu Tyr			
	125		130		135
Phe Ile Ser Ser	Ser Ser Pro Ser Gly	Leu Tyr Gln Leu Asp Leu			
	140		145		150
Leu Ser Thr Glu	Lys Asp Thr His Phe	Lys Val Tyr Ala Thr Thr			
	155		160		165
Thr Pro Glu Ser	Asp Gln Pro Tyr Pro	Glu Leu Pro Tyr Asp Pro			
	170		175		180
Arg Val Asp Val	Thr Ser Leu Gly Arg	Thr Thr Val Thr Leu Ala			
	185		190		195
Trp Lys Pro Ser	Pro Thr Ala Ser Leu	Leu Lys Gln Pro Ile Gln			
	200		205		210
Tyr Cys Val Val	Ile Asn Lys Glu His	Asn Phe Lys Ser Leu Cys			
	215		220		225
Ala Val Glu Ala	Lys Leu Ser Ala Asp	Asp Ala Phe Met Met Ala			
	230		235		240
Pro Lys Pro Gly	Leu Asp Phe Ser Pro	Phe Asp Phe Ala His Phe			
	245		250		255
Gly Phe Pro Ser	Asp Asn Ser Gly Lys	Glu Arg Ser Phe Gln Ala			
	260		265		270
Lys Pro Ser Pro	Lys Leu Gly Arg His	Val Tyr Ser Arg Pro Lys			
	275		280		285
Val Asp Ile Gln	Lys Ile Cys Ile Gly	Asn Lys Asn Ile Phe Thr			
	290		295		300
Val Ser Asp Leu	Lys Pro Asp Thr Gln	Tyr Tyr Phe Asp Val Phe			
	305		310		315
Val Val Asn Ile	Asn Ser Asn Met Ser	Thr Ala Tyr Val Gly Thr			
	320		325		330
Phe Ala Arg Thr	Lys Glu Glu Ala Lys	Gln Lys Thr Val Glu Leu			
	335		340		345
Lys Asp Gly Lys	Ile Thr Asp Val Phe	Val Lys Arg Lys Gly Ala			
	350		355		360
Lys Phe Leu Arg	Phe Ala Pro Val Ser	Ser His Gln Lys Val Thr			
	365		370		375
Phe Phe Ile His	Ser Cys Leu Asp Ala	Val Gln Ile Gln Val Arg			
	380		385		390
Arg Asp Gly Lys	Leu Leu Leu Ser Gln	Asn Val Glu Gly Ile Gln			
	395		400		405
Gln Phe Gln Leu	Arg Gly Lys Pro Lys	Ala Lys Tyr Leu Val Arg			
	410		415		420
Leu Lys Gly Asn	Lys Lys Gly Ala Ser	Met Leu Lys Ile Leu Ala			
	425		430		435
Thr Thr Arg Pro	Thr Lys Gln Ser Phe	Pro Ser Leu Pro Glu Asp			
	440		445		450
Thr Arg Ile Lys	Ala Phe Asp Lys Leu	Arg Thr Cys Ser Ser Ala			
	455		460		465
Thr Val Ala Trp	Leu Gly Thr Gln Glu	Arg Asn Lys Phe Cys Ile			
	470		475		480
Tyr Lys Lys Glu	Val Asp Asp Asn Tyr	Asn Glu Asp Gln Lys Lys			
	485		490		495
Arg Glu Gln Asn	Gln Cys Leu Gly Pro	Asp Ile Arg Lys Lys Ser			
	500		505		510
Glu Lys Val Leu	Cys Lys Tyr Phe His	Ser Gln Asn Leu Gln Lys			
	515		520		525

Ala Val Thr Thr Glu Thr Ile Lys Gly Leu Gln Pro Gly Lys Ser  
                   530                  535                  540  
 Tyr Leu Leu Asp Val Tyr Val Ile Gly His Gly Gly His Ser Val  
                   545                  550                  555  
 Lys Tyr Gln Ser Lys Val Val Lys Thr Arg Lys Phe Cys  
                   560                  565

<210> 126  
 <211> 125  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2493851

<400> 126  
 Met Trp Leu Val Gly Pro Ser Phe Leu Ser Cys Pro Leu Gly Lys  
   1                  5                  10                  15  
 Val Pro Pro Ala Gly Leu Leu Leu Ala Gly Ser Ser Gly Arg Gly  
                   20                  25                  30  
 Ala Arg Arg Pro Ala Thr Pro Arg His Trp Ser Ser Thr Thr Pro  
                   35                  40                  45  
 Gly Leu Arg Leu Glu Ala Pro Leu Cys Gln Leu Cys Pro Leu Gly  
                   50                  55                  60  
 Gly Thr Arg Gln Asp Cys Gln Pro Leu Ser Trp Gln Val Thr Ser  
                   65                  70                  75  
 Ala Phe Lys Leu Thr Val Pro Ser Pro Phe His Ala Pro Pro Arg  
                   80                  85                  90  
 Ser Trp Ser Cys Leu Leu Leu Gly Ile Phe Pro Gly Gln Ala Leu  
                   95                  100                  105  
 Ala Leu Glu Pro Trp His Leu Phe Leu Gly Ser Met Leu Pro Arg  
                   110                  115                  120  
 Cys Asp Gly Glu Cys  
                   125

<210> 127  
 <211> 196  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2495719

<400> 127  
 Met Ala Ala Leu Lys Ala Leu Val Ser Gly Cys Gly Arg Leu Leu  
   1                  5                  10                  15  
 Arg Gly Leu Leu Ala Gly Pro Ala Ala Thr Ser Trp Ser Arg Leu  
                   20                  25                  30  
 Pro Ala Arg Gly Phe Arg Glu Val Val Glu Thr Gln Glu Gly Lys

	35		40		45
Thr Thr Ile Ile	Glu Gly Arg Ile Thr	Ala Thr Pro Lys Glu Ser			
	50		55		60
Pro Asn Pro Pro	Asn Pro Ser Gly Gln Cys	Pro Ile Cys Arg Trp			
	65		70		75
Asn Leu Lys His	Lys Tyr Asn Tyr Asp Asp	Val Leu Leu Leu Ser			
	80		85		90
Gln Phe Ile Arg	Pro His Gly Gly Met Leu	Pro Arg Lys Ile Thr			
	95		100		105
Gly Leu Cys Gln	Glu Glu His Arg Lys Ile	Glu Glu Cys Val Lys			
	110		115		120
Met Ala His Arg	Ala Gly Leu Leu Pro Asn	His Arg Pro Arg Leu			
	125		130		135
Pro Glu Gly Val	Val Pro Lys Ser Lys Pro	Gln Leu Asn Arg Tyr			
	140		145		150
Leu Thr Arg Trp	Ala Pro Gly Ser Val Lys	Pro Ile Tyr Lys Lys			
	155		160		165
Gly Pro Arg Trp	Asn Arg Val Arg Met Pro	Val Gly Ser Pro Leu			
	170		175		180
Leu Arg Asp Asn	Val Cys Tyr Ser Arg Thr	Pro Trp Lys Leu Tyr			
	185		190		195

His

&lt;210&gt; 128

&lt;211&gt; 214

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2614153

&lt;400&gt; 128

Met Val Leu Gly	Gly Cys Pro Val Ser Tyr	Leu Leu Leu Cys Gly			
1	5	10			15
Gln Ala Ala Leu	Leu Leu Gly Asn Leu	Leu Leu Leu His Cys Val			
	20	25			30
Ser Arg Ser His	Ser Gln Asn Ala Thr Ala	Glu Pro Glu Leu Thr			
	35	40			45
Ser Ala Gly Ala	Ala Gln Pro Glu Gly Pro	Gly Gly Ala Ala Ser			
	50	55			60
Trp Glu Tyr Gly	Asp Pro His Ser Pro Val	Ile Leu Cys Ser Tyr			
	65	70			75
Leu Pro Asp Glu	Phe Ile Glu Cys Glu Asp	Pro Val Asp His Val			
	80	85			90
Gly Asn Ala Thr	Ala Ser Gln Glu Leu Gly	Tyr Gly Cys Leu Lys			
	95	100			105
Phe Gly Gly Gln	Ala Tyr Ser Asp Val Glu	His Thr Ser Val Gln			
	110	115			120
Cys His Ala Leu	Asp Gly Ile Glu Cys Ala	Ser Pro Arg Thr Phe			
	125	130			135
Leu Arg Glu Asn	Lys Pro Cys Ile Lys Tyr	Thr Gly His Tyr Phe			
	140	145			150
Ile Thr Thr Leu	Leu Tyr Ser Phe Phe Leu	Gly Cys Phe Gly Val			

```

155
Asp Arg Phe Cys Leu Gly His Thr Gly Thr Ala Val Gly Lys Leu
170
Leu Thr Leu Gly Gly Leu Gly Ile Trp Trp Phe Val Asp Leu Ile
185
Leu Leu Ile Thr Gly Gly Leu Met Pro Ser Asp Gly Ser Asn Trp
200
Cys Thr Val Tyr
160
175
190
205
165
180
195
210

```

```

<210> 129
<211> 88
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2655184

```

```

<400> 129
Met Ala Cys Phe Ser Phe Phe Leu Cys Phe Leu Val His Leu Leu
1      5      10      15
Ile Lys Met Asn Pro Val Thr Glu Ser Pro Ser Cys Leu Phe Ser
20     25     30
Pro Pro Ser Glu Ser Ala Leu Ala Ser Gln Leu Ala Leu Ser Ala
35     40     45
Ser Cys Asp Gln Arg Ala Pro Phe Ser Leu Ala Gly Val Val Ser
50     55     60
His Asp Pro Gly Trp Pro Val Val Arg Leu His Arg Pro Leu Val
65     70     75
Pro Glu His Ala Val Phe Ser Gln Pro Ser Leu Gln Pro
80     85

```

```

<210> 130
<211> 260
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2848362

```

```

<400> 130
Met Pro Asp Pro Leu Phe Ser Ala Val Gln Gly Lys Asp Glu Ile
1      5      10      15
Leu His Lys Ala Leu Cys Phe Cys Pro Trp Leu Gly Lys Gly Gly
20     25     30
Met Glu Pro Leu Arg Leu Leu Ile Leu Leu Phe Val Thr Glu Leu
35     40     45
Ser Gly Ala His Asn Thr Thr Val Phe Gln Gly Val Ala Gly Gln
50     55     60
Ser Leu Gln Val Ser Cys Pro Tyr Asp Ser Met Lys His Trp Gly

```

	65		70		75
Arg Arg Lys Ala Trp Cys Arg Gln Leu Gly Glu Lys Gly Pro Cys					
	80		85		90
Gln Arg Val Val Ser Thr His Asn Leu Trp Leu Leu Ser Phe Leu					
	95		100		105
Arg Arg Trp Asn Gly Ser Thr Ala Ile Thr Asp Asp Thr Leu Gly					
	110		115		120
Gly Thr Leu Thr Ile Thr Leu Arg Asn Leu Gln Pro His Asp Ala					
	125		130		135
Gly Leu Tyr Gln Cys Gln Ser Leu His Gly Ser Glu Ala Asp Thr					
	140		145		150
Leu Arg Lys Val Leu Val Glu Val Leu Ala Asp Pro Leu Asp His					
	155		160		165
Arg Asp Ala Gly Asp Leu Trp Phe Pro Gly Glu Ser Glu Ser Phe					
	170		175		180
Glu Asp Ala His Val Glu His Ser Ile Ser Arg Ser Leu Leu Glu					
	185		190		195
Gly Glu Ile Pro Phe Pro Pro Thr Ser Ile Leu Leu Leu Leu Ala					
	200		205		210
Cys Ile Phe Leu Ile Lys Ile Leu Ala Ala Ser Ala Leu Trp Ala					
	215		220		225
Ala Ala Trp His Gly Gln Lys Pro Gly Thr His Pro Pro Ser Glu					
	230		235		240
Leu Asp Cys Gly His Asp Pro Gly Tyr Gln Leu Gln Thr Leu Pro					
	245		250		255
Gly Leu Arg Asp Thr					
	260				

&lt;210&gt; 131

&lt;211&gt; 295

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2849906

&lt;400&gt; 131

Met Gly Leu Pro Val Ser Trp Ala Pro Pro Ala Leu Trp Val Leu		
1	5	10
Gly Cys Cys Ala Leu Leu Ser Leu Trp Ala Leu Cys Thr Ala		
	20	25
Cys Arg Arg Pro Glu Asp Ala Val Ala Pro Arg Lys Arg Ala Arg		
	35	40
Arg Gln Arg Ala Arg Leu Gln Gly Ser Ala Thr Ala Ala Glu Ala		
	50	55
Ser Leu Leu Arg Arg Thr His Leu Cys Ser Leu Ser Lys Ser Asp		
	65	70
Thr Arg Leu His Glu Leu His Arg Gly Pro Arg Ser Ser Arg Ala		
	80	85
Leu Arg Pro Ala Ser Met Asp Leu Leu Arg Pro His Trp Leu Glu		
	95	100
Val Ser Arg Asp Ile Thr Gly Pro Gln Ala Ala Pro Ser Ala Phe		
	110	115
		120

```

Pro His Gln Glu Leu Pro Arg Ala Leu Pro Ala Ala Ala Ala Thr
      125                      130                      135
Ala Gly Cys Ala Gly Leu Glu Ala Thr Tyr Ser Asn Val Gly Leu
      140                      145                      150
Ala Ala Leu Pro Gly Val Ser Leu Ala Ala Ser Pro Val Val Ala
      155                      160                      165
Glu Tyr Ala Arg Val Gln Lys Arg Lys Gly Thr His Arg Ser Pro
      170                      175                      180
Gln Glu Pro Gln Gln Gly Lys Thr Glu Val Thr Pro Ala Ala Gln
      185                      190                      195
Val Asp Val Leu Tyr Ser Arg Val Cys Lys Pro Lys Arg Arg Asp
      200                      205                      210
Pro Gly Pro Thr Thr Asp Pro Leu Asp Pro Lys Gly Gln Gly Ala
      215                      220                      225
Ile Leu Ala Leu Ala Gly Asp Leu Ala Tyr Gln Thr Leu Pro Leu
      230                      235                      240
Arg Ala Leu Asp Val Asp Ser Gly Pro Leu Glu Asn Val Tyr Glu
      245                      250                      255
Ser Ile Arg Glu Leu Gly Asp Pro Ala Gly Arg Ser Ser Thr Cys
      260                      265                      270
Gly Ala Gly Thr Pro Pro Ala Ser Ser Cys Pro Ser Leu Gly Arg
      275                      280                      285
Gly Trp Arg Pro Leu Pro Ala Ser Leu Pro
      290                      295

```

&lt;210&gt; 132

&lt;211&gt; 183

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2899137

&lt;400&gt; 132

```

Met Ala Ala Ser Met Ala Arg Gly Gly Val Ser Ala Arg Val Leu
  1           5           10           15
Leu Gln Ala Ala Arg Gly Thr Trp Trp Asn Arg Pro Gly Gly Thr
  20          25          30
Ser Gly Ser Gly Glu Gly Val Ala Leu Gly Thr Thr Arg Lys Phe
  35          40          45
Gln Ala Thr Gly Ser Arg Pro Ala Gly Glu Glu Asp Ala Gly Gly
  50          55          60
Pro Glu Arg Pro Gly Asp Val Val Asn Val Val Phe Val Asp Arg
  65          70          75
Ser Gly Gln Arg Ile Pro Val Ser Gly Arg Val Gly Asp Asn Val
  80          85          90
Leu His Leu Ala Gln Arg His Gly Val Asp Leu Glu Gly Ala Cys
  95         100         105
Glu Ala Ser Leu Ala Cys Ser Thr Cys His Val Tyr Val Ser Glu
  110        115        120
Asp His Leu Asp Leu Leu Pro Pro Pro Glu Glu Arg Glu Asp Asp
  125        130        135
Met Leu Asp Met Ala Pro Leu Leu Gln Glu Asn Ser Arg Leu Gly

```

	140		145		150
Cys Gln Ile Val	Leu Thr Pro Glu Leu	Glu Gly Ala Glu Phe	Thr		
	155		160		165
Leu Pro Lys Ile	Thr Arg Asn Phe Tyr	Val Asp Gly His Val	Pro		
	170		175		180
Lys Pro His					

<210> 133  
 <211> 113  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2986229

<400> 133  
 Met Trp Arg Lys Pro Asp Val Leu Tyr Ser Val Ile Pro Val Thr  
     1                    5                    10                    15  
 Ser Leu Phe Phe Leu Leu Ala Leu Asn Leu Pro Asp Val Phe Gly  
                     20                    25                    30  
 Leu Val Val Leu Pro Leu Glu Leu Lys Leu Arg Ile Phe Arg Leu  
                     35                    40                    45  
 Leu Asp Val Arg Ser Val Leu Ser Leu Ser Ala Val Cys Arg Asp  
                     50                    55                    60  
 Leu Phe Thr Ala Ser Asn Asp Pro Leu Leu Trp Arg Phe Leu Tyr  
                     65                    70                    75  
 Leu Arg Asp Phe Arg Gly Asp Phe Arg Asn Asp Ile Phe Thr Arg  
                     80                    85                    90  
 Lys Gly Ser Tyr Cys Leu Asp Tyr Ser Ala His Gln Lys Phe Leu  
                     95                    100                    105  
 Val Val Gly Phe Phe Cys Cys Lys  
                     110

<210> 134  
 <211> 160  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3222081

<400> 134  
 Met Gln Arg Val Ser Gly Leu Leu Ser Trp Thr Leu Ser Arg Val  
     1                    5                    10                    15  
 Leu Trp Leu Ser Gly Leu Ser Glu Pro Gly Ala Ala Arg Gln Pro  
                     20                    25                    30  
 Arg Ile Met Glu Glu Lys Ala Leu Glu Val Tyr Asp Leu Ile Arg  
                     35                    40                    45  
 Thr Ile Arg Asp Pro Glu Lys Pro Asn Thr Leu Glu Glu Leu Glu

	50		55		60
Val	Val	Ser	Glu	Ser	Cys
	65		70		75
Glu	Tyr	Leu	Val	Ile	Ile
	80		85		90
Ser	Leu	Ala	Thr	Leu	Ile
	95		100		105
Arg	Cys	Leu	Pro	Phe	Lys
	110		115		120
Gly	Thr	His	Ser	Thr	Glu
	125		130		135
Lys	Glu	Arg	Val	Ala	Ala
	140		145		150
Ile	Val	Glu	Gln	Cys	Val
	155		160		

&lt;210&gt; 135

&lt;211&gt; 865

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 443531

&lt;400&gt; 135

```

attcctcaat tttccagtct cccttgagct aagtgtggcc ctatgactca cttccagcca 60
tgaaaacaag tgcaaatctg ttaggagtat gttctggggc aatttttget ctctgatga 120
agacaaaaggc tgttgatcca ctgaaccac ccagacacta tgtggtttct tgaatgtcct 180
acgtacattt tgatggatta cccaaggact atctgatgaa gaataataga gacatataaa 240
tacatatggg ctacatcttg gcaaaataaa gtaatcctga agtaaattct aaggatgttc 300
tgaattgaca cctcttaagc acaaccgaat gtctgtgtgg ctttgctcc cactggggct 360
ttttggctct tgtttggccc cagcggctgc tgcagctctg tctgaattca cacaggagca 420
acatgatggt gctcagccct cgccgaagtg tcttgctgaa gagttgggag atgcttgagc 480
tattcagata gaagccaact ggaagtagac ggcagtcaac acaaaccaga gaggcaaact 540
tttgccagct gagacatgga aagggagaag aaatacatte ttctttctcc cctagagtga 600
ggaccaacct gagtcccagt cacctggaat cccctcagac gagegtccct tgagatccag 660
cacatggcag ccagcgtgct gacgattcct tctgcctac tggctccttc ttatttctgc 720
ctcgtggaa ctgtattctc taatcaatat tagcacatac atattgcccc agactgtacc 780
tcttgggaac ccaggataaa gcaatatcta aacattttgt cttggaattg taataaactt 840
caaaagaaaa atacaaaaaa aaaaaa

```

865

&lt;210&gt; 136

&lt;211&gt; 706

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 11, 12

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;



<221> misc\_feature

<223> Incyte Clone No: 632860

<400> 136

```
cggaccgtgg nnttggtaaa gccatttcc gaggatttta gggagaccta ggtggggcag 60
acactagaag tgtccagcct ccaagccaa gagatgtggc cggcagggtc gggcagggtc 120
ttgctggctc agcctgctct ttgctccttc atgggacccc agtggatcct gcagttctgc 180
tcttggctgg aaccacgcca gcttcgctgg agctggactg agccgccttt tacattattg 240
gactctctcg ggttgagagc tgcccaggac tcctgcagtt tcaccacctt tgttcctttg 300
actcttgact catcattcat gaccgttaac gtggttccat ttgtatggac ttcttctttc 360
ttcagagcat ttcagtatcc tgttacctcc ccatgcagaa caaagaatac tccacttttg 420
atagatgggg ttaccaggat tcaggctaca tggcctgagg caaggtcaca acatgagtga 480
cagaatgtgt cctggaagcc aggcacctc tggggtgtat ttggggcgct caacaaggct 540
tgatcgagct ttgggggtag atctagctat tccatgggga ttcttttcag aattgctgtt 600
ttcggttaact aattccatga ccagggtccat ggcattggat gacattgcgc tacactgttg 660
ctcaccgggg tcaccgtcc tcacaggttg gatggcaagc atgttg 706
```

<210> 137

<211> 801

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 670010

<400> 137

```
acttctacat gggcctcctg ctgctgggtgc tcttctcag cctcctgcg gtggcctaca 60
ccatcatgtc cctccacccc tcctttgact gcgggcccgt cagggtgcaga gtctcagttg 120
cccgggagca cctcccctcc cgaggcagtc tgctcagagg gcctcggccc agaattccag 180
ttctggtttc atgccagcct gtaaaaggcc atggaacttt ggggtgaatca ccgatgccat 240
ttaagagggt tttctgccag gatggaaatg ttaggtcggt ctgtgtctgc gctgttcatt 300
tcagttagcca ccagccacct gtggccgttg agtgcttgaa atgaggaact gagaaaatta 360
atctctcatg tatttttctc atttatttat taatttttaa ctgatagttg tacatatttg 420
ggggtacatg tgatatttgg atacatgtat acaatatata atgatcaaat cagggttaact 480
gggatatcca tcacatcaaa catttatttt ttattctttt tagacagagt ctcactctgt 540
caccaggtc ggagtgcagt ggtgccatct cagcttactg caacctctgc ctgccagggt 600
caagcgattc tcatgcctcc acctcccaag tagctgggac tacaggcatg caccacaatg 660
cccaactaat ttttgtaatt ttagtagaga cggggttttg ccatgttgcc caggctggcc 720
ttgaactcct ggcctcaaac aatccacttg cctcggcctc ccaaagtgtt atgattacag 780
gcgtgagcca ccgtgcctgg g 801
```

<210> 138

<211> 664

<212> DNA

<213> Homo sapiens

<220>

<221>

<222> 505, 518, 527, 540, 565, 566

<223> a or g or c or t, unknown, or other

<220>

<221> misc\_feature

<223> Incyte Clone No: 726498

&lt;400&gt; 138

```

cggacgcgtg ggctggaagg agctctggag tcggaatcag gatgtggagg ctgagaagaa 60
atctggctct accacctggg aaactggcat gggtgtattt gtcagtgttc agtcaggggg 120
gcagagccat gatgagtctt acggaaataa gggtaaaaca tatgcttgaa atttggcatg 180
gcagacaagc cagagcttgt gaaaatctaa gaaaccaaac acgtgtagcc accaaagtgg 240
aaccacaaaa gggaagatct acagaaatct gttgccttgc tgtagttcca ttaaatgagg 300
ttgtgcagtc aagcatcttg tgggtgggtct ggagctgttg ccagcatcag gaagacaagc 360
tgggtgctaa gtgaagaaat acacaatgta gaaactgtca ggcactctct cccctggact 420
tcaccatata tgatgatgtt ctcagagtca gggcactgct tcacttttcg cttccaaatc 480
tcacacaaaa ttctctgtta ggcancccca tatactttta tgccctcagt ttcttatctt 540
ggaaatggag taccagata cccanngtga cacttttata tgccctcagt ttcttatctt 600
tcagtgggga taatatcttc ggatacaaaa gagtgtacat atataccctg tatttggtaa 660
acta
664

```

&lt;210&gt; 139

&lt;211&gt; 1241

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 795064

&lt;400&gt; 139

```

ccaggcaata tctcaggata tggaagtctt tgggttttatt taccctcag tgcccagagt 60
taaaagtttca gaagagactt gtgcacataa gggcttcac tcaagtgtat tgcagtaatg 120
gctgaatcgg ggtaacatc ccttccaggc acagcgagtt gggtctgctt ttgcttgta 180
agccaaagaa aagccacatc taaaaagcta ctactaaaag ccagaaagaa aagtggattt 240
gaactcagtg tcacagactc ttctgagtgt tttaggggtca cagctagtgt aagaggcatg 300
aagaatagac atgcaaaaagg gaacgggtgc accagagacc cctgttttgg ctgacagacc 360
atatgtccca ccagctgggg aatctgacaa gaggacatag gtggcactct ttttttaaag 420
ctattttattg tatctatttt taaataaaat tgcccacctt cattcagctc ttagaacaaa 480
agcaaaaaac cctgtaaatc aggagatata agcacatctg caccagaat agggccatat 540
gatagggcaa ccctgagctt aaacaatgac atcttcaagg gtagaactaa tctgaaacct 600
ccttccagcc tctggaagac actggcctgc atcagttaga gtcagagcaa gtgtcacttc 660
acagggaaaa gaaggattat atagacttcc tatccctaga gtttataaat gtcaactata 720
taaaaaaagc tcaaaacagt gttaaaggaa tgaacagtag aattttaata ggctgtccaa 780
agaagccagg tctgctgttg gcaagtatag cctaacccta gtcttgtaaa ataagccaga 840
aagggttact gagccacctt aagctagtac ctatatagta ggcaaaaagt acagaaatag 900
atgcaataag tgtggtgagt ctttgagcct acgagtcag ccaccagcca taagttgacc 960
tatcacttga gaacctctc agcaaagatg ccagaaaaca ttcaatcaag ttggcaaatg 1020
acacagggag ctggcctct gacctcttc ctggcaaacc tggactggaa gggccatttg 1080
cagcactgtc ctggagctaa tacactgtt cactgcctc gccatataat gatgccagca 1140
ctagccagct ggtgggtatt tggaggaatc ctgcatgagg attgcccaat aaggggcagg 1200
tacacatacc tggcaaatg atgatgatgt gaattgttct c
1241

```

&lt;210&gt; 140

&lt;211&gt; 750

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 570, 641

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 924925

&lt;400&gt; 140

```
tggagtgggg agaagagcat acgccaggag cctcctgcct caaagtgtct ccctaagtct 60
tcttcctcct gtgctgacct caggggtggc tgacccttcc ctcggtgtgg gggatgtggc 120
cctctcaggt gcccctactt gctttctgct tccttctggt gaagtccacc tccaacatta 180
acctgcccac cccacccccg tcatccctgg agaattccag ctttgtcgta tctcagagag 240
ggaatctaata tgtttttggg gggcaaaaga aagcaacgtt taggtatcac ttctacttgg 300
accgcatgcc tttttatagc caaatttctg tgtatttctg aaatggattt cgcgttaatg 360
gatatttatg taataactag acttctcaga ttattgtgag aagggtcagg ttggaagggg 420
tgtaggaaga cgggtgaggg gtagtttttt tctgtcctag tttttttttt ttttattgtc 480
atctctgagg tggactttgt cacctgtggt tattggggcc aagtggactc agctccgggg 540
gagaaggcct ctctgccatt tcgggtccaan ggtgactgac acaggcgtag tttttgggac 600
tgtggaagca tcagatgccg gcactgactt cagaccagca ntctgggcta gaggaagatg 660
ggacctttca ggatggaaat accttggtact ttcttttggg ccctcggaat cttgggcttt 720
ctctaccgac ttgccagat ttcatttcac 750
```

&lt;210&gt; 141

&lt;211&gt; 1235

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 962390

&lt;400&gt; 141

```
ccctcaggca gcccctccac aggacccctc tcctgcctgg acagctctgc tgggtctccc 60
gtcccctgga gaagaacaag gccatgggtc ggcccctgct gctgcccctg ctgctcctgc 120
tgcagccgcc agcatttctg cagcctgggt gctccacagg atctgggtcca agctaccttt 180
atgggggtcac tcaacaaaaa cacctctcag cctccatggg tggctctgtg gaaatcccct 240
tctccttcta ttacccttg gaggtagcca tagttcccaa cgtgagaata tcctggagac 300
ggggccactt ccacgggcag tccttctaca gcacaaggcc gccttccatt cacaaggatt 360
atgtgaaccg gctccttctg aactggacag agggtcagga gagcggcttc ctcaggatct 420
caaacctgcg gaaggaggac cagtctgtgt attctgccc agtcgagctg gacaccggga 480
gatcagggag gcagcagttg cagtccatca aggggaccaa actcaccatc acccaggctg 540
tcacaaccac caccacctgg agggccagca gcacaaccac catagccggc ctcagggtca 600
cagaaagcaa agggcactca gaatcatggc acctaatgtc ggacactgcc atcagggttg 660
cattggctgt cgctgtgctc aaaactgtca ttttgggact gctgtgcctc ctctcctgt 720
ggtggaggag aaggaaaggt agcagggcgc caagcagtga cttctgacca acagagtgtg 780
gggagaaggg atgtgtatta gcccggagg acgtgatgtg agaccgctt gtgagtcctc 840
cacactcgtt ccccatggc aagatacatg gagagcacc tgaggacctt taaaaggcaa 900
agccgcaagg cagaaggagg ctgggtccct gaatcaccga ctggaggaga gttacctaca 960
agagccttca tccaggagca tccacactgc aatgatata gaatgaggtc tgaactccac 1020
tgaattaaac cactggcatt tgggggctgt ttattatagc agtgcaaaga gttcctttat 1080
cctccccaag gatggaaaaa tacaatttat tttgcttacc atacaccctt tttctcctcg 1140
tccacatttt ccaatctgta tgggtgctgt cttctatggc agaaggtttt ggggaataaa 1200
tagcgtgaaa tgctgctgac acttaaaaaa aaaaa 1235
```

&lt;210&gt; 142

&lt;211&gt; 1834

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1259405

&lt;400&gt; 142

```
gacggaagtg cgggcgagg atccccagcc gggccccag cctgtgctg tgcctgagcc 60
tgagcctgag cctgagccc agccgggagc cggctcgagg ggctccgggc tgtgggaccg 120
ctgggcccc agcgatggcg accctgtggg gaggccttct tcggcttgge tcttctgca 180
gcctgtcgtg cctggcgctt tccgtgctgc tgctggcgca gctgtcagac gccgccaaga 240
atttcgagga tgtcagatgt aaatgtatct gccctcccta taaagaaaat tctgggcata 300
tttataataa gaacatatct cagaaagatt gtgattgcct tcatgtttgt gagcccatgc 360
ctgtgcgggg gcctgatgta gaagcatact gtctacgctg tgaatgcaaa tatgaagaaa 420
gaagctctgt cacaatcaag gttaccatta taatttatct ctccattttg ggccttctac 480
ttctgtacat ggtatatctt actctgggtg agccatact gaagaggcgc ctctttggac 540
atgcacagtt gatacagagt gatgatgata ttggggatca ccagcctttt gcaaatgcac 600
acgatgtgct agcccgtcc cgcagtcgag ccaacgtgct gaacaaggta gaatatgcac 660
agcagcgtg gaagctcaa gtccaagagc agcgaagtc tgtctttgac cggcatgttg 720
tctcagcta attgggaatt gaattcaagg tgactagaaa gaaacaggca gacaactgga 780
aagaactgac tgggttttgc tgggtttcat tttaatacct tgttgatttc accaactgtt 840
gctggaagat tcaaaaactgg aagcaaaaac ttgcttgatt ttttttctt gttaacgtaa 900
taataagagc atttttaaaa gcacacagct caaagtcagc caataagtct tttcctattt 960
gtgactttta ctaataaaaa taaatctgcc tgtaaattat cttgaagtcc tttacctgga 1020
acaagcactc tctttttcac cacatagttt taacttgact ttcaagataa ttttcagggt 1080
ttttgttgtt gttgtttttt gttgtttgt tttggtggga gaggggaggg atgcctggga 1140
agtggttaac aacttttttc aagtcacttt actaaacaaa cttttgtaa tagaccttac 1200
cttctatttt cgagtttcat ttatattttg cagtgtagcc agcctcatca aagagctgac 1260
ttactcattt gacttttgca ctgactgtgt tatctgggta tctgctgtgt ctgcacttca 1320
tggtaaacgg gatctaaaat gcctggtggc ttttcacaaa aagcagattt tcttcatgta 1380
ctgtgatgtc tgatgcaatg catcctagaa caaactggcc atttgctagt ttactctaaa 1440
gactaaacat agtcttgggt tgtgtggtct tactcatctt ctagtacctt taaggacaaa 1500
tctaaggac ttggacactt gcaataaaga aattttattt taaaccaag cctccctgga 1560
ttgataatat atacacattt gtcagcattt ccggtcgtgg tgagaggcag ctgtttgagc 1620
tccaatgtgt gcagctttga actagggctg ggggtgtggg tgctcttctt gaaaggctta 1680
accattattg gataactggc ttttttcttc ctctttggaa tgtaacaata aaaataattt 1740
ttgaaacatc catcagtgtg tctatctatg tctcctagt ttttcctcct ccctcttttg 1800
ctgtataatg agagagaaga tctgatgaga taac 1834
```

&lt;210&gt; 143

&lt;211&gt; 1722

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1297384

&lt;400&gt; 143

```
tacgagaccc ggccgcaccc cgagtcacac agggccccgg ggccacggcg ttcgtctctc 60
ctgtgctgtc ctgaggctc cgctcctgtt ttgggtggccc aggcctctcc ctgccccatc 120
ctcgctcccc cactccttg ggtcatgccc accaccctt tctgcctcc tccgtgtgaa 180
gacatccaac atccacgtga cttttccagc tccattttta aacagtgact gagattctag 240
aaaaactggc tgctaactgg cctgagccag gcaacactga ttccaatccc tctcctttt 300
ttaagttatt tgatggaaga ctcacctaat ttgtgacctg aaactgttga agaaatagag 360
aggagggggc ccgttgatta cagagagcat ttgggatttt gtttggtttg gagatgatgc 420
ctagggttact ggggtttggg ggattgtttt cttttggggg ccttccccct ttactccttt 480
tcttccagag atcaagagct tctcttgcat cttcttccac tgggctctgg attaatcaat 540
```

```

taccctaaagg ctgcacctgc cgtgttgtct gggcttgcac cccagatgtg ttggagtatg 600
catggatgta gtgcttttta gaggagccac tgggcaaggc caccaagaac aaatgcatga 660
cattttatag ccaaggacgc ctgcctaaag tcttatgggc gtcccttggg gttggggggg 720
cacaagggtt tggaggaaga agacaacttc cctcattcca tcatcaccat ctctttctca 780
ctagggttctt tctagttttc aagcaatagt tctagcctgc cttggacaag ggggccccag 840
ttaaacaacac taccatccca tgagggtgcca ggcagtcaaa aacagaagct tccccgactt 900
gtgagtccct gagatgtgct cttgttgttt ggcatttggg gtgacagggg gtgaccaga 960
ggccaccact gcttttcatg caggagttac agacactggg ttcttggaaa atggagagaa 1020
gcgcactttg cacagacgtc gtcaattaag tcccaatttg ccacttggtg ttgagtacac 1080
tggaccctga ccaactggctc ttgggcaaac gtccctctcc acggggcgcc tccgccaagc 1140
cggccagct gcacccctcc ctccctggag ggatggccag ggaaggagaa aacagagaac 1200
tgacaccttt gaaaccacag aatgtgttac atgcagactc gctcaagggc ataagttatt 1260
gtgaacgttt ttgccaatca ctgctcaaca gccctgctag attttgtatg atgctgaatt 1320
attatgcaga ctaattccac ccagttgaga cacaccatgc ttgttcactt gtattttattg 1380
aaactgtgga ttcttgcccc tgctgtccct tgtatttact ttaagcactg atcacttattc 1440
attcattcgg tatggttttc cctgtccctt gtacacattc tggatgaat ttgtaaaaat 1500
aacctgctac aaattggttg aatgtttctg tctgtggtgc gaaccagcat taacggatgg 1560
ggcacgtgcc caactgagga acaggagaag aaatcaccaa tttgggtctc cagagctaag 1620
acacacttat tgattctgtt gcacattttg cactggttta tggcgattgt tttcttggac 1680
ggatagtgtg aaataaactt ctctgttctc taaaaaaaaa aa 1722

```

&lt;210&gt; 144

&lt;211&gt; 1741

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1299627

&lt;400&gt; 144

```

ttcgtctcaa gcctcaggcc accggcttgg atggacgctc cgaggctacc cgtgcgtcca 60
ggggtcttgc ttccgaagtt ggtcctgctc tttgtctacg cagatgattg ccttgctcag 120
tgtggcaaag attgcaaatc ttactgctgt gatggaacca cgccctactg ttgctcctac 180
tacgcttata ttgggaatat cctctcgggc actgcaattg cgggcattgt ttttggaata 240
gtattttatc tgggggtcat tgctgggatt gccatatgca tctgcatgtg catgaagaac 300
cacaggcgca cccgcgtggg catcctcagg acgactcaca tcaacaccgt ctccctctat 360
cctggaccac caccctacgg tcacgaccac gagatggaat actgtgcaga cttgcctcct 420
ccatactccc ccaccccaca ggggtccagca cagcgttctc caccctctcc ttatcctgga 480
aacgcaagga aataatctat ctcccagaac agaactgtg ccaatgggag atcttgcttg 540
gaataaaatg cctctactca gaaacaggca ggaagaatt gctccaagga atactttttg 600
gggtcagata atgtgtcagg tggaatatcc ctgctaggag atataggatt tctactctgc 660
tcaaagctga ccccatctgg agtattaatg tttggttcta tgggaaccaca ttttaagaga 720
tctgctgatc cacctaagca cattcaggga agagtaatgt aattgacaaa atatctgata 780
atcatgttgt ttaagggtca ggtgaagaaa gtttcagtat tgatcctgga aaaaaagaag 840
atctaagtag gatgggagaa tgatttggcc cacacaagga agcaacttta ttctatatag 900
ctttaaaagt cagaactaga attgttcatt ctttcattca tcaataaatg tattttgagt 960
gcctaagagt ttactatgtg cctagcactg tttgagggtc tgatggaagt tacaggatgg 1020
gtactctggt tttagtacaa gaaagagcaa tgactagatt gctttgtgaa gctcttggtg 1080
gagacacgct ccagaaggga taacaaaatc aaatagtaga tgggttcatt gggcctcaga 1140
agttctgctc gtattttagg tgggtgtgaa gtgaatttct atatgtccag gagtgaatac 1200
aacagaaaaga gttggatctt atttatttaa ttagggtggt aaaacaagac caaaaagact 1260
caacagccgc ttgaagccaa gaactcttca atgccagcta ctgccaccta aaaatcatct 1320
ggctttatag tggatcagaa taaaggttat tctaactgtg gggagaaaaa aaaaattgtg 1380
tcaagttcca caggtagcag acacttcact tccaagtaaa agatgagaaa tcaattattc 1440
ccacaggatt ttagggtcagg gagcaaaaat ctcagaactt gaccatgaag atacacaaca 1500

```

```

gactcgcaaa aataaagtgg gaaatgaagt tcagattccc ttctgtagat ttccttaaaa 1560
ctattatattt ttcttcttc gtaaaatttt gataatctgt tctcttaaaa aagttaatga 1620
cacaattaag atactgacat caaattgttg ccttttacca aaatgcaaat tttatgaagt 1680
gcctaccttt atatgtataa agcatttaat aaataattct aatgtgccat aaaaaaaaaa 1740
a                                                                 1741

```

&lt;210&gt; 145

&lt;211&gt; 997

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 973

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1306026

&lt;400&gt; 145

```

ggacaaccgt tgctgggtgt cccagggcct gaggcaggac ggtactccgc tgacaccttc 60
cctttcggcc ttgaggttcc cagcctggtg gccccaggac gttccggtcg catggcagag 120
tgctacggac gacgcctatg aagcccttag tccttctagt tgcgcttttg ctatggcctt 180
cgtctgtgcc ggcttatccg agcataactg tgacacctga tgaagagcaa aacttgaatc 240
attatataca agtttttagag aacctagtac gaagtgttcc ctctggggag ccaggctcgtg 300
agaaaaaatc taactctcca aaacatgttt attctatagc atcaaaggga tcaaaattta 360
aggagctagt tacacatgga gacgcttcaa ctgagaatga tgttttaacc aatcctatca 420
gtgaagaaac tacaactttc cctacaggag gcttcacacc ggaaatagga aagaaaaaac 480
acacggaaag taccctattc tggctgatca aaccaaacia tgtttccatt gttttgcatg 540
cagaggaacc ttatattgaa aatgaagagc cagagccaga gccggagcca gctgcaaac 600
aaactgaggg accaagaatg ttgccagttg ttactgaatc atctacaagt ccatatgtta 660
cctcatacaa gtcacctgtc accactttag ataagagcac tggcattgag atctctacag 720
aatcagaaga tgttcctcag ctctcaggtg aaactgcatg agaaaaaccc gagagtgtga 780
agcaccagag agtgggatat gatgcatttg aaaaaaattt agtattaatc acaatgcaca 840
ggcacttcta gtgacacagc acccagctat agagagatat gaaggggtac gagctcgaat 900
tcgaatcatg tcatagctgt ttctgtgtg aattggtatc gctcacaatg cacacacata 960
cgagcggaag ctnaatttgt aagcgggggt gccatga                               997

```

&lt;210&gt; 146

&lt;211&gt; 981

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1316219

&lt;400&gt; 146

```

gttttaaat tacttaataa atataaaata ttgtatgttc ttaacttgaa gctcatattt 60
tcaagtaatt ccttgtcttg aattttctgt tgatctcatg ggtactaaga aacgaaatatt 120
tctgttcatt ttcatTTTTT aagaatatcg ataacttgat gacccagaa ggagttggcc 180
ttaccactgc cttacgtgtt ctctgtaatg ttgcatgccc accacctcct gttgaaggte 240
aacagaaaga tctgaaatgg aatcttgccg ttattcagct tttttctgct gaaggaaatgg 300
acacgtttat tcgagttctg caaaaattga acagtattct gactcagcct tggaggctcc 360

```

```

atgtcaacat ggggactacc cttcacagag ttactactat ttcaatggct cgctgcacac 420
tcactcttct taaaactatg ttaacggaac tcctgagagg tggatccttt gagtttaagg 480
acatgcgtgt tccttcagcg cttgttactt tacatatgct cctgtgctct atccccctct 540
caggtcgttt ggatagtgat gaacagaaaa ttcagaatga tatcattgat attttactga 600
cttttacaca aggagttaat gaaaaactca caatctcaga agagactctg gccaataata 660
cttggctctt aatgttaaaa gaagttcttt cttcaatctt gaaggttcct gaaggatttt 720
tttctggact catactcctt tcagagctgc tgccctcttc attgcccatt caaacaactc 780
aggatatcact tccatataac atgcatctta taaatgactg cagtaacact ttttaaaaag 840
ccagtgattt tggttaaaaa caaaaaccct catctccctt cctcccaaaa agacataaaa 900
taaccggatg aggggggagat aaaactgaaa caagttggtc attgaggaaa tatgggggta 960
aaaattttta ataaattttt g
981

```

&lt;210&gt; 147

&lt;211&gt; 526

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1329031

&lt;400&gt; 147

```

ctgcaggccc acctgtctgc aaccagctg aggccatgcc ctccccaggg accgtctgca 60
gcctcctgct cctcggcatg ctctggctgg acttggccat ggcaggctcc agcttcctga 120
gccctgaaca ccagagagtc cagcagagaa aggagtcgaa gaagccacca gccaagctgc 180
agccccgagc tctagcaggc tggctccgcc cggaagatgg aggtcaagca gaaggggcag 240
aggatgaact ggaagtccgg ttcaacgccc cctttgatgt tggaatcaag ctgtcagggg 300
ttcagtagca gcagcacagc caggccctgg ggaagtttct tcaggacatc ctctgggaag 360
aggccaaaaga ggccccagcc gacaagtgat cgcccacaag ccttactcac ctctctctaa 420
gtttagaagc gctcatctgg cttttcgctt gcttctgcag caactccac gactgttgta 480
caagctcagg aggcgaataa atgttccaac ctggtaaaaa aaaaaa 526

```

&lt;210&gt; 148

&lt;211&gt; 2090

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1483050

&lt;400&gt; 148

```

gaggcgcggg gagagtaggg tgctgtggtc tgagctagag ggtgaagctg gcggagcagg 60
aggatgggag tatgcagggt atagactaga gaacaagacc tctgtctccg tagcatcctg 120
gagcagtctg aatgccagaa tggataaccg ttttgctaca gcatttgtaa ttgcttgtgt 180
gcttagcctc atttccacca tctacatggc agcctccatt ggcacagact tctggtatga 240
atatcgaagt ccagttcaag aaaattccag tgatttgaat aaaagcatct gggatgaatt 300
cattagtgat gaggcagatg aaaagactta taatgatgca ctttttcgat acaatggcac 360
agtgggattg tggagacggt gtatcaccat acccaaaaac atgcattggt atagcccacc 420
agaaaggaca gagtcatctt atgtgggtcac aaaatgtgtg agtttcacac taactgagca 480
gttcatggag aaatttggtt atccccgaaa ccacaatagc gggattgatc tccttaggac 540
ctatctttgg cgttgccagt tccttttacc ttttgtagt ttaggtttga tgtgctttgg 600
ggctttgatc ggactttgtg cttgcatttg ccgaagctta tatcccacca ttgccacggg 660
cattctccat ctcttgcag gtctgtgtac actgggctca gtaagttggt atgttgctgg 720
aattgaacta ctccaccaga aactagagct ccctgacaat gtatccgggt aatttggtg 780

```

```

gtccttctgc ctggcttggtg tctctgctcc cttacagttc atggcttctg ctctcttcat 840
ctgggctgct cacaccaacc ggaaagagta caccttaatg aaggcatatc gtgtggcatg 900
agcaagaaac tgcctgcttt acaattgcca tttttatatt tttaaaataa tactgatatt 960
ttccccacct ctcaattgtt ttttaatttt atttgtggat ataccatttt attatgaaaa 1020
tctattttat ttatacacat tcaccactaa atacacactt aataccacta aaatttatgt 1080
ggtttacttt aagcgatgcc atctttcaaa taaactaatc taggtctaga cagaaagaaa 1140
tggatagaga cttgacacaa atttatgaaa gaaaattggg agtaggaatg tgaccgaaaa 1200
caagttgtgc taatgtctgt tagacttttc agtaaaacta aagtaactgt atctgttcaa 1260
ctaaaaactc tatattagtt tctttgggaa acctctcatc gtcaaaactt tatgttcact 1320
ttgctgttgt agatagccag tcaaccagca gtattagtgc tgttttcaaa gatttaagct 1380
ctataaaaatt gggaaattat ctaagatcat tttccctaag cattgacaca tagcttcac 1440
tgaggtgaga tatggcagct gtttgtatct gcaactgtgc tgtctacaaa aagtgaaaaa 1500
tacagtgttt acttgaaaatt ttaactttgt aactgcaaga attccagttc agccgggcga 1560
ggattagtat tatttttaac tctccgtaag attttcagta ccaccaaatt gttttggatt 1620
ttttttcttt cctcttcaca taccagggtt attaaaagtg tgttttcttt ttacattata 1680
ttacagttac aaggtaaaat tcctcaactg ctatttatatt attccagccc agtactataa 1740
agaacgtttc accataatga ccctccagag ctgggaaacc taccacaaga tctaaagttc 1800
tggtgtgcc ttaacctcca actatgggtc ttatttcttg tggtaatatg atgtgccttt 1860
ccttgccctaa atcccttcct ggtgtgtatc aacattatatt aatgtcttct aattcagtc 1920
tttttttata agtatgtcta taaacattga actttaaaaa acttatttat ttattccact 1980
actgtagcaa ttgacagatt aaaaaaatgt aacttcataa tttcttacca taacctcaat 2040
gtctttttta aaaaataaaa ttaaaaatga aaagagactc aaaaaaaaaa 2090

```

&lt;210&gt; 149

&lt;211&gt; 2403

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1514160

&lt;400&gt; 149

```

gggagagagc agcagagacc tcatcagcag accaaggaag tgggtgggtgc tccccctccc 60
taagctccag ggtccctgaa tcttctgaaa tctcaaatga gtggaggcct cctgggggtgg 120
cctgtcctgc aggggccctg gaatgggggc aagcagctgg gtgggcagaa tgcagagtag 180
actcggggga ggatcctttc actttccgct tccccctctg atgcatggag gatggtgtga 240
gcttttccagc agggcccgaa aggtacgcag gtgacgcctt agcagcccg cagctgggtgc 300
tctgccccgc ggtactggcg ccatcagggc ctcccttgcc cgcctgagag cagcagcagt 360
ctctgtcatc ccgtcgcccc ttacccccca cccagggcca ctgggcccct cccacaccac 420
ctggggagct gagaagagga ggctggagta agggaggact tgatcatcca agaaatactt 480
tttattgctg ggagtcttct gaacctcacc aaactgaggc cagagctgag ctccctggggg 540
agttaattca gaggggagag gccagcacct ccctcctcca tcgctcgctg tgtgccttaa 600
actccatctc atgtccctcc ccatcccctg gctttccctc cctccttgcc ccatcctggg 660
ccagccagca gggctcctcc tctggctctt cagaccttcc agccagtgtc gtcagtgcct 720
ctgggagggg agggcatccc tgaggcacc gaattggtccc tcagggtgca gggaggcaga 780
agcctggcca cagaggagcc tcctaaggca gcagctgcag caagcgacc ctctccccc 840
tctccccacg ccagagcggc ttccagagca gatgctgttt ccatcctcct cgtcaaaacc 900
attctcgctg ctgagcttga caatctgggc aaggcttgtg gggcgcttga caaacagaat 960
ctgccctgtg ccgcttggtt ccgtggcctc cagcatgagc ctgcaggcag ggcgctgcgg 1020
gaaccagtt gtgtgcccc agcccatgcc tccgggtctg ctgtgcatga atgagtgtc 1080
acttgctccg ggtttaggac gtggtcaagt gaacagcagg gtctaactgt gcttacttag 1140
ccagtttcaa acagaacaaa ggaaaaatat agaaagcaac atctgttgat catttaggtt 1200
tttttttaaa ccaccatgtc actttgagtc ctctcatggg ttttgaacag catttatcaa 1260
gaagaaaaatg tgggcttttt cccctctccc gtgttttgtt tgtcctgtag atagagggag 1320
gaaagccgtg cagtggcagg cgggaccccc tctgggtggcg ggacccctc ttgcggtggt 1380

```



```

cttgccggggc cagccggggc ctgtcacttt attatttaag gagtgtgtgt gtagagtcgc 1440
tggtcttatta acagtattgt gtgtgggttg gggttttagt ttgttccttc tttttgaagt 1500
cccttcattt caatccttga ctctctctcc ccttcccttg cccagctctg ttgaatgctg 1560
ctgtgcgcgt gtgagggccg ctctgcacac agggcccttg ggttgtgtga actgaaattc 1620
tccctgtatt tgtgagactc gcaggagtcc ccattctgtag cacaggcaat gccagtgcc 1680
tgctgcagcc tcagaaacca ggctctctac tccagcagca ggcagaaccg tgtctgtggt 1740
cgggtgctgt ccacagctct gtctgccttg ttcttgggct tgagctggat agagggtggg 1800
tctcttcacc ttccctgaat tcagaacaga cctgtgcct ggccccagtg tgcccaggca 1860
attccccagg ccctcattgg gagcccttgg tgttctgagc agcaggggcc aggcagcaca 1920
tgagcagtgc ccaggggctc cctgcgtgag gacggcaagg tgcgatgtat gtctaactta 1980
ttgatggcag gcagccccct gtgcccccta agcctggccc tggttattgc tgagctctgt 2040
ggtcagtgtc gcggcctggc cgtggctcgt ctgttccttt gggggggccc ggcggttgt 2100
gggaatcagt cttcacagac agacgtgagc caggcgagg actcgttcct tgcaagggtc 2160
agtcttcacc tgcaggtgtc ggggtggggg ggggcaagga ggggcaggca cacaccatgt 2220
ctgacctgaa cccgattctg gggagcatct tcccgctccg gccccacgac ctccacagg 2280
ttacattgta atatatatgc cccagctaac ctgtctgatg gtggcatctt cctgcagaca 2340
tttcaaacat gtaactttta tatgaaaaaa aataaacaca gatgaaagct gaaaaaaaaa 2400
aaa 2403

```

&lt;210&gt; 150

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1603403

&lt;400&gt; 150

```

ggccaccggg acttcagtgt ctctccatc ccaggagcgc agtggccact atggggctctg 60
ggctgcccc tgtctctctc ttgacctcc ttggcagctc acatggaaca gggccgggta 120
tgactttgca actgaagctg aaggagtctt ttctgacaaa ttctctctat gagtccagct 180
tcttggaatt gcttgaaaag ctctgcctcc tctccatct ccttcaggg accagcgtca 240
ccctccacca tgcaagatct caacaccatg ttgtctgcaa cacatgacag ccattgaagc 300
ctgtgtcctt cttggcccgg gcttttgggc cggggatgca ggaggcaggc cccgacctg 360
tctttcagca ggccccacc ctctgagtg gcaataaata aaattcggtg tgctgaattc 420
aaaaaaaaa a 431

```

&lt;210&gt; 151

&lt;211&gt; 2109

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1652303

&lt;400&gt; 151

```

ttttagcca agtgggagct attttctttt ttgtgcatat agatatttct taaatgaagc 60
tgctttcttg tcttttattt ctaaaagccc cttataccc cactttgtgc agcaaagatc 120
ccggtgcagg tcacagcctg atttgtggcc aggttgaca aattcctgag gcacaacttg 180
gcttcagttc agatttcaag ctgtgttggg gttgggacca gcagaaggca aacgtccagc 240
caacacacag gactgtaaga ggactctgag ctacgtgccc tgtgaagacc cccaggtttt 300
gtcataggag gtcgttcagc ttccccaag tcagaggtga tttgatttgg ggaagactga 360
atattcacac ctaagtcgtg agcatatcct gagttttact tccttatggc ttgccctcca 420

```

```

agttctctct ctcatacaca cacacaccct tgctccagaa tcaccagaca cctccatggc 480
tccagctatg ggaacagctg cattggggct gcctttctgt ttggcttagg aacttctgtg 540
cttcttgtgg ctccactcgc gaggcagctc ggagggtggt actccgattg ggctgcaggc 600
agetctggga cggcacaggc cgggcgctct gatcagctcg tgtaaaacac accgtcttct 660
tggcctcctg gccagtcttt ctgcgaatag tcctctccct ggccagttga atgggggaag 720
ctgctggcac aggaaggaga ggcatcccg gctgaggctt aggaaattgc tggagccggc 780
tccaagcaga taattcactg gggagggttt cagagtcaaa catcattctg cctgtgttgg 840
gggccagggtg tgcacacaaa gcatctcaaa gtcaaaagcc atctggggct gctgcttctc 900
tttctcaggc tctggggaaa ggaatctccc tctcctctca cttgattcca agtgtggttg 960
aattgtctgg agcactggga ctttttttct cttttccttg atggaccaac agtgcaaatg 1020
caatctcgcc atttaacttt caggctcgatt tcctttcctg atcagacatc tttgtgcccc 1080
ctttagggaag gaaaagaata cacctacgat gtgccaggca ctgtgttagg cgcttttata 1140
tagatcctcg ttaggatgag actaagggat gaggacatct cttataaaaa ggcccctaag 1200
taatggataa acagaaacac ttagagggtga gaaggctctg cttcaagatc caaggtaaga 1260
ttgccttcag tctgatgttt gtctcaggg acttatcccc tacaatatcc tccactcca 1320
tacttctcct tctacccccc catgtgctcc cgtgcactcc tcagatgggc agaggggtaa 1380
cccaagtcct tagagaattt ggggaccaat agaatatgtg atgtgtgaat tttctttaaa 1440
aaacttaagg agtctttgct accttctgct tgttgagttg ttttggcatt catattaaaa 1500
gccagcatct cactatttat tgacagggtg ggctgtgtgt gtgcgcatgt gtgtatacat 1560
ttccaggcgt gcctgtgtcc tgtagctttt taaaaggaaa cccagtcac cactatgaa 1620
tctggcatct tcttatgctt ctagtgtttt ggccatacat caaccaaggg gtttaattta 1680
tccaatgctt gacgacatgt tcaggagggt ctggatcaaa ttttgagagg gttatgggaa 1740
agggaggggg agaagaaatt gacattttat ttattattta ttttaaatgt ttacatcttc 1800
tttatgttgt atcaagcctg aatagaaact gatagcatta aaatactccg ttcctctctc 1860
tcttctcgct tccttttttt ttttttttaa atttaggata acacattttt gtttctaaag 1920
tgatttgtga tttgtgctgt ataaactgta taaaagggtc tgtttttaaa ggtggatttt 1980
cattcctctg gggacagtgg tcgccaagac atctacattg taagagaaca cagtgggaaga 2040
tcctgtcctg attctcaaaa attattttct ctgtatgatt aaaagtttat tccattttaa 2100
aaaaaaaaa

```

2109

&lt;210&gt; 152

&lt;211&gt; 1114

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1693358

&lt;400&gt; 152

```

ggccggagca gctgtcaggc tgaagtcctg cgagcgagcg gcggcggggc ggcgagagga 60
aacgcggcgc cgggccgggc cgggccctgg agatgggtccc cggcgccgcg ggctgggtgt 120
gtctcgtgct ctggctcccc gcgtgcgtcg cggccacagc cttccgtatc catgattatt 180
tgtactttca agtgtgaggt cctggggaca ttcgatacat cttccagcc acacctgcca 240
aggacttttg tggatctttt cacacaaggt atgagcagat tcacctgtgc cccgctgaac 300
ctccagaggc ctgcggggaa ctcagcaacg gtttcttcat ccaggaccag attgctctgg 360
tggagagggg gggctgctcc ttcctctcca agactcgggt ggtccaggag cacggcgggc 420
gggcggtgat catctctgac aacgcagttg acaatgacag cttctacgtg gagatgatcc 480
aggacagtac ccagcgaca gctgacatcc ccgccctctt cctgctcggc cgagacggct 540
acatgatccg ccgctctctg gaacagcatg ggctgccatg ggccatcatt tccatcccag 600
tcaatgtcac cagcatcccc acctttgagc tgctgcaacc gccctggacc ttctggtaga 660
agagtttgtc ccacattcca gccataagtg actctgagct gggaagggga aaccaggaa 720
ttttgctact tggaaatttg agatagcatc tggggacaag tggagccagg tagaggaaaa 780
gggtttgggc gttgctaggg tgaaggga ggcacaccac tggccttccc ttccccagg 840
ccccagggtg tgtctcatgc tacaagaaga ggcaagagac agggccagg gcttctggct 900
agaaccgaa acaaaaggag ctgaaggcag gtggcctgag agccatctgt gacctgtcac 960

```

```

actcacctgg ctccagcctc ccctacccag ggtctctgca cagtgcacctt cacagcagtt 1020
gttggagtggt tttaaagagc tgggtgtttgg ggactcaata aacctctact gacttttttag 1080
caataaagct tctcatcagg gttaaaaaaa aaaa 1114

```

&lt;210&gt; 153

&lt;211&gt; 2192

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1707711

&lt;400&gt; 153

```

ggaactcatg agccaacagc tgaagaaacc cattgctaca gcttccagtt gaatgccggg 60
gagaaacctg tccaatttta gcagggttga agggaggatc ttcttcagtt gtagttttgga 120
agggttccttg gtgtgggtca tgaaatcaca gagctcagag ataccatctt gagaaatcct 180
ccttggtatc atgaaactgg agcagaggaa ttgcaattta gcaggagggtc ctctactggt 240
gataccctca ccttggggta atggtcctaa cccagaccca gggctctggaa gcttaatgtt 300
gagttgggtga ctccagcctc tttctcctgg aggtcacaag atgatgattg cgtagatgtt 360
gcctgggtgca aagtgcccca aacagcaata gaaaaggcata tgtataacca aactccaagt 420
gataaccaga cccatctctc ctccaccttg acaaaagcag attatagtat acaaggtagg 480
aattcctgtc ctatttgaga tgaactatat cctgtacctc tgtgtctctgt gtctgcatga 540
aggctcagcc tttagaggca ctcttcttag ttgcattagt actgtctttc tgtggagttt 600
ggtttgaaga ctggctcagc aagtggagggt ttcaatgtat ttttcagttg gctcatcagc 660
cagcattggt gaatattcag tttaggggaa cagttctagg gagtgcagaca tttttgggag 720
cagaggaaaa ctctgctgat gttcggtcct ggcaaacatt gagttatattt gagctgtgaa 780
ggcagtcgtc tctgttacac agtggcagct cttgagttat gcactgtgaa gaatgagaag 840
ggaaaagcaa aaattatcct tgtgaaatat ctgctgattg tgccctactc tttgcacctg 900
acttttccta gttgtcctgg tgctaacaca ggagctacac cttgatcctc tcctggcatg 960
aaaataaaac aaagggttttc gttgttgttg ttccattgcc catttcccc atgttgtctt 1020
tcccttggtc gatgcctcct ctgggtcaca ttgcttctta tcctgaacac ttgacacctt 1080
gagggtagaa tttagcgttt gggttttacc tcctagcata tgctgtttgg tatgtgaggg 1140
tttcagtaca aatgctgctg tctatttctg tgcacttaac aatggaaccc aaacagaaga 1200
gaataaagcc ttgataccaa aattgggaaa gaacatgtgt ccatttggac caaacgttgt 1260
tggtttttta aaaattttat tttgtttttt tgtttttgtt tttgtttttt ttcattctta 1320
tatgtaccag tggcacttaa ccaaaagata cagtgcata gccatgtact gtgggtggga 1380
cagatacagt ctcttggtcc tataatgaaa ccactaggac tttatacagt tttccttaat 1440
ttgttgacat ataaatggta aattatattt aggttatcc tgttttgaaa tgatggtagt 1500
catctttctt actgctactt tcatgttgct ttctagaaaa cagcatttca ttccaaaata 1560
actaggatct gcatttagaa caagaatcat tatttgcct gaccttttca gtccctacaga 1620
gacgcactctg tggttctttt gtacttgcca tagatgtaac ctaaaaagtt ttggcatatt 1680
taggtcagcc tagcggaact ttttttttca tttaaatgga gctgaataat ggagattttg 1740
tgtctgcaaa attcctgaga tcattgaaaa agtaacaagc tgctccttgt ttctgataca 1800
taaaattatt ttaagcattt tatcaatcat taaaatttac tgccagttgt gagtggcttt 1860
ttaattaact tgtctttcat tgcacttcac tctgcctgtt ttcaagggga gtaagattgg 1920
taacatttgg ggagactgta tctgtctact tagcgtggct gttttgaggg actgtcccat 1980
cagtgaacaa actgcatggc cttggagaga gactctgggc tcttggtcga gatgtgttca 2040
tcaataactc ctttcagagc tgttgtgggt gtaagtgaac tgatgtggcc aaaaatccaa 2100
actgtgcagt tgcgttgtga caaacatgca atgtgctgta aaaattcaat acagttttaa 2160
taaaatctct atattagtgc tgaaaaaaa aa 2192

```

&lt;210&gt; 154

&lt;211&gt; 913

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1738735

<400> 154

```
ctcgagcggc tcgagagcgg ggcaaactgc ttggcacctc ttcaataggt gacattcaat 60
gatagatctc tggcttcctg ctctgtttgt tctgggtgcc ctggaaagcc tgctgctcag 120
cccatgcccc gggacttcct ccaccctcac caggacattc ttccatctc ttgtctcctg 180
tgtgcaagtc cttttctcct ggattccatg tcttgaatgt ttcttaattt acttcctcat 240
tttggcagag gatgtcctcc agttgttttc tgggaatgct aatatgcaag tgaaccagtg 300
acctgcagtt ctgcccacac agggttaata accaatcaga ttctctcttt tcaagatggg 360
taacataaca gacaccaaga aagggaagag gagccgacag cagaggggga agctgaaaag 420
acgcacaaag aatggccata aaagatatga gcaacccag ctttccagac agtcactttt 480
cccagtggtc atacctggtc tggaagattc cccatcatct cgaataaagc tgttggtgct 540
tttaactcca tggagagacc gaatggagtg agcccagcag ggcagtgctg gcaagagagg 600
tcccccgagt cccaaataag aatttcaact agtataaaac gaggcagcga acccacacgt 660
ggaagtctga taccgcttgc agaagggaat tgaatagatg tctccctatt ggtaaggatg 720
tggttttatt gacttgaaat acaaagccc gcaagcaaca actgatcatc cgcgggatgc 780
tgccacaagg aataattgag cactcattca gacacagggg aaaccactgc ctctttcagt 840
ctttctccca gattccaaca gtcagtgtta cagcatttca ccttgttcac ctccctgaga 900
agacgttgca ggg                                     913
```

<210> 155

<211> 480

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1749147

<400> 155

```
cttctgttca ggctgggatt acaggtgtga gccgctgcgc tcggccttct ttgattttat 60
attattagga gcaaaagtaa atgaagccca ggaaaacacc tttgggaaca aactcttcct 120
ttgatggaaa atgcagaggc ccttcctctc ttgctcctct tacctgcccg 180
gggtggttgg ggggtgttgg gtttcctccc tggagaagat gggggaggct gtcccactcc 240
cagctctggc agaatcaagc tgttcagca gtgccttctt catccttctt tacgatcaat 300
cacagtctcc agaagatcag ctcaattgct gtgcaggtta aaactacaga accacatccc 360
aaaggtacct ggtaagaatg tttgaaagat cttccatttc taggaacccc agtcctgctt 420
ctccgcaatg gcacatgctt ccactccatc catactgcag tcgtcaaata aacagatatg 480
```

<210> 156

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1817722

<400> 156

```
caggctatta agaaaggcgg acccatgcac atgattttta aggttctgac aactgcattg 60
ctgttacaag ctgcttcagc tttagctaata tacattcatt tctccagtta ctccaaagat 120
```

```
ggaatagggg taccatttat gggaagtttg gcagaatttt ttgacatcgc ttcccaaatt 180
cagatgttat acttactttt gagtctatgc atgggttggg caatagtcag aatgaagaag 240
tctcaaagca gacctctcca gtgggattct acacctgcat ccactggcat tgcagtattc 300
attgtcatga cacagagtgt tttgctactt tgggaacagt ttgaagatat cagtcatcat 360
agctaccatt cacaccacaa cttagcaggg atcctcctaa ttgttctaag aatttgccta 420
gcattgtcat taggctgtgg actctatcag atcatcacag tggagagaag tacactcaaa 480
agggagttct acatcacatt tgccaaagta tgggtttgga aagaaaatgg tttattctga 540
ttatc 545
```

&lt;210&gt; 157

&lt;211&gt; 1746

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1831290

&lt;400&gt; 157

```
ttggcatcag cttgggcagg tgtgcgggct caggatgggg cgcccggtgt gaggaaccct 60
ggactctcag catcacaaga ggcaacacca ggagccaaca tgagctcggg gactgaactg 120
ctgtggcccg gagcagcgct gctggtgctg ttgggggttg cagccagtct gtgtgtgcgc 180
tgctcacgcc caggtgcaaa gaggtcagag aaaatctacc agcagagaag tctgcgtgag 240
gaccaacaga gctttacggg gtcccgacc tactccttgg tggggcaggc atggccagga 300
cccctggcgg acatggcacc cacaaggaag gacaagctgt tgcaattcta cccagcctg 360
gaggatccag catcttccag gtaccagaac ttcagcaaaag gaagcagaca cgggtcggag 420
gaagcctaca tagaccccat tgccatggag tattacaact gggggcgggt ctcgaagccc 480
ccagaagatg atgatgccaa ttcctacgag aatgtgctca ttgcaagca gaaaaccaca 540
gagacaggtg cccagcagga ggcataggt ggccctctga gaggggacct cagcctgtca 600
ctggccctga agactggccc cacttctggt ctctgtccct ctgcctcccc ggaagaagat 660
gaggaatctg aggattatca gaactcagca tccatccatc agtggcgcgga gtccaggaag 720
gtcatggggc aactccagag agaagcatcc cctggcccgg tgggaagccc agacgaggag 780
gacggggaac cggattacgt gaatggggag gtggcagcca cagaagccta gggcagacca 840
agaagaaagg agccaaggca aagaggggacc actgtgctca tggacccatc gctgccttcc 900
aaggaccatt tcccagagct actcaacttt taagcccttg ccatggttgc tccctggaagg 960
agaaccagcc accctgagga ccacctggcc atgctgtcac agcctgggaa aagacagtta 1020
ctcacgggag ctgcaggccc gtcaccaagc cctctccga cccaggcttt gtggggcagg 1080
cacctggtac caagggtaac ccggtcctg gtatggacgg atgcgcagga tttaggataa 1140
gctgtcacc agtccccata acaaaaccac tgtccaacac tggatatctg gttcttttgt 1200
gctatgaatt tggattccta attgctattg ttggttgcgt gggtttttaa tgattgataa 1260
gcttgtacag ttaacttata gagggggagc catatttaac attctggatt tcagagtaga 1320
gatttctgtg ttgtctccta gaaagcatta catgtagttt atttcagcat ccttgttggg 1380
tggggccctg gctctcttcc cctttggttg gacctccct ttctttgggc ttcagttcac 1440
tcaggaagaa atgaggctgt cgccatcttt atgtgcttcc agtggaaatg tcacttgcta 1500
cagacaatag tgcatgagag tctagagaag tagtgaccag aacagggcag agtaggtccc 1560
ctccatggcc ctgaatctc ctctgtcca gggctggcct ctgcagagct gattaaacag 1620
tgttgtgact gtctcatggg aagagctggg gccagaggg accttgagtc agaaatgttg 1680
ccagaaaaag tatctcttcc aacaaaaaca tctcaataaa accattttag ttgaaaaaaa 1740
aaaaaa 1746
```

&lt;210&gt; 158

&lt;211&gt; 2011

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1831477

&lt;400&gt; 158

```
ggagcacggc gctggggccg cccgcagcgc tcaactcgctc gcactcagtc gcgggaggct 60
tccccgcgcc ggccgcgtcc cgcgcgctcc ccggcaccag aagttcctct gcgcgtccga 120
cggcgacatg ggcgtcccca cggccccgga ggccggcagc tggcgctggg gatccctgct 180
cttcgctctc ttccctggctg cgtccctagg tccggtggca gccttcaagg tcgccacgcc 240
gtattccctg tatgtctgtc ccgaggggca gaacgtcacc ctcacctgca ggctcttggg 300
ccctgtggac aaagggcacg atgtgacctt ctacaagacg tggtagcgca gctcgagggg 360
cgaggtgcag acctgctcag agcgccggcc catccgcaac ctcacgttcc aggaccttca 420
cctgcaccat ggaggccacc aggctgcca caccagccac gacctggctc agcgccacgg 480
gctggagtgc gcctccgacc accatggcaa cttctccatc accatgcgca acctgacct 540
gctggatagc ggccctctact gctgcctggt ggtggagatc aggcaccacc actcggagca 600
caggggtccat ggtgcatgag agctgcaggt gcagacaggc aaagatgcac catccaactg 660
tgtggtgtac ccatcctcct cccaggagag tgaatacatc acggctgcag ccctggctac 720
gggtgcctgc atcgtaggaa tcctctgcct cccctcctac ctgctcctgg tctacaagca 780
aaggcaggca gcctccaacc gccgtgcccc ggagctgggt cggtatggaca gcaacattca 840
agggattgaa aaccccggtt ttgaagcctc accacctgcc caggggatac ccgaggccaa 900
agtcaggcac cccctgtcct atgtggcccc gcggcagcct tctgagtctg ggcggtatct 960
gctttcggag cccagcacc cctgtctctc tccaggcccc ggagacgtct tcttcccatc 1020
cctggacctt gtccctgact ctccaaactt tgaggtcatc tagccagctt gggggacagt 1080
gggctgttgt ggctgggtct ggggcagggt catttgagcc agggctggct ctgtgagtgg 1140
cctccttggc ctcgccctct gttccctccc tctgtctctg ggctcagata ctgtgacatc 1200
ccagaagccc agccccctca cccctctgga tgctacatgg ggatgctgga cggctcagcc 1260
cctgttccaa ggattttggg gtgctgagat tctcccctag agacctgaaa ttcaccagct 1320
acagatgcca aatgacttac atcttaagaa gtctcagaac gtccagccct tcagcagctc 1380
tcgttctgag acatgagcct tgggatgtgg cagcatcagt gggacaagat ggacactggg 1440
ccaccctccc aggcaccaga cacagggcac ggtggagaga cttctcccc cgtggccgct 1500
tggtcctccc gttttgccc aggtctctct tctgtcagac ttctctcttg taccacagtg 1560
gctctggggc caggcctgcc tgcccactgg ccatcgccac cttccccagc tgccctctac 1620
cagcagtttc tctgaagatc tgtcaacagg ttaagtcaat ctggggcttc cactgctctc 1680
attccagctc ccagagcttg gtggtcccga aacgggaagt acatattggg gcatggtggc 1740
ctcgtgagc aaatggtgtc ttgggcaatc tgaggccagg acagatgttg cccacccac 1800
tgagatgggt gctgagggag gtgggtgggg ccttctggga aggtgagtgg agaggggcac 1860
ctccccccg ccctcccat cccctactcc cactgctcag cgcgggccat tgcaagggtg 1920
ccacacaatg tcttgtccac cctgggacac ttctgagtat gaagcgggat gctattaaaa 1980
actacatggg gaaacaggtg caaaaaaaaa a 2011
```

&lt;210&gt; 159

&lt;211&gt; 480

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 440

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1841607

&lt;400&gt; 159

```
cccacgcgtc cgaaaagaaa agaaaaaaga aaatggcctc atcttgtttc agcctcagtt 60
```

```

ttcctccctt cagtctggct gggagcttag ctctttgggg tcattgctgt gtcaggctgg 120
gttggttcctt ttggtctgtt tctgccatgg cccagcgcct tccctctcag aatacatata 180
atccccccct ctgctgggctg tgggtgactca tgtctataat cccagctctt tgggaggcca 240
gggagggtgg atcacttgag cctaggagtt cgaaccagc ctgagcaaca tggtgaaagc 300
ccatctctac gaaaaatgca aaagttagcc aggcattggt gtgcacgtct gtagaccag 360
ctacttgga ggctgaggca ggaggatcct tgagcccagg aggcagaagc tgcagtgage 420
tgtgatcgca ccactgctcn tcagcctggc gacagagcga gattccctca aaaaaaaaaa 480

```

&lt;210&gt; 160

&lt;211&gt; 542

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1852391

&lt;400&gt; 160

```

ttgaatcaac ataattgtatg tgaagggtct tagtccatga ttgggtgctt aatatgcccg 60
tgttgctggg gtgagccaaa gggatgaagt tggcagtgtc tgctctgtcg tggagcagtc 120
cccacgtggg aaggccagcg ggaaccagc cctgctgaag tctccagcgc tgggaagctc 180
acgggggtta ggaaggagcc ttgggagcag ctctcagag cacagtgtga cctcaattgt 240
ggattttaga tgtttctgct tctcaatgtt ctctctttt tctgctgtgc ttgctgctc 300
tttgacctc ttgctgtcta ggggtggcaga tgaagctttc tacaacaac ccttcgtga 360
cgtgattggt tatgtgtatg ttgcaaaact aattcctttt tctacatctg attctttcta 420
cttttggtta gagttaatgc tccttttatg tcaccagttg ctttgctttt taaattattt 480
caaattggca ctttgggggc tgctaagaa ttgataagcg gggatgatc tgttgatgaa 540
tc

```

542

&lt;210&gt; 161

&lt;211&gt; 1066

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1854555

&lt;400&gt; 161

```

ttaggtttc tttatttgc tgaatgcttt cacgggagtg tgtcgactg gagcacagag 60
gacactcgat cgtgcggcgc gcaggggcgg gggccgcgc tgccctcccg cgggatggct 120
ggcactgtgc tcggagtcgg tgccggcgctg ttcattcttag cctgctctg ggtggcagtg 180
ctgctgctgt gtgtgctgct gtccagagcc tccggggcgg cgaggttctc tgtcattttt 240
ttattcttcg gtgctgtgat catcacatca gttctgttc ttttcccgcg agctgggtgaa 300
ttccagcccc cagaagtggg agttaagatt gtggatgact ttttcattgg ccgctatgtc 360
ctgctggctt tccttagtgc catcttctct ggaggcctct tcttggtttt aatccattat 420
gttctggagc cgatctatgc caaaccactg cactcctact gaccactctt caggaaaacg 480
aaaactctgt ctctccttca ttgtgatgac attgatgagc aggaaggcac tattcagagc 540
cttgttttga cagccctcat gccttaaggt tagaggagta tctgtccatc actaagacaa 600
atctctggag tcctggcttc cagaaacagg attgccaat tgtccctgtg gggctagatt 660
cttaccagct taagaaggat attgctatct tcttagtacc cgtaccttag gatttccaac 720
tgttttgaaa gggaaatagt aacagtgatc tgcttagagt ggattttcac tcaagtcctt 780
agtaagtggg ttttggggaa aaaagcacat gggcttctgg ttctttttga taatatataa 840
aattattcat tatgaggttg cagttgtttg caaaggagag gcaactcaat ttgaaaggtt 900
attttaatgt gataatttgg aagacttact cagatgttgg tcattgacca ctctgtgcat 960

```

atatttctgc agagctctgt gaaggcaatg agtgtcactt ccctctgctc taataaagca 1020  
ataaataata gctaaagggc tgactttcac ttcgaaaaaa aaaaaa 1066

<210> 162

<211> 1173

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1855755

<400> 162

gtctcgctcc tgcccagccc gggcggtgc cttgggtgc tcccttcctt gcccgacacc 60  
cagaccgacc ttgaccgccc acctggcagg agcaggacag gacggccgga cgcgcccatg 120  
gccgagctcc cggggccctt tctctgcggg gccctgctag gcttcctgtg cctgagtggg 180  
ctggccgtgg aggtgaaggt acccacagag ccgctgagca cggccctggg gaagacagcc 240  
gagctgacct gcacctacag cagtcggtg ggagacagct tcgcccctgga gtggagcttt 300  
gtgcagcctg ggaaacccat ctctgagtc catccaatcc tgtacttcac caatggccat 360  
ctgtatccaa ctggttctaa gtcaaagcgg gtcagcctgc ttcagaacct cccacagtg 420  
ggggtggcca cactgaaact gactgacgtc caccctcag atactggaac ctacctctgc 480  
caagtcaaca acccaccaga tttctacacc aatgggttg ggctaataa ccttactgtg 540  
ctggttcccc ccagtaatcc cttatgcagt cagagtggac aaacctctgt gggaggctct 600  
actgcactga gatgcagctc ttccgagggg gctcctaagc cagtgtacaa ctgggtgcgt 660  
cttggaactt ttcctacacc ttctcctggc agcatgggtc aagatgaggt gtctggccag 720  
ctcatttctc ccaacctctc cctgacctcc tcgggcacct accgctgtgt ggccaccaac 780  
cagatgggca gtgcatcctg tgagctgacc ctctctgtga ccgaaccctc ccaaggccga 840  
gtggccggag ctctgattgg ggtgctcctg ggcgtgctgt tgctgtcagt tgctgcgttc 900  
tgccctgtca ggttccagaa agagaggggg aagaagccca aggagacata tgggggtagt 960  
gaccttcggg aggatgccat cgctcctggg atctctgagc acacttgtat gagggctgat 1020  
tctagcaagg ggttcctgga aagaccctcg tctgccagca ccgtgacgac caccaagtc 1080  
aagctccccta tggtcgtgtg acttctcccg atccctgagg gcggtgaggg ggaatatcaa 1140  
taattaaagt ctgtgggtac caaaaaaaaa aaa 1173

<210> 163

<211> 890

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1861434

<400> 163

ctcgagccgg agagatcctc taccgcagtc gtttgaggag gcggaactga agttttttct 60  
taattatcat gtgacgggtt ctggatttaa tggggggaaa agggcggaag aggacaagga 120  
tccaaactgg cgaatttgct gatcttcgct tccctctccg ctttcgggac ggcagcgctg 180  
ccagggtata tttccttttt tccgatcctg caacagcctc tttaaactgt ttaaatgaga 240  
atgtccttgg ctgagagagt actactcacc tggcttttca cactactctt cttgatcatg 300  
ttggtgttga aactggatga gaaagcacct tgggaactgg tccctcatatt cattccagtc 360  
tggtatattg atactatcct tcttgtcctg ctgattgtga aaatggctgg gcggtgtaag 420  
tctggccttg accctcgaca tggatcacac aatattaaaa aaaaagcctg gtacctcatt 480  
gcaatgttac ttaaattagc cttctgcctc gcactctgtg ctaaaactgga acagtttact 540  
accatgaatc tatcctatgt cttcattcct ttatgggcct tgctggctgg ggctttaaca 600  
gaactcggat ataattgtct ttttgtgaga gactgacttc taagtacatc atctcctttc 660



```
tattgctggt caacaagtta ccattaaagt gttctgaatc tgtcaagctt caagaatacc 720
agagaactga gggaaaatac caaatgtagt ttatactac ttccataaaa caggattggt 780
gaatcacgga cttctagtca acctacagct taattattca gcatttgagt tattgagatc 840
cttattatct ctatgtaaat aaagtttggt ttggacctca aaaaaaaaaa 890
```

&lt;210&gt; 164

&lt;211&gt; 806

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1872334

&lt;400&gt; 164

```
tgcacagtg cccaggcaag cccaggagtt gacattttctc tgcccagcca tgggcctcac 60
cctgctcttg ctgctgctcc tgggactaga aggtcagggc atagttggca gcctccctga 120
ggtgctgcag gcacccgtgg gaagctccat tctggtgcag tgccactaca ggctccagga 180
tgtcaaagct cagaagggtg ggtgccggtt cttgccggag gggtgccagc ccctgggtgtc 240
ctcagctgtg gatcgagag ctccagcggg caggcgtagc tttctcacag acctgggtgg 300
gggcctgctg caggtggaaa tggttaccct gcaggaagag gatgctggcg agtatggctg 360
catggtggat ggggccaggg ggcccagat tttgcacaga gtctctctga acatactgcc 420
cccagggtgag ttatcctagg ccagctacca ccccttagac ctaccctccc ccccccgcc 480
tattgccagg gctcatgggt tcttgaggag tgggggcccc tggggaggag gcattccaag 540
gagatatcct cttgacagct ctgcaggag cggaaccaa actgggtggg aagtctgaga 600
taaatcagct gaaaaccatc cctttcccc ttccacacta ctgcgcttcc ccacaggaag 660
gcatgtcctt cccactccag ggacttgccc tcttcttcca gcattttcaa catacttgat 720
gctaacttat tttttaatta gaaatatttt aaacaatgtt gaatctgagt gtataaaca 780
gaataatttt tgtagctcca gtgttt 806
```

&lt;210&gt; 165

&lt;211&gt; 1923

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1877230

&lt;400&gt; 165

```
tggccggcaa gcagggtgctc agtcacgggg cggcgcgagg ggccccagcc cagtcagggg 60
tgtggccgcc gccaccgtaa ggctaggccg cgagcttagt cctgggagcc gcctccgtcg 120
ccgccgtcag agccgcccta tcagattatc ttaacaagaa aaccaactgg aaaaaaaaaa 180
gaaattcctt atcttcgcat ttttcgggtg tgttcacctt ttatccctgt gctctgggaa 240
agctatatgc aagaatggca tctctaagag gacttttgaa gaaataaaaag aagaaatagc 300
cagctgtgga gatgttgcta aagcaatcat caacctagct gtttatggta aagcccagaa 360
cagatcctat gagcgattgg cacttctggt tgatactgtt ggaccagac tgagtggctc 420
caagaacctc gaaaaagcca tccaaattat gtacccaaac ctgcagcaag atgggctgga 480
gaaagtccac ctggagccag tgagaatacc ccactgggag aggggagaa aatcagctgt 540
gatgctggag ccaagaattc cagaagttct cactctgggt cttggcagca gcattgggac 600
tcctccagaa ggcatcacag cagaagttct ggtggtgacc tctttcgatg aactgcagag 660
aagggcctca gaagcaagag ggaagattgt tgtttataac caaccttaca tcaactactc 720
aaggacggtg caataccgaa cgcagggggc ggtggaagct gccaaagggtg gggctttggc 780
atctctcatt cgatccgtgg cctccttctc catctacagt cctcacacag gtattcagga 840
ataccaggat ggcgtgccca agattccaac agcctgtatt acggtggaag atgcagaaat 900
```

```

gatgtcaaga atggcttctc atgggatcaa aattgtcatt cagctaaaga tgggggcaaa 960
gacctacca gatactgatt ccttcaacac tgtagcagag atcactggga gcaaatatcc 1020
agaacaggtt gtactggtca gtggacatct ggacagctgg gatgttgggc aggggtgcat 1080
ggatgatggc ggtggagcct ttatatcatg ggaagcactc tcacttatta aagatcttgg 1140
gctgcgtcca aagaggactc tgcggtcgtt gctctggact gcagaagaac aaggtggagt 1200
tggtgccttc cagtattatc agttacacaa ggtaaatatt tccaactaca gtctggtgat 1260
ggagtctgac gcaggaacct tcttaccac tgggctgcaa ttcactggca gtgaaaaggc 1320
cagggccatc atggaggagg ttatgagcct gctgcagccc ctcaatatca ctcaggctct 1380
gagccatgga gaaggacag acatcaactt ttggatccaa gctggagtgc ctggagccag 1440
tctacttgat gacttataca agtatttctt cttccatcac tcccacggag acaccatgac 1500
tgtcatggat ccaaagcaga tgaatgttgc tgctgctgtt tgggctgttg tttcttatgt 1560
tggtgcagac atggaagaaa tgctgcctag gtcttagaaa cagtaagaaa gaaacgtttt 1620
catgcttctg gccaggaatc ctgggtctgc aactttggaa aactcctctt cacataacaa 1680
tttcatccaa ttcatcttca aagcacaact ctatttcatg ctttctgtta ttatctttct 1740
tgatactttc caaattctct gattctagaa aaaggaatca ttctcccctc cctcccacca 1800
catagaatca acatatggta gggattacag tgggggcatt tctttatatc acctcttaaa 1860
aacattgttt ccactttaaa agtaaacact taataaattt ttggaagatc aaaaaaaaaa 1920
aaa
1923

```

<210> 166  
 <211> 518  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1877885

```

<400> 166
ttgacaccag cagggtgaca tccgctattg ctacttctct gctccccac agttcctctg 60
gacttctctg gaccacagtc ctctgccaga cccctgccag accccagtc accatgatcc 120
atctgggtca catcctcttc ctgcttttgc tcccagtggc tgcagctcag acgactccag 180
gagagagatc atcactccct gccttttacc ctggcacttc aggtctcttg tccggatgtg 240
ggtcctcttc tctgccgctc ctggcaggcc tcgtggctgc tgatgcggtg gcatcgctgc 300
tcatcggtgg ggcggtgttc ctgtgcgcac gccacgccc cagccccgcc caagaagatg 360
gcaaagtcta catcaacatg ccaggcaggg gctgaccctc ctgcagcttg gacctttgac 420
ttctgaccct ctcatcctgg atggtgtgtg gtggcacagg aacccccgcc ccaacttttg 480
gattgtaata aaacaattga aacacaaaaa aaaaaaaaaa 518

```

<210> 167  
 <211> 1631  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1889269

```

<400> 167
gcgagctctc agcgggagcc gagacggtgc agggccggag aagcaccttc actcccagcc 60
tgcgccccga tgctgcgctt tctgtgcttc ctgcgccctt ggaggccctt tcgggcccgc 120
ggctgcgctt ccgacggggc ggccgggggc tcagagatcc aagtgcgcgc cctggcgggt 180
ccggaccaag gctgtagggt ccatgaggac aggccttgag tctgtcctgg tctctggaat 240
cacggtgtct agtagaggcc agcacacagc aaatatataa atgtacaaat gagtgaatga 300
agagaatctg attggcctta aggaacttac gcacttaaaa taattgggca gaagagaagc 360

```

```

agtgaaggag  tgcagaggca  tcacctgaaa  gtttacaagt  ccttccactt  tctctctgag  420
gcagaaagag  caagggtttt  tctctccatt  ttatggttgg  gaaaattgag  gcctgcctga  480
gtgtgtgact  tgtggcaagt  cactctggtc  atctagggca  gaggctcccc  agatcccagg  540
cctcctgcct  ccagtcccca  gcccgagcc  caggattagg  cagagccagc  tgctttcccg  600
tggctgccc  gactccttac  agggatcact  gagattctga  tgaacagacc  ttctgcccgc  660
aatgccttgg  ggaatgtcct  cgtcagttag  ctgctggaaa  ctctggccca  gctgcgggag  720
gaccggcaag  tgcgtgtcct  gctcttcaga  agtggagtga  agggcgtgtt  ctgtgcagg  780
gcagacctga  aggagcgga  acagatgagt  gaagcagagg  tgggggtgtt  tgtccagcga  840
ctccggggcc  tgatgaatga  catcggtgag  gatctgggtg  tagggtggag  gagggggttt  900
gggggtccct  gccgatgaca  gtcccgtac  cccaccagc  atctaaggag  agtcttcttt  960
ctgtttggag  ttctgtgata  agacagatga  ctcaccagg  gggatggagg  aggatgaccg  1020
agggcagttc  tctcagagag  ggagttctgg  ctcttcagct  tttgtgtccc  gcccaccct  1080
cagggttcaa  gcctggccat  tccaaagcag  ttaagtctcc  ccaagcatgc  tttcaagttt  1140
tgacaattgc  tgttaccttt  gcctgagata  ccccttcttg  gttacttgaa  cttttacttg  1200
tccttcaagc  cctccagtac  ctctcctcc  aggaagcctt  cccaaccac  cctctgagct  1260
ttttattgga  gcactgatga  tcctgggtca  ataatgcctg  atacacattt  gtcttcccca  1320
tgagactgag  ccccatggga  acaaaggcta  tgtctgattc  attctgtgtt  cccagttccc  1380
agcaccagc  acagggttg  gcacaaagaa  agggaggccc  cagggaggcc  agcggattag  1440
gcctgaacag  ggatcatcca  gccatcctc  ccattcctct  tccctggctg  attctgtaac  1500
tttccctaaa  gggaaaattg  gcttctgaga  taacctggct  gcgggaagca  gaggttgctg  1560
tgagcagaga  ttgtgccatt  gcactccagc  ctgggcaaca  acagcgagac  tccatctcaa  1620
aaaaaaaaa  a

```

1631

&lt;210&gt; 168

&lt;211&gt; 1548

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1890243

&lt;400&gt; 168

```

atgcgctcca  gcagcctgtt  tgggaagcag  cagtctctcc  ttcagatact  gtgggactca  60
tgctggagag  gagcgccca  cttccaggac  ctgtgaataa  gggctaataa  tgagggttgg  120
tggggctctc  tgtggggcaa  aaagggtggt  tgggggttag  cactggctct  cgttctcacc  180
ggagaaggaa  gtgttctagt  gtggtttagg  aaacatgtgg  ataaaggaa  ccatgaaaat  240
gagaggagga  aagacatcca  gatcagctgt  ttgcctgtt  gctcagttga  ctctgattgc  300
atcctgtttt  cctaattccc  agactgttct  gggcacggaa  gggaccctgg  atgtggagtc  360
ttcccccttg  gccctcctca  ctggcctctg  ggctagccca  gagtccctta  gcttgtacct  420
cgtaacactc  ctgtgtgtct  gtccagcctt  gcagtcagt  caaggccagc  aagctgatgt  480
gactcttgcc  ccattgcgag  tatttatacc  tcaaactctg  gcctgtgagc  cctttccaag  540
tcagtggaga  gccctgaaa  gagcctcact  tgaatccagc  tcagtgtctc  ggggtgcccc  600
ctgcaggtgg  cccctgaccc  tgcgttgag  cagggtccac  ctgtgagcag  gcccgccctg  660
gggcctcttc  ctggatgtgc  cctctctgag  ttctgtgtct  tctcttgag  gcagggccca  720
ggagaacaaa  gtgtggaggc  ctccgggagt  ggcttttcca  gctctcatgc  cccgcagtgt  780
ggaacaaggc  agaaaaggat  cctaggaaat  aagtctcttg  gcggctccctg  agagtctctg  840
tgaaatccag  ccagtgtttt  ttgtggtatg  agaacaggca  aaaagagatg  ccccgagata  900
gaaggggagc  cttgtgtttc  ttctctgcag  acgtgagatg  aacactggag  tgggcagagg  960
tgcccagga  ccatggcacc  cttagagtgc  agaagctggg  gggagaggct  gcttcgaagg  1020
gcaggactgg  ggataatcag  aacctgcctg  tcacctcagg  gcactactga  acaaactttt  1080
cctgatggga  actcctgcgg  cagagccag  gctggggaag  tgaactacc  agggcagccc  1140
ctttgtggcc  caggataatc  aacactgttc  tctctgtacc  atgagctcct  ccaggagatt  1200
atttaagtgt  attgtatcat  tgggtttctg  tgattgtcat  aacattgttt  ttgttattgt  1260
tgggtgctgt  gttatttatt  attgtaat  cagtttgct  ctactggaga  atctcagcag  1320
gggtttcagc  ctgactgtct  ccctttctct  accagactct  acctctgaat  gtgctgggaa  1380

```

cctcttggag cctgtcagga actcctcact gtttaaatat ttattttattg tgacaaatgg 1440  
 agctggtttc ctagatatga atgatgtttg caatcccat tttcctgttt cagcatgtta 1500  
 tattcttata aaataaaagc aaaagtcaaa tatgaaaaaa aaaaaaaa 1548

<210> 169

<211> 616

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1900433

<400> 169

gccagctcag gtgagccctc gccaaaggta cctcgcagga cactgggtgaa ggagcagtga 60  
 ggaacctgca gagtcacaca gttgctgacc aattgagctg tgagcctgga gcagatccgt 120  
 gggctgcaga cccccgcccc agtgccctct cccctgcagc cctgcccctc gaactgtgac 180  
 atggagagag tgaccctggc ccttctccta ctggcaggcc tgactgcctt ggaagccaat 240  
 gacccatttg ccaataaaga cgatcccttc tactatgact ggaaaaacct gcagctgagc 300  
 ggactgatct gcggagggtt cctggccatt gctgggatcg cggcagttct gagtggcaaa 360  
 tgcaaataca agagcagcca gaagcagcac agtcctgtac ctgagaaggc catcccactc 420  
 atcactccag gctctgccac tacttgctga gcacaggact ggctccagg gatggcctga 480  
 agcctaacac tggccccag cactcctcc cctgggaggc cttatcctca aggaaggact 540  
 tctctccaag ggcaggctgt taggccccct tctgatcagg aggtttcttt atgaattaaa 600  
 ctgccccac caccac 616

<210> 170

<211> 1981

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1909441

<400> 170

cagaacttct ttttgacacc atagattctt ctgaggtcaa cgttgcaaaa agcatagcaa 60  
 agtttcttcg aaatgttaga tatcgttatc aaccactatt agaaagatgt aataacgtat 120  
 ttttaagtaa tgtggaccac cttgatttgg attccatcag taaaatactt agtgtatata 180  
 aatttctaca atttaatagt tttgaattta ttataatggc taaaaagaag ctaactgaaa 240  
 tgattcctct gtgtaatcat cctgctagct ttgtaaaatt gttttagtagc ttgggaccca 300  
 ttgcaggacc tgaagaaaag aaacaactta aatcaactat gttattgatg tcagaggacc 360  
 taactggcga gcaagccctg gcagtgttgg gagcaatggg agatatggaa agcagaaaac 420  
 catgtctgat taaaagagtt acttcagttc tgcataaaca tttggatggc tataaaccat 480  
 tagagtgtgt gaagataact caagaattga cttttctgca tttccaaagg aaggagtgtt 540  
 ttgcgaaact tagagaatta ctgcttagtt atttgaaaaa tagtttcata ccaactgagg 600  
 tgtctgttct ggtccgtgct atttccctgc tcccttctcc tcacttggaac gaagtgggga 660  
 tatcccgaaat tgaagccgtt ttaccacagt gtgacctaaa taacctgagt agttttgcca 720  
 catctgtttt aagatggatt cagcatgata acatgtatgt ggataatatg actgcgaaac 780  
 aactgaaact acttcaaaaa ttagactact atggctgtca gagactacaa cacagcaaca 840  
 gtttggatct gttacggaag gaacttaaat ctctcaaagg aaacacgttt cctgagtcac 900  
 ttcttgaaga aatgattgct actttacagc atttcatgga tgatattaat tacataaatg 960  
 ttggggagat tgcattcttt atttctagta ctgattacct cagtactttg ctactagata 1020  
 ggatagcctc agtggctgtt cagcagattg aaaagatcca tccttttaca atccctgcta 1080  
 ttattcgtcc attcagcgtg ttgaactatg atccacctca aagggatgaa tttttgggaa 1140

```
cttgcgtgca acatcttaat tcttacttag gtatattgga tccttttata ttagtgtttc 1200
ttgggtttctc tttggccaca cttgaatatt ttccagaaga tctgctaaag gcaattttta 1260
acatcaaatt cttagctaga ttggattctc aacttgaaat tttatctcca tctcgaagtg 1320
caagagtcca gtttcatctt atggagttaa atagatcagt ctgcttgga tgccctgagt 1380
ttcagattcc atggtttcat gaccgcttct gtcaacaata taataaagggt attggtggca 1440
tggaatggaac acaacagcag atttttaaaa tgtagcaga ggtactagga ggaatcaatt 1500
gtgtaaaagc ctcggttctt acgccttatt accacaaagt agattttgag tgtatcttgg 1560
ataaaagaaa aaaacctctt ccgtatggaa gccataatat agcattggga caactaccag 1620
aaatgccctg ggaatcaaat atcgaaatag ttggatcaag gctgccacca ggggtgaaa 1680
ggattgcttt ggaatttttg gattcaaaag cactttgtag aaatatccct cacatgaaag 1740
gaaaaatctgc tatgaaaaaa cgacatttgg aaattctggg gtatcgtgta attcagattt 1800
cccagtttga atggaactct atggcactgt caacaaagga tgctcggatg gactacctga 1860
gagaatgtat atttggagaa gtcaagtcac gttttagtgg tttattttaa atgaatgtta 1920
tcgtgtgtta catttggacc tattttaata aagtggcctg tctcaattaa aaaaaaaaaa 1980
g 1981
```

&lt;210&gt; 171

&lt;211&gt; 1492

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932226

&lt;400&gt; 171

```
cttctgggtg aggagtttga gcttggctgg gtccagggcc cagcactgac tcccgtccct 60
gaggaggagg aagaagagga agagggggct ccgattggga cccctaggga tcctggagat 120
ggttgctcct cccccgacat ccctcctgaa cccctccaa cacacctgag gccctgccct 180
gccagccagc tccctggact cctgtcccat ggctcctctg ccggcctctc ctttgcagt 240
gggtcctcct ctggcctcct gcccctcctg ctgctgctgc tgcttccatt gctggcagcc 300
cagggtgggg gtggcctgca ggcagcgtg ctggcccttg aggtggggct ggtgggtctg 360
ggggcctcct acctgctcct ttgtacagcc ctgcacctgc cctccagtct tttcctact 420
ctggcccagg gtaccgcact gggggcctgc ctgggcctga gctggcgccg aggcctcatg 480
ggtgttcccc tgggccttgg agctgcctgg ctcttagctt ggccaggcct agctctacct 540
ctggtggcta tggcagcggg gggcagatgg gtgcggcagc agggcccccg ggtgcgccgg 600
ggcatatctc gactctggtt gcgggttctg ctgcgcctgt caccatggc cttccggggc 660
ctgcagggct gtggggctgt gggggaccgg ggtctgtttg cactgtaccc caaaaccaac 720
aaggatggct tccgcagccg cctgcccgtc cctgggcccc ggcggcgtaa tccccgcacc 780
acccaacacc cattagctct gttggcaagg gtctgggtcc tgtgcaaggg ctggaactgg 840
cgtctggcac gggccagcca gggtttagca tcccacttgc ccccgtaggc catccacaca 900
ctggccagct ggggcctgct tcggggtgaa cggcccaccc gaatcccccg gctactacca 960
cgcagccagc gccagctagg gcccctgcc tcccgcagc cactgccagg gactctagcc 1020
gggcgagggt cagcaccgg ccagtcccgg gcctgcccc cctggaggta gctgactcca 1080
gcccttccag cccaaatcta gagcattgag cactttatct cccacgactc agtgaagttt 1140
ctccagtcct tagtcctctc ttttcacca ccttcctcag tttgctcact taccacaggc 1200
ccagcccttc ggacctctag acaggcagcc tcctcagctg tggagtccag cagtactct 1260
gtgttctcct ggcgtcctc ccctaagtta ttgctgttcg ccgctgtgt gtgctcatcc 1320
tcacctcat tgactcaggc ctggggccag ggggtgggga ggggtggga agtcatgttt 1380
tttttctcct ctttgatttt gtttttctgt ctcccttcca acctgtcccc tccccccac 1440
caaaaaaaga aaaagacaaa cacaaataaa atatctgagc ggaaaaaaa aa 1492
```

&lt;210&gt; 172

&lt;211&gt; 1613

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932647

&lt;400&gt; 172

```
ctcggaattc ggctcgagac gggtcacatg cgcggtatta ctgctggccc tcctgggggtt 60
catcctccca ctgccaggag tgcaggcgct gctctgccag tttgggacag ttcagcatgt 120
gtggaagggt tccgacctac cccggcaatg gacccctaag aacaccagct gcgacagcgg 180
cttgggggtg caggacacgt tgatgctcat tgagagcgga cccaagtga gcctgggtgct 240
ctccaagggc tgcacggagg ccaaggacca ggagccccgc gtcactgagc accggatggg 300
ccccggcctc tccctgatct cctacacctt cgtgtgccgc caggaggact tctgcaacaa 360
cctcgttaac tccctccgcg tttgggcccc acagccccc a gcagaccag gatccttgag 420
gtgcccagtc tgcttgtcta tggaaaggctg tctggagggg acaacagaag agatctgccc 480
caaggggacc acacactgtt atgatggcct cctcaggctc aggggaggag gcaccttctc 540
caatctgaga gtccagggat gcatgcccc a gccagggtgc aacctgctca atgggacaca 600
ggaaattggg cccgtgggta tgactgagaa ctgcaatagg aaagattttc tgacctgtca 660
tcgggggacc accattatga cacacggaaa cttgggtcaa gaaccactg attggaccac 720
atcgaatacc gagatgtgag aggtggggca ggtgtgtcag gagacgctgc tgctcataga 780
tgtaggactc acatcaaccc tgggtggggac aaaaggctgc agcactgttg gggctcaaaa 840
ttcccagaag accaccatcc actcagcccc tcctgggggtg cttgtggcct cctataccca 900
cttctgtctc tcggacctgt gcaatagtgc cagcagcagc agcgttctgc tgaactccct 960
ccctcctcaa gctgcccctg tcccaggaga ccggcagtgt cctacctgtg tgcagccctt 1020
tggaacctgt tcaagtggct cccccgaat gacctgcccc aggggcgcca ctcattgtta 1080
tgatgggtac attcatctct caggaggtgg gctgtccacc aaaatgagca ttcagggctg 1140
cgtggcccaa ccttcacagt tcttgttgaa ccacaccaga caaatcgga tcttctctgc 1200
gcgtgagaag cgtgatgtgc agcctcctgc ctctcagcat gaggaggtg gggctgaggg 1260
cctggagtct ctcaattggg ggggtggggct ggcactggcc ccagcgctgt ggtggggagt 1320
ggtttgccct tcctgctaac tctattaccc ccacgattct tcaccgctgc tgaccaccca 1380
cactcaacct cctctgacc tcataacct a atggccttg acaccagatt ctttccatt 1440
ctgtccatga atcatcttcc ccacacacaa tcattcatat ctattcacct aacagcaaca 1500
ctggggagag cctggagcat ccggacttgc cctatgggag aggggacgct ggaggagtgg 1560
ctgcatgtat ctgataatac agaccctgtc ctttctccca aaaaaaaaaa aaa 1613
```

&lt;210&gt; 173

&lt;211&gt; 1622

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2124245

&lt;400&gt; 173

```
tgtcgcgccc gctggccggc tccgccctca cctcccggcc gcggctgccc tctgcccggg 60
ttgtccaaga tggagggcgc tccaccgggg tcgctcgccc tccggctcct gctgttcgtg 120
gcgtaccccg cctccggctg gctgacgacg ggcccccgc agccgcccgc gctgtccgga 180
gccccacagg acggcatcag aattaatgta gagagtggac aggtgtatgt aaatgactta 240
aaacagcagg ttgttcttaa cataacctat gagagtggac aggtgtatgt aaatgactta 300
cctgtaaata gtgggtgtac ccgaataagc tgcagactt tgatagttaa gaatgaaaat 360
cttgaataatt tggagggaaa agaataattt ggaattgtca gtgtaaggat tttagttcat 420
gagtggccta tgacatctgg ttccagtttg caactaattg tcattcaaga agaggttagta 480
gagattgatg gaaaacaagt tcagcaaaaag gatgtcactg aaattgatat tttagtttag 540
aaccggggag tactcagaca ttcaaactat accctccctt tggaagaaag catgctctac 600
```

```

tctatttctc gagacagtga catTTTTatTT acccttccta acctctccaa aaaagaaagt 660
gttagttcac tgcaaaccac tagccagtat cttatcagga atgtggaaac cactgtagat 720
gaagatgttt tacctggcaa gttacctgaa actcctctca gagcagagcc gccatcttca 780
tataaggtaa tgtgtcagtg gatggaaaag tttagaaaag atctgtgtag gttctggagc 840
aacgttttcc cagtattctt tcagtttttg aacatcatgg tggttggaat tacaggagca 900
gctgtggtaa taaccatctt aaagggtgtt ttcccagttt ctgaatacaa aggaattctt 960
cagttggata aagtggacgt catacctgtg acagctatca acttatatcc agatggtcca 1020
gagaaaagag ctgaaaacct tgaagataaa acatgtatTT aaaacgccat ctcatatcat 1080
ggactccgaa gtgacctgtt gcctccaaat ttgccacttg aatataatTT tctttaaatc 1140
gttaagaatc agtttataca ctagagaaat tgctaaactc taagactgcc tgaaaattga 1200
cctttacagt gccaaagttaa agttttacct attctcggcc ggggtgcagtg gctcatgcct 1260
gtaatcccag gactttggga ggccaatgcg ggcggatcac gaggtcagat caagaccatc 1320
ctgccaatc ggtgaaacct tgtctctact aaaaaaata aaaaaattag ctgggtgtgg 1380
cgggtgcacgc ctgtagtccc agctacttgg gaggtcaggc caggagaatt gcttgaaacc 1440
gggaggcgga ggctgcagtg agccaggatc acgccactgc actccagcct gggtgacaga 1500
gcgagactct gtttcaaaaa aaaaaaagtT gaccttattc tctaaaaggg ctggctattc 1560
atatgatgaa ttgttaagga aaacttaaag tggacaagaa caggatgtga agagagggtga 1620
tg

```

&lt;210&gt; 174

&lt;211&gt; 1320

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2132626

&lt;400&gt; 174

```

gcgtgaccca gctgcggccg gccagccatg gagactggag cgctgcggcg cccgcaactt 60
ctcccgttgc tgctgctgct ctgcggtggg tgtcccagag caggcggctg caacgagaca 120
ggcatgttgg agaggctgcc cctgtgtggg aaggctttcg cagacatgat gggcaagggtg 180
gacgtctgga agtgggtgcaa cctgtccgag ttcatcgtgt actatgagag ttccaccaac 240
tgcaccgaga tggaggccaa tgtcgtgggc tgctactggc ccaaccccct ggcccagggc 300
ttcatcaccg gcatccacag gcagttcttc tccaactgca ccgtggacag ggtccacttg 360
gaggaccccc cagacgaggt tctcatcccc ctgatcgtta taccgctcgt tctgactgtc 420
gccatggctg gcctggtggt gtggcgcagc aaacgcaccg acacgctgct gtgagggtcc 480
cggtgagatg gagtgggtca cacctggcaa gctggaagaa agttccctgg ggatgggaga 540
gcgggtgggt gctgccaatc tccagctact gtggccacac cccacctggt catgggcaga 600
ccccccctt cctgggctga cctgtccct cagggccagc ctgctccctg gctgaggctc 660
aggctatccg cccaagctct ttgctcatc tagggccagt ggaggaaaat gtgataaggc 720
cagagcttgt gtgctgggca cagaaatcac ctgctgcac ctgtgctccg caggctgggc 780
cggagcctct gccgcagggt ttctatgctg tttcttagca cagaatccag cctagcctta 840
gccgcagtct aggccctgct tggactagga ctcttgctt gaccccatct ctggttcctg 900
ccctggctcc tgcaccagcc ccagctcctg cttacatcca ggcagaaaga taggcagggg 960
ctcttggaa acgttccgtg ctgtgacctc cgagccctcc tgggtgggaa acagctggaa 1020
aggctgggag gagaaggag gggttggggg ttcccaggag ccatgcgtgg cctgcagagt 1080
ccattccatc atgatgctgt gcccgctatg ggctgtgtcc atgaccagag gctggagtgg 1140
gggtgtgtta gagccctca ccgggacttg ctgtgcggat ggggcctggg cctccttctc 1200
acaggggctc ctctgtgggt gaggggccct ctggaatggc atcccatgag cttgtggcct 1260
ctatctgcta ccatctgtgt tttatctgag taaagttacc ttacttctgg aaaaaaaaaa 1320

```

&lt;210&gt; 175

&lt;211&gt; 778

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2280639

<400> 175

```
gcgctccctc gctggcggac ggctgggcgg cgggcccggc ccggggccgc ttggaatggc 60
gcctcctccg ccttcgcccc aactgcttct cctggcagcc ctgcgcaggc tcctgggtcc 120
cagcgagggtg atggctggac cggcggagga ggccggagcc cattgtcccg agagcctgtg 180
gcctctgcct ccgcaggtgt caccaagagt gacctacaca cgagtgcaggc cagggcaggc 240
tgaggatgtc acctcctct accacccctg tgcccatccc tggctgaagc tccagcttgc 300
cctcctggcc tatgcttgta tggctaacc cctcctcacc cctgacttca gcctcacgca 360
ggatcggccc ctggtgctga ctgcatgggg gctggcgctg gagatggcct gggtagagcc 420
agcctgggct gcccaactggc tgatgaggag gcggaggagg aagcagagga agaagaaggc 480
atggatctac tgtgaaagcc ttccagggcc tgctccctcc gagccaactc ccggtagagg 540
gaggctgtgc cgaagagggg gtgtgcaggc cctggctctg gcctttgctc tgcggactgg 600
cggccccctg gcacagaggt gacatctcaa gggcccaggc agccctcttc tagtggtgcc 660
aagacgcgga tgctgcgggc tgcacttggg tcccagccca ctgcctcage cctgaggttt 720
ccctctgctt cccagttag cttgatggcc aagcattcca tggcgggcta tcctgggtt 778
```

<210> 176

<211> 1477

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2292356

<400> 176

```
cctggcctgg ctgcctgggg cctggggagc tgcccgctgt tccagcccag tctccccctg 60
gctgctgccc gctgctggcc actcccacct cccaggcctg gcgtgaggcc cacagctgct 120
gttgacacac cctgggtcatt gtgtgatggg gggaggcctg ggcttggccc gccctctgct 180
cagggttcca gacccctgcc cagccccagt atctgaagga accacagtgg agccaagccc 240
gcgatgtgga gaactcaggc ttcaggagac cctggccctg ctcttggcgg ctccgggttg 300
ctttcagctc tctctgcaac ctgagctggg ggaggagcca ggctcctatgc ccagggttg 360
gagtggggag cctgggtgtgc acgctgccc aggcctgcac gtggaccgac caggggaggg 420
gcccagagct ctggctgggt caccgcacc ccgcccccat ctctccaga gccacccag 480
gaaaagcccc gctggacgag gtcatggctg ccgctgcctt tacaagcctg tccaccagcc 540
ctctccttct gggggcccca gttgcagcct tcagcccaga gcctggcctg gagccctgga 600
aggaggccct ggtgcggccc ccaggcagct acagcagcag cagcaacagt ggagactggg 660
gatgggacct ggccagtgc cagtcctctc cgtccacccc gtcaccccca ctgccccccg 720
aggcagccca ctttctgttt ggggagccca cctgagaaa aaggaagagc ccggcccagg 780
tcatgttcca gtgtctgtgg aagagctgcg ggaaggtgct gagcacggcg tcggcgatgc 840
agagacacat ccgcctggtg cacctggggt gcggcggggc ctgggggtgcg gcggggcctg 900
cgggttggtc ggggttggtt ggcccggcca ggccacccct tcagctccca ctggctggct 960
gtgtctcccc caggaggcag gcagagcctg agcagagtga tggtagggag gacttctact 1020
acacagagct ggatgttggt gtggacacgc tgaccgacgg gctgtccagc ctgactccag 1080
ttttccccga gggcttccat gccagcttgc cttccccccg cctgaagctc cgcagacttg 1140
gtgggacccg ccaaccccg cagtacccct gaggagcgcc gggatttagt cgaggtcctt 1200
tgtcggcgcc cacggggaat attaatagct cccggggggg gggaatactt ttgaaggcag 1260
ttgataaaaa attttcccc ccaaacagag ggaggcccga gaataaagaa cccctccggg 1320
aaaaaacaca gtgggagaca tagagttgat tctccctggg tgagaaaaat ttgggtaaag 1380
cggcttcaag caatttcgca gagcaagatt tgcgggcgcc ggaaccata aaggtggtaa 1440
aacctggggg ggtccccaag agggggaagc tcaaccc 1477
```



<210> 177  
<211> 682  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2349310

<400> 177  
tctgaatggt ttggtgaata aatctgttct tcagcaaccc tacctgcttc tccaaactgc 60  
ctaaagagat ccagtactga tgacgctgtt ctccatctt tactccctgg aaactaacca 120  
cgttgtcttc ttcccttcac caccacccag gagctcagag atctaagctg cttccatct 180  
ttctccccag cccaggaca ctgactctgt acaggatggg gccgtcctct tgccctctc 240  
tcctcctaata ccccttctc cagctgatca acctggggag tactcagtgt tccttagact 300  
ccgttatgga taagaagatc aaggatgttc tcaacagtct agagtacagt ccctctccta 360  
taagcaagaa gctctcgtgt gctagtgtca aaagccaagg cagaccgtcc tcctgccctg 420  
ctgggatggc tgcactggc tgtgctgtg gctatggctg tggctcgtgg gatgttcagc 480  
tggaaccac ctgccactgc cagtgcagtg tgggtggactg gaccactgcc cgtgctgcc 540  
acctgacctg acagggagga ggctgagaac tcagttttgt gaccatgaca gtaatgaaac 600  
cagggtccca accaagaaat ctaactcaa cgtccactt catttggtcc attcctgatt 660  
cttgggtaat aaagacaaac tt 682

<210> 178  
<211> 1508  
<212> DNA  
<213> Homo sapiens

<220>  
<221>  
<222> 11, 139  
<223> a or g or c or t, unknown, or other

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2373227

<400> 178  
gcgtaacccc ntgatctggt gataaacgta ttaccgcgtt ttgagtgagc tgataaccgt 60  
cgccgcagcc gaacgaccga gcgcagcgag tcagtgagcg agaaagcggg agagcgccca 120  
atacgcaaac cgcttctcnc cgcgcttg cggattcatt aatcagcttg cagcagagt 180  
ttcccgactg gaaagcgggc agtgagcgca acgcaattaa tgtgagttag ctactcccc 240  
accccttcc ccgcgggcct cggttcaaac gaccgcgttg gtctacagcg gaagggaggg 300  
agcgaaggta ggagcgaggg ctgacctcac tggccaccct cccaacccca agagcccgagc 360  
cccatggtcc ccgcgcgg cgcgctgctg tgggtcctgc tgcgtaatct ggggtccccg 420  
gcggcggggg ccaaggcct gaccagact ccgaccgaaa tgcagcgggt cagtttacgc 480  
tttggggggc ccatgacccg cagctaccgg agcaccgccc ggactggtct tccccggaag 540  
acaaggataa tcctagagga cgagaatgat gccatggccg acgcccagcg cctggctgga 600  
ccagcggtcg ccgagctctt ggccgccacg gtgtccaccg gctttagccg gtcgtccgcc 660  
attaacgagg aggatgggtc ttcagaagag ggggttgtga ttaatgccgg aaaggatagc 720  
accagcagag agcttcccag tgcgactccc aatacagcgg ggagtccag cagcaggttt 780  
atagccaata gtcaggagcc tgaaatcagg ctgacttcaa gcctgcccg cccccggg 840  
aggtctactg aggacctgcc aggctcgag gccaccctga gccagtggc caccctggg 900  
tctaccccca gccgggtggc gtcacctca cccacagcca tgccatctcc tgaggatctg 960  
cggctgggtg tgatgccctg gggcccggtg cactgccact gcaagtcggg caccatgagc 1020

```

cggagccggt ctgggaagct gcacggcctt tccggggcgc ttcgagttgg ggcgctgagc 1080
cagctccgca cggagcacia gccttgacac tatcaacaat gtccctgcaa ccgacttcgg 1140
gaagagtgcc ccctggacac aagtctctgt actgacacca actgtgcctc tcagagcacc 1200
accagtacca ggaccaccac taccaccttc ccacccatcc acctcagaag cagtcccagc 1260
ctgccaccgc ccagcccctg cccagccctg gctttttgga aacgggtcag gattggcctg 1320
gaggatattt ggaatagcct ctcttcagtg ttcacagaga tgcaaccaat agacagaaac 1380
cagaggtaat ggccacttca tccacatgag gagatgtcag tatctcaacc tctcttgccc 1440
tttcaatcct agcaccact agatattttt agtacagaaa aaaaaaactg gaaaacaaaa 1500
aaaaaaaaa                                     1508

```

```

<210> 179
<211> 558
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2457682

```

```

<400> 179
ggagaaaagga tggccggcct ggcggcgcggt ttggtcctgc tagctggggc agcggcgctg 60
gcgagcggct cccagggcga ccgtgagccg gtgtaccgag actgcgtact gcagtgcgaa 120
gagcagaact gctctggggg cgctctgaat cacttccgct cccgccagcc aatctacatg 180
agtctagcag gctggacctg tcgggacgac tgtaagtatg agtgtatgtg ggtcacccgtt 240
gggctctacc tccaggaagg tcacaaagtg cctcagttcc atggcaagtg gcccttctcc 300
cggttcctgt tctttcaaga gccggcatcg gccgtggcct cgtttctcaa tggcctggcc 360
agcctggtga tgctctgccg ctaccgcacc ttcgtgccag cctcctcccc catgtaccac 420
acctgtgtgg ccttcgcctg gctttctgga agatgacagc ctgtagctgc tgaaggaatc 480
agaggacaag ttcaggctgg actgaagacc cttggagcga gtcttccccca gttgggggata 540
ctgccccgcg cctgctgg                                     558

```

```

<210> 180
<211> 502
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2480426

```

```

<400> 180
cttggagtct gggaggagga aagcggagcc ggcagggagc gaaccaggac tgggggtgacg 60
gcagggcagg gggcgccctg ccggggagaa gcgcgggggc tggagcacca ccaactggag 120
gtcccgaggt agcgagcgcc ccgaaggagg ccatcgggga gccgggaggg gggactgcga 180
gaggaccccg gcgtccgggc tcccgtgccc agcgctatga ggccactcct cgtcctgctg 240
ctcctgggccc tggcgggccg ctgcggccca ctggacgaca acaagatccc cagcctctgc 300
ccgggactgc cgggacctcg aggggacccc gggccgcgag gagaggcggg acccgcgggg 360
cccaccgggc tagccgggga gtgctcggtg cctccgcgat ccgccttcag cgccaagcgc 420
tccgagatcc ggggtgcctcc gctgtctgac gcacccttgc cttcgaccgc gtgctggtga 480
acgagcaagg acattacgac gc                                     502

```

```

<210> 181
<211> 1659
<212> DNA

```

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2503743

<400> 181

```
gctgtgctggc ggggcaggca tgggagccgc gcgctctctc ccggcgccca cacctgtctg 60
agcggcgccac gagccgctgc ccgggcgggc tgctcggcgc ggaacagtgc tcggcatggc 120
agggattcca gggctcctct tcttctctct ctttctgctc tgtgtgtgtg ggcaagtgg 180
cccttacagt gccccctgga aaccacttg gcctgcatac cgcctccctg tcgtcttgcc 240
ccagtctacc ctcaatttag ccaagccaga ctttgagacc gaagccaaat tagaagtatc 300
ttcttcatgt ggacccctagt gtcataaggg aactccactg cccacttacg aagaggccaa 360
gcaatatctg tcttatgaaa cgctctatgc caatggcagc cgcacagaga cgcaggtggg 420
catctacatc ctccagcagta gtggagatgg ggcccaacac cgagactcag ggtcttcagg 480
aaagtctcga aggaagcggc agatttatgg ctatgacagc aggttcagca tttttgggaa 540
ggacttcctg ctcaactacc ctttctcaac atcagtgaag ttatccacgg gctgcaccgg 600
caccctgggt gcagagaagc atgtcctcac agctgccac tgcatcacg atggaaaaac 660
ctatgtgaaa ggaacccaga agcttcgagt gggcttccca aagcccaagt ttaaagatgg 720
tggtcggagg gccaacgact ccacttcagc catgcccagc cagatgaaat ttcagtggat 780
ccgggtgaaa cgcacccatg tgcccaaggg ttggatcaag ggcaatgcca atgacatcgg 840
catggattat gattatgccc tcttggaact caaaaagccc cacaagagaa aatttatgaa 900
gattgggggt agccctctct ctaagcagct gccagggggc agaattcact tctctgggta 960
tgacaatgac cgaccaggca atttggtgta tcgcttctgt gacgtcaaag acgagacct 1020
tgacttgctc taccagcaat gcgatgcca gccaggggcc agcgggtctg gggctctatg 1080
gaggatgtgg aagagacagc agcagaagtg ggagcgaaaa attattggca ttttttcagg 1140
gcaccagtgg gtggacatga atgggtcccc acaggatttc aacgtggctg tcagaatcac 1200
tcctctcaaa tatgccca tttgctattg gattaaagga aactacctgg attgtaggga 1260
ggggtgacac agtggtccct cctggcagca attaagggtc ttcagtgtct tatttttagg 1320
gaggccaaat tgttttttgt cattggcgtg cacacgtgtg tgtgtgtgtg tgtgtgtgtg 1380
taagggtgtc tataatcttt tacctatttc ttacaattgc aagatgactg gctttactat 1440
ttgaaaactg gtttgtgtat catatcatat atcatttaag cagtttgaag gcatactttt 1500
gcatagaaat aaaaaaata ctgatttggg gcaatgagga atatttgaca attaagttaa 1560
tcttcacgtt tttgcaaact ttgattttta tttcatctga acttgtttca aagatttata 1620
ttaaatattt ggcatacaag agatatgaaa aaaaaaaaaa 1659
```

<210> 182

<211> 2015

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2537684

<400> 182

```
aaaaacaaag gcaatgcatt ggcaagcctc acagcacaga gtgaccgctg cctggcgctc 60
cccagcactc ggtgtggaaa ggcccctacc tgctgtaaga ttatgggtcc atgaaagcag 120
taagctggac acagaggtgt agtgtgcggg acagagggcc ttgcagatgc ctttctgttg 180
gtgttttagt gttaaaatac ggagagtatg gaactcttca cctccatttt ctcagcggct 240
gtgaagcagc ctctagctt cggaagtacg gacactacgt cgcgttttca agcgtgtctg 300
ttctgcaggt aacagcatca agctgcacgt ggaagcatct cgcggttttc tagaaacagg 360
cattttctta tccctctccc gctccttttt ccacaaaggt gaatttcata aatgtaatac 420
tagtaaagtg aatgaattac tgagtttata cagaaattta ggtaacttct cctttagtct 480
caagagcgag tcttgctttt taatgggtgc cgtttatgtt gctgcccgcc ctgtgtgcct 540
ggctcctctg ggtgccttgg tgtctgctgg tggtggcagc tgggcgcagc ggaggagagt 600
```

```

tgtgctgcag ctcatacggg gtgtctgtca tctcagtcctg gagtaaatgc agtgtctgcc 660
gggtgtctgat ggggttctgtc cctcgtatctt tctttgcctt ctatcccatt gcctggctac 720
cgctgcctgg cagccaaggg gtgtggctgc gaagctggga gtggcctctg gtggagcctg 780
catcttgtct cgtctgcctc tgcctttacat ttgggtgtact ttcgggcgtg gtggcagtaa 840
aatgacaccg tgattgagct tgtcagcaga gctgaaagag aaagtagaag gatgtgcatt 900
gtttcttgta agatatcttg catgtatctg tgtattcaaa ttcaaacaga gatggtttgt 960
ccatttgtcc actgagaaat tataaactag ggacaagggg gaggaaaagt actgaaatac 1020
agtttatgaa gcaagtgtgt ctcgggctgt gcttgtccca ggagccccag cagcatctga 1080
actgaggctt cttcagtcct gcaggaacag gatcatctgt ctcagcgggtg ggcagatgtt 1140
ttcatagaca gccagggagt aaacactgtt ggctctgtgg gctgtatggg ctctgccata 1200
aatagtacag agatgtggct gtgtctagta caacttttag acacagaaat ctgaatgaca 1260
tatattgttc tgtgtcaaga aacttagatt ttttttttaa ctatttaaaa acgtgaaacc 1320
tattcttagc tcacaggcca tggagaagct ggtggggacc agaccagct ccttagctgg 1380
ctgggctggg gagggggcag tgacagtggc agctgctact cactgctcag tgtggaaaac 1440
acaggacttg gcaatcacag cccgcagaa catcatgtgt ggcagaagcc tgagggatgc 1500
ggtttcttgc ccacgtgctc tgttcatttt ctggtgtttt tctgcactta aagaattcac 1560
atggaagcat gttttataaa atgaattacc agagaaacag agatgggccc agattctcag 1620
aaatggctcc atgtgaccaa gttctgctgt ttgggtgaca gtgctttgaa gatctccttt 1680
gaggatgtgc agtctttttt tttttttttt tttgagatgg agtttgttgc ccaggctgga 1740
gtgagtggca cagtctcggc tcaactgaac ctccacctcc tgggttcaag cagttctcgt 1800
gccgcagcct cccaagtagc tgggactaca ggcatgcgcc accacgccag gctaattttt 1860
gtatttttag tagagatggg gtttcacat gtctcaaaact cctgacctca ggcgatccac 1920
ccacctcagc gtcccaaagt gctggggata taggggtgac caccgcacc tgcgccaa 1980
gtgggctttt aattagggac aaatccaatg gaagg
2015

```

&lt;210&gt; 183

&lt;211&gt; 740

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2593853

&lt;400&gt; 183

```

ctgctttcgt gaagacaaga tgaagttcac aattgtcttt gctggacttc ttggagtctt 60
tctagctcct gccctagcta actataatat caacgtcaat gatgacaaca acaatgctgg 120
aagtgggcag cagtcagtga gtgtcaacaa tgaacacaat gtggccaatg ttgacaataa 180
caacggatgg gactcctgga attccatctg ggattatgga aatggctttg ctgcaaccag 240
actctttcaa aagaagacat gcattgtgca caaaatgaac aaggaagtca tgccctccat 300
tcaatccctt gatgcactgg tcaaggaaaa gaagcttcag ggtaagggac caggaggacc 360
acctcccaag ggcctgatgt actcagtcaa cccaaacaaa gtcgatgacc tgagcaagtt 420
cggaaaaaaac attgcaaaca tgtgtcgtgg gattccaaca tacatggctg aggagatgca 480
agaggcaagc ctgttttttt actcaggaac gtgctacacg accagtgtac tatggattgt 540
ggacatttcc ttctgtggag acacggtgga gaactaaaca attttttaaa gccactatgg 600
athtagtcat ctgaatatgc tgtgcagaaa aaatatgggc tccagtgggt tttaccatgt 660
cattctgaaa tttttctcta ctagtattgt ttgatttctt taagtttcaa taaaatcatt 720
tagcattgaa aaaaaaaaaa
740

```

&lt;210&gt; 184

&lt;211&gt; 748

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2622354

&lt;400&gt; 184

```

ctgcaaccac ccagagccat ggctccccga ggctgcatcg tagctgtctt tgccattttc 60
tgcattctcca ggctcctctg ctccacacgga gcccagtgagg ccccatgac tccttacctg 120
atgctgtgcc agccacacaa gagatgtggg gacaagttct acgacccccct gcagcactgt 180
tgctatgatg atgccgtcgt gcccttgccc aggaccaga cgtgtggaaa ctgcaccttc 240
agagtctgct ttgagcagtg ctgcccctgg accttcattg tgaagctgat aaaccagaac 300
tgcgactcag cccggacctc ggatgacagg ctttgtcgca gtgtcagcta atggaacatc 360
aggggaacga tgactcctgg attctccttc ctgggtgggc ctggagaaaagg aggtctggtg 420
tacctgagat ctgggatgct gagggtgctg ttgggggcca gagaaacaca cactcaactg 480
ccacttcat tctgtgacct gtctgaggcc caccctgcag ctgccctgag gaggccacaca 540
ggcccccttc tagaattctg gacagcatga gatgcgtgtg ctgatggggg cccagggact 600
ctgaaccctc ctgatgacct ctatggccaa catcaaccgc gcaccacccc aaggctggct 660
gggaaccctt cacccttctg tgagattttc catcatctca agttctcttc tatccaggag 720
caaagcacag gatcataata aatttatg 748

```

&lt;210&gt; 185

&lt;211&gt; 648

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2641377

&lt;400&gt; 185

```

cggctcgagg atccccaaagt ctctgaccca ccttctctgcc tgctcctctc ctcccacatt 60
ggctcagatt ctttccccgc tgtctgtggg tccacactcc cagtggcacc tccaggagag 120
aatctgattg gctcagttcg ccagataact caactttccc attggctacc tttgggtcag 180
gtgatctcca ctagacctat cgcctatgcc tgatgggtggg tcacatgggtg caaatgttgc 240
ctgagagctt agtggattag ggatgtggct gggtcctatg ttgacgtccc tgctgctgag 300
cccttacggg tcaggctggg agaaggtacc atgttgtgtg actgggtcatt tgaggctctg 360
cagctgttgc ttgctgggct tggcagggtg tcaaagtgc catttttctg aagggttttt 420
ttctgagtat tctcagatg tactccccctg ggcccgacgg tctttccttc cacagggcga 480
tgcttcccta cttgcttgtg aatgtttcct tcatctccag gttgtctggg gacaattctg 540
tcttttggag gcctgggcag gatttacaga gggctccatg ccagctcctt cctgccgggt 600
ccacttctgg tgtagggtaa acacctgcgc attcatgtcc tagtggtg 648

```

&lt;210&gt; 186

&lt;211&gt; 2110

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 1932

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2674857

&lt;400&gt; 186

```

cgggcgccat ctttactcag ggcacagagg gtctctgcgg ccgtagcggc cggggctgcg 60
gtagccactt tagatttggg caaggacttt agattcgggc tctgttctgt ttccgccgtc 120
ctgcttcctg ccgaggctgg ccagggcagc cgcgcttcga aggacgccgc cgggagctgc 180
ggacatgcgt ggagtggcag tgctaaccggc tgggtgtctc cactgttggc ctgtgaaggt 240
acgtgaagct gaaagcctgg aatggctgga aaggggtcat caggcaggcg gccctgtctg 300
ctggggctgc tgggtggcgt agccactgtc cacctggtca tctgtcccta caccaaagt 360
gaggagagct tcaacctgca ggccacacat gacctgtct accactggca agacctggag 420
cagtacgacc atcttgagtt ccccgagtc gtcccaggga cgttcctcgg gccagtgggt 480
atcgcagtgt tctccagccc cgcggtttac gtgctttcgc tgtagaaat gtccaagt 540
tactctcagc taatagttag aggagtgtt ggactcggcg tgatttttgg actctggacg 600
ttacaaaagg aagtggagac gcacttcggg gccatggtgg ccaccatgtt ctgctgggtg 660
acggccatgc agttccacct gatgttctac tgcacgcgga cactgcccac tgtgctggcc 720
ctgcctgtag tctgtctggc cctcgcggcc tggctgcggc acgagtgggc ccgcttcac 780
tggctgtcag ccttcgccat catcgtgttc aggggtggagc tgtgcctgtt cctgggcctc 840
ctgtcgtcgc tggccttggg caaccgaaag gtttctgtag tcagagccct tcgccacgcc 900
gtcccggcag ggatcctctg tttaggactg acggttgctg tggactctta tttttggcgg 960
cagctcactt ggccggaagg aaagggtgct tggtaacaac ctgtcctgaa caaaagctcc 1020
aactggggga cctccccgct gctgtgttac ttctactcag cctgccccg cggcctgggc 1080
tgcagcctgc tcttcacccc cctgggcttg gtagacagaa ggacgcacgc gccgacggtg 1140
ctggcactgg gcttcacggc actctactcc ctctgccac acaaggagct acgcttcac 1200
atctatgcct tccccatgct caacatcacg gctgccagag gctgctccta cctgctgaat 1260
aactataaaa agtcttggct gtacaaaagc ggggtctctgc ttgtgatcgg acacctcgtg 1320
gtgaatgccg cctactcagc cacggccctg tatgtgtccc atttcaacta cccaggtggc 1380
gtcgcaatgc agaggctgca ccagctgggt cccccccaga cagacgtcct tctgcacatt 1440
gacgtggcag ccgccagac aggtgtgtct cggtttctcc aagtcaacag cgcctggagg 1500
tacgacaaga gggaggatgt gcagccgggg acaggcatgc tggcatacac acacatcctc 1560
atggaggcgg cccctgggct cctggccctc tacagggaca cacaccgggt cctggccagc 1620
gtcgtgggga ccacaggtgt gagtctgaac ctgacccaac tgccccctt caacgtccac 1680
ctgcagacaa agctggtgct tctggagagg ctcccccggc cgtcctgagg gggaccaggc 1740
agccctcagc agccacaggc cttccaggag ctgttatcac taccagtttc tggcacaatt 1800
ccagcacaat tatgacaatt cagagaagca agtcaaagga ctggggcacc tgcctctgac 1860
agacaccaga ccaggtccag ggcctcctcc cacagcctca gctgggggct cttcagcaac 1920
caaagaacga anggggccc aagttctttg tttgggcacc ccccggggta agcccacttg 1980
cccccaaggg tttgatggg ttgggcccag cttccagggg ctttcccttg gccggggttt 2040
gacttggtcc ggccccagga ttcaagggtt ggcccaattt cccattgaac ttaaatttcc 2100
agggaaaggc

```

&lt;210&gt; 187

&lt;211&gt; 773

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2758485

&lt;400&gt; 187

```

cccggagccg gggagggagg gagcgagggt cggacaccgg cggcggctgc ctggcctttc 60
catgagcccg cggcggaacc tcccgcgccc cctctcgtc tgccctctcc tctgcctctg 120
cctctgcctg gccgcggctc tgggaagtgc gcagtcggg tcgtgtaggg ataaaaagaa 180
ctgtaaggtg gtcttttccc agcaggaact gaggaagcgg ctaacacccc tgcagtacca 240
tgtcactcag gagaaaggga ccgaaagtgc ctttgaagga gaatacacac atcacaagaa 300
tcttggaata tataaatgtg ttgtttgtgg aactccattg ttttaagtcag aaaccaaatt 360
tgactccggg tcagggttggc cttcattcca cgatgtgatc aattctgagg caatcacatt 420
cacagatgac ttttctatg ggatgcacag ggtggaaaca agctgctctc agtgtggtgc 480
tcaccttggg cacatttttg atgatgggcc tcgtccaact gggaaaagat actgcataaa 540

```

ttcggtgcc ttgtctttta cacctgcgga tagcagtggc accgccgagg gaggcagtgg 600  
ggtcgccagc ccggcccagg cagacaaagc ggactctgag agtaatggag agtgatggaa 660  
acaaagtgtg cttaatgcac agcttattaa aaagatcaaa attgttatcc taatagatat 720  
attttttcaa aaactataag ggcagttttg tgctattgta atttttcttc ctt 773

<210> 188

<211> 714

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2763296

<400> 188

gggagcctcc cacgctctcc agctcactcg gcaggcagcg gggaccaggg ctggcagggtt 60  
aagcctctgg ggggtggatcc tgaaagggtg tccagccgcc tggccctgcg tgggaccctc 120  
cacctggcag cagggtggtga cttccaagag tgactccgtc ggaggaaaat gactccccag 180  
tcgctgctgc agacgacact gttcctgctg agtctgctct tcctgggtcca aggtgcccac 240  
ggcagggggc acagggaaga ctttcgcttc tgcagccagc ggaaccagac acacaggagc 300  
agcctccact actactggtc catgcggctg caggcccggg gtggcccctc cctctgaag 360  
agcaactcag acagcgccag gctccccatc agctcgggca gcacctcgtc cagccgcatac 420  
taggcctcca gcccacctgc ccatgtaatg aagcagagat gcggcctcgt cgcacactgc 480  
ctgtagcccc cgaacccggc ccagccccag gccagtaagc cgcagacttt agaaagccca 540  
acgaccatgg agagatgggc cgttgccatg gtggacggac tcccgggctg ggcttttgag 600  
attggcttag gggctactcg gctctcactc agctcccacg ggactcaaga atgcggcgcc 660  
atgctgcctt aggtactgtc cccacatctg tcccaaccca gctggaggcc tgggt 714

<210> 189

<211> 609

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2779436

<400> 189

cggccagggc gccgacagcc cgacctcacc aggagaacat gcagctcggc actgggctcc 60  
tgctggccgc cgtcctgagc ctgcagctgg ctgcagccga agccatatgg tgtcaccagt 120  
gcacgggctt cggaggggtg tcccatggat ccagatgcct gagggactcc acccactgtg 180  
tcaccactgc caccggggtc ctcagcaaca ccgaggattt gcctctgggt accaagatgt 240  
gccacatagg ctgccccgat atccccagcc tgggcctggg cccctacgta tccatcgctt 300  
gctgccagac cagcctctgc aaccatgact gacggctgcc ctctccagg cccccggacg 360  
ctcagcccc acagcccca cagcctggcg ccagggctca cggccgcccc tccctcgaga 420  
ctggccagcc cacctctccc ggctctgca gccaccgtcc agcaccgctt gtcctaggga 480  
agtctgcgt ggagtcttgc ctcaatctgc tgccgtccaa gcctggggcc catcgctgct 540  
gccgccccct caggtccga cctccccaca ataaaatgtg attggatcgt gtggtacaaa 600  
aaaaaaaaac 609

<210> 190

<211> 1088

<212> DNA

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2808528

&lt;400&gt; 190

```

tgtagaagac agcggcgctg ccatggcggc gtctctgggg caggtgttgg ctctgggtgct 60
ggtggccgct ctgtgggggtg gcacgcagcc gctgctgaag cgggcctccg ccggcctgca 120
gcgggttcat gagccgacct gggcccagca gttgctacag gagatgaaga ccctcttctt 180
gaatactgag tacctgatgc cctttctcct caaccagtgt ggatcccttc tctattacct 240
caccttgga tgcacagatc tgaccctggc tgtgcccac tgtaactctc tggctatcat 300
cttcacactg attgttggga aggcccttgg agaagatatt ggtggaaaac gagcagttgc 360
tggcatggtg ctcaccgtga taggaatttc actctgcac acaagctcag tgagtaagac 420
ccaggggcaa cagtctaccc tttgagtggg ccgaaccac ttccagctct gctgcctcca 480
ggaagccctt gggccatgaa gtgctggcag tgagcggatg gacctagcac tccccctctc 540
tggccttagc ttctctctct cttatgggga taacagctac ctcatggatc acaataagag 600
aacaagagt aaagagtttt gtaaccttca agtgcgtgtt agctgcgggg atttagcaca 660
ggagactcta cgctcaccct cagcaacctt tctgcccag cagctctctt cctgctaaca 720
tctcaggctc ccagcccagc caccattact gtggcctgat ctggactatc atgggtggcag 780
gttccatgga ctgcagaact ccagctgcat ggaaagggcc agctgcagac tttgagccag 840
aaatgcaaac gggaggcctc tgggactcag tcagagcgct ttggctgaat gagggtgga 900
accgagggaa gaaggtgcgt cggagtggca gatgcaggaa atgagctgtc tattagcctt 960
gcctgcccc ccatgaggt aggcagaaat cctcactgcc agcccctctt aaacaggtag 1020
agagctgtga gccccagccc cacctgactc cagcacacct ggcgagtagt agctgtcaat 1080
aaagctat
1088

```

&lt;210&gt; 191

&lt;211&gt; 1377

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2809230

&lt;400&gt; 191

```

gcgggacttc ctgtgtcgta tttccaagga ctccaaagcg aggcggggga ctgaagggtgt 60
gggtgtcgag ccctctggca gagggttaac ctgggtcaaa tgcacggatt ctcacctcgt 120
acagttacgc tctcccgcg cacgtccgcy aggacttgaa gtcctgagcg ctcaagtttg 180
tccgtaggtc gagagaaggc catggagggt cgcgccagg caccgaggag ctttctctgt 240
agagcattgt gcctatttcc ccgagtcctt gctgccgaag ctgtgactgc cgattcggaa 300
gtccttgagg agcgtcagaa gcggtctccc tacgtcccag agccctatta cccggaatct 360
ggatgggacc gcctccggga gctgtttggc aaagatgaac agcagagaat ttcaaaggac 420
cttgctaata tctgtaagac ggcagctaca gcaggcatca ttggctgggt gtatggggga 480
ataccagctt ttattcatgc taaacaacaa tacattgagc agagccaggc agaaatttat 540
cataaccggt ttgatgctgt gcaatctgca catcgtgctg ccacacgagg cttcattcgt 600
tatggctggc gctgggggtg gagaactgca gtgtttgtca ctatattcaa cacagtgaac 660
actagtctga atgtataccg aaataaagat gccttaagcc attttgtaat tgcaggagct 720
gtcacgggaa gtcttttttag gataaacgta ggcctgcgtg gcctgggtggc tgggtggcata 780
attggagcct tgctgggcac tcctgtagga ggcctgctga tggcatttca gaagtactct 840
ggtgagactg ttcaggaaaag aaaacagaag gatcgaaagg cactccatga gctaaaactg 900
gaagagtgga aaggcagact acaagttact gagcacctcc ctgagaaaat tgaaagtagt 960
ttacaggaag atgaacctga gaatgatgct aagaaaaattg aagcactgct aaaccttcct 1020
agaaacctt cagtaataga taaacaagac aaggactgaa agtgctctga acttgaaact 1080
cactggagag ctgaaggag ctgccatgtc cgatgaatgc caacagacag gccactcttt 1140
ggtcagcctg ctgacaaatt taagtgtgtg tacctgtggg ggcagtggct tgcctctgtc 1200
tttttctttt ctttttaact aagaatgggg ctgtgtgtact ctactttac ttatccttaa 1260

```



atttaaatac atactttatgt ttgtattaat ctatcaatat atgcatacat gaatatatcc 1320  
 acccacctag attttaagca gtaaataaaa catttcgcaa aagattaaaa aaaaaaa 1377

<210> 192

<211> 985

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2816821

<400> 192

```
gcgggcccgc gagtccgaga cctgtcccag gagctccagc tcacgtgacc tgtcactgcc 60
tcccgcgcgc tcctgcccgc gccatgaccc agccggtgcc ccggctctcc gtgcccgcgc 120
cgctggccct gggctcagcc gcactgggcg ccgccttcgc cactggcctc ttctggggga 180
ggcggtgccc cccatggcga ggccggcgag agcagtgcct gcttcccccc gaggacagcc 240
gcctgtggca gtatcttctg agccgctcca tgcgggagca cccggcgctg cgaagcctga 300
ggctgctgac cctggagcag ccgcaggggg attctatgat gacctgcgag caggcccagc 360
tcttgcccaa cctggcgcgg ctcatccagg ccaagaaggc gctggacctg ggcaccttca 420
cgggctactc cgccctggcc ctggccctgg cgctgcccgc ggacgggccc gtggtgacct 480
gcgaggtgga cgcgacgccc ccggagctgg gacggccctt gtggaggcag gccgaggcgg 540
agcacaagat cgacctccgg ctgaagcccg ccttgagagc cctggacgag ctgctggcgg 600
cgggcgaggc cggcaccttc gacgtggcgg tgggtgatgc ggacaaggag aactgctccg 660
cctactacga gcgctgcctg cagctgctgc gaccggagg catcctcgcc gtcctcagag 720
tcctgtggcg cgggaaggtg ctgcaacctc cgaaaaggga cgtggcgggc gagtgtgtgc 780
gaaacctaaa cgaacgcacg cggcgggagc tcagggtcta catcagcctc ctgcccttgg 840
gcgatggact caccttggcc ttcaagatct agggctggcc cctagttagt gggctcgagg 900
gagggttgcc tgggaacccc aggaattgac cctgagtttt aaattcgaaa ataaagtggg 960
gctgggacac acgaaaaaaaa aaaaa 985
```

<210> 193

<211> 1310

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2817268

<400> 193

```
cccacgcgtc cgggttcacg taaagacagc gagatcctga gggccagccg ggaaggaggc 60
gtggatatgg agctggctgc tgccaagtcc ggggcccgcg ccgctgccta gcgctcctg 120
gggactctgt ggggacgcgc cccgcgcgcg ggctcgggga cccgtagagc ccggcgctgc 180
gcgcatggcc ctgctctcgc gcccgcgct caccctcctg ctctcctca tggccgctgt 240
tgtcaggtgc caggagcagg cccagaccac cgactggaga gccaccctga agaccatccg 300
gaacggcggt cataagatag acacgtacct gaacgccgcc ttggacctcc tgggaggcga 360
ggacgggtctc tgccagtata aatgcagtga cggatctaag cctttccca cgttatggtta 420
taaaccttcc ccaccgaatg gatgtggctc tccactgttt ggtgttcac ttaacattgg 480
tateccttcc ctgacaaagt gttgcaacca acacgacagg tgctatgaaa cctgtggcaa 540
aagcaagaat gactgtgatg aagaattcca gtattgcctc tccaagatct gccgagatgt 600
acagaaaaca ctaggactaa ctacgcatgt tcaggcatgt gaaacaacag tggagctctt 660
gtttgacagt gttatacatt taggttgtaa accatatctg gacagccaac gagccgcatg 720
caggtgtcat tatgaagaaa aaactgatct ttaaaggaga tgccgacagc tagtgacaga 780
tgaagatgga agaacataac ctttgacaaa taactaatgt ttttacaaca taaaactgtc 840
```

```

ttatttttgt gaaaggatta ttttgagacc ttaaaataat ttatatcttg atgttaaaac 900
ctcaaagcaa aaaaagttag ggagatagtg aggggagggc acgcttgtct tctcaggtag 960
cttccccagc attgctccct tacttagtat gccaaatgtc ttgaccaata tcaaaaacaa 1020
gtgcttgttt agcggagaat tttgaaaaga ggaatatata actcaatttt cacaaccaca 1080
tttaccaaaa aaagagatca aatataaaat tcatcataat gtctgttcaa cattatctta 1140
tttgaaaaat ggggaaatta tcacttacaa gtatttgttt actatgaaat tttaaataca 1200
catttatgcc tagaaggaaac ggactttttt tttctatttt aattacacat aatatgtaat 1260
taaagtacaa cataatatgt tgtttctctg tagcccggtg agcatatgag 1310

```

```

<210> 194
<211> 914
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2923165

```

```

<400> 194
cgggtggccat gactgcggcc gtgttctctg gctgcgcctt cattgccttc gggcctgcgc 60
tcgcccttta tgtcttcacc atcgccaccg agccgttgcg tatcatcttc ctcatcgccg 120
gagctttctt ctggttggtg tctctactga tttcgtccct tgtttggttc atggcaagag 180
tcattattga caacaaagat ggaccaacac agaaatatct gctgatcttt ggagcgtttg 240
tctctgtcta tatccaagaa atgttccgat ttgcatatta taaactctta aaaaaagcca 300
gtgaagggtt gaagagtata aaccaggtg agacagcacc ctctatgcca ctgctggcct 360
atgtttctgg cttgggcttt ggaatcatga gtggagtatt ttcccttggtg aataccctat 420
ctgactcctt ggggccaggc acagtgggca ttcattggaga ttctcctcaa ttcttccttt 480
attcagcttt catgacgctg gtcattatct tgctgcatgt attctggggc attgtatttt 540
ttgatggctg tgagaagaaa aagtggggca tcctccttat cgttctcctg acccacctgc 600
tggtgtcagc ccagaccttc ataagttctt attatggaat aaacctggcg tcagcattta 660
taatcctggt gctcatgggc acctgggcat tcttagctgc gggaggcagc tgccgaagcc 720
tgaaactctg cctgctctgc caagacaaga actttcttct ttacaaccag cgctccagat 780
aacctcaggg aaccagcact tcccaaaccc cagactacat cttagagga agcacaactg 840
tgcctttttc tgaaaatccc tttttctggt ggaattgaga aagaaataaa actatgcaga 900
tatgaaaaaa aaaa 914

```

```

<210> 195
<211> 606
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 2949822

```

```

<400> 195
ttttttaata atgcctttta gttggatggt aattatcctg ggttttctat gtggattatc 60
aggtcagctt caaataatga acaccctctc ttctcttcca attgttttac ttgtttcttc 120
ttcttgtctt atattagcca gaatgtcata tagtatattg accagtagct atgggtggtg 180
cgtttttatc ttattggact taaaagaaa tacatcaaaa gtttctccat taatgatgat 240
gtttgctata gggcattgat agatagcctt caaaaagtta agaaagtctt tttcttctta 300
gtcttcaagg ttaaaaagtt ttaaaagatc ttaattgaat gtgaacttta tcaaatgcct 360
ttgtgatgtc tatggagata atcatgtatt tgcttcttta atacattcct gtggtgaaat 420
atgtgaataa gtgttctgat attgaattat ctttgcattt ctagaataag ccctaataag 480
tactattcaa ggtatttttc tcaaacacct gattggactc tgtaagctca tatttcattg 540

```

agtggatttc cttctatggt tgtcagtgc attgcgctat aattcgcggt gctgtcctca 600  
tctgaa 606

<210> 196

<211> 893

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2992192

<400> 196

```
ccaccccgga agtcggctgg ccatggcggc gccttggagg cgatggccca cggggctgct 60
agccgtgctg cggccctgc tcacctgccg gccctgcaa ggcacgacgc tgcaacggga 120
tgtgtgctc tttgagcatg atcggggccg cttcttcacc atcctcgggc tgttctgcgc 180
gggccagggc gtcttctggg cttccatggc tgtggcagcc gtgtcccgcc ccccggttcc 240
ggtgcagcct ctggatgcgg aggtcccaaa tcgtggcccc ttcgacctgc gctccgcgct 300
ctggcgctac ggtctggccg tcggctgcgg cgccatcgga gccctcgtag tcggtgctgg 360
tcttctcttc tctctccggt ctgtgcgctc agtgggtgctt cgagctggag ggcagcaggt 420
gaccctcacc actcatgcc cctttggctt gggggcccat ttcacagttc ctttgaagca 480
ggtatcttgc atggcccacc ggggtgaagt ccctgccatg ctacctctga aagtcaaagg 540
ccgacgcttc tatttctctc tggacaaaac tggacacttc cctaacacaa aactctttga 600
caatactgtg ggtgcctacc ggagcttgtg aagaaatgac ctcaagtca tcacctctcc 660
aagaggagga taaaactga accttgggga gccagggtgt ttggttcaca cctgttgtaa 720
tcccagcact ttgggagggt gaggcaggag cactgctcga gcccaggctg ggcaacatag 780
cgagaccttg tctctattta caaaaaaaaa aacaaaaaaa aacgccaatc ttagaatgga 840
gtaacaacca ggtcacaca aggagggtcaa gattcattaa caacaaataa agg 893
```

<210> 197

<211> 1730

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2992458

<400> 197

```
ggccagaggc tgcccggctc ccggaagcag gctgtgaggg gcgggagcgc tgctggaacc 60
cgagccggag ccggagccac agcggggagg gtggcctggc gccctggagc cggacgtgtc 120
cggggcgctc ccgcagaccg gggcagcagg tcgtccgggg gccaccatg ctggtgactg 180
cctaccttgc ttttgtaggc ctctggcct cctgcctggg gctggaactg tcaagatgcc 240
gggctaaacc ccctggaagg gcctgcagca atccctcctt ccttcggttt caactggact 300
tctatcaggt ctacttctg gccctggcag ctgattggct tcaggccccc tacctctata 360
aactctacca gcattactac ttcctggaag gtcaaattgc catcctctat gtctgtggcc 420
ttgcctctac agtctctttt ggcctagtgg cctctccctt tgtggattgg ctgggtcgca 480
agaattcttg tgtctcttc tcctgactt actcactatg ctgcttaacc aaactctctc 540
aagactactt tgtgctgcta gtggggcgag cacttgggtg gctgtccaca gccctgctct 600
tctcagcctt cgaggcctgg tatatccatg agcacgtgga acggcatgac ttcctgctg 660
agtggatccc agctaccttt gctcgagctg ccttctggaa ccatgtgctg gctgtagtgg 720
cagggtgtggc agctgaggct gtagccagct ggatagggtc ggggcctgta gcgccctttg 780
tggctgccat ccctctcctg gctctggcag gggccttggc ccttcgaaac tggggggaga 840
actatgaccg gcagcgtgcc ttctcaagga cctgtgctgg aggcctgcgc tgcctcctgt 900
cggaccgcgc cgtgctgctg ttgggcacca tacaagctct atttgagagt gtcacttca 960
```

tctttgtctt cctctggaca cctgtgctgg acccacacgg ggccccctctg ggcattatct 1020  
tctccagctt catggcagcc agcctgcttg gctcttccct gtaccgtatc gccacctcca 1080  
agaggtagca ccttcagccc atgcacctgc tgtcccttgc tgtgtctatc gtcgtcttct 1140  
ctctcttcat gttgactttc tctaccagcc caggccagga gagtccgggtg gagtccctca 1200  
tagcctttct acttattgag ttggcttggtg gattatactt tcccagcatg agcttcctac 1260  
ggagaaaggt gatccctgag acagagcagg ctggtgtact caactgggtc cgggtacctc 1320  
tgcactcact ggcttgccca gggctccttg tctccatga cagtgtatga aaaacaggca 1380  
ctcggaatat gttcagcatt tgctctgctg tcatgggtgat ggctctgctg gcagtgggtg 1440  
gactcttcac cgtggtaagg catgatgctg agctgcgggt accttcacct actgaggagc 1500  
cctatgcccc tgagctgtaa cccactcca ggacaagata gctgggacag actcttgaat 1560  
tccagctatc cgggattgta cagatctctc tgtgactgac tttgtgactg tcctgtggtt 1620  
tctcctgcca ttgctttgtg tttgggagga catgatgggg gtgatggact ggaaagaagg 1680  
tgccaaaagt tccctctgtg ttactcccat ttagaaaata aacactttta 1730

<210> 198

<211> 2029

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3044710

<400> 198

ccttgacaag tcagaagctt gaaagcaggg aaatccggat gtctcgggtta tgaagtggag 60  
cagtgaagtgt gagcctcaac atagtccag aactctccat ccggactagt tattgagcat 120  
ctgcctctca tatcaccagt ggccatctga ggtgtttccc tggtctgaa ggggtaggca 180  
cgatggccag gtgcttcagc ctggtgttgc ttctcacttc catctggacc acgaggctcc 240  
tggtccaagg ctctttgcgt gcagaagagc ttccatcca ggtgtcatgc agaattatgg 300  
ggatcacctt tgtgagcaaa aaggcgaacc agcagctgaa ttccacagaa gctaaggagg 360  
cctgtaggct gctgggacta agtttgccg gcaaggacca agttgaaaca gccttgaaaag 420  
ctagctttga aacttgagc tatggctggg ttggagatgg attcgtggtc atctctagga 480  
ttagcccaaa cccaagtgt gggaaaaatg ggggtgggtg cctgatttg aaggttccag 540  
tgagccgaca gtttgagcc tattgttaca actcatctga tacttggaact aactcgtgca 600  
ttccagaaat tatcaccacc aaagatccca tattcaacac tcaaactgca acacaaacaa 660  
cagaatttat tgtcagtgac agtacctact cgggtggcatc cccttactct acaataacctg 720  
cccctactac tactctcct gctccagctt ccacttctat tccacggaga aaaaaattga 780  
tttgtgtcac agaagttttt atggaaacta gcaccatgtc tacagaaact gaaccatttg 840  
ttgaaaataa agcagcattc aagaatgaag ctgctgggtt tggagggtgc cccacggctc 900  
tgctagtgtc tgctctctc ttctttgggtg ctgcagctgg tcttggattt tgctatgtca 960  
aaaggtatgt gaaggccttc ctttttaciaa acaagaatca gcagaaggaa atgategaaa 1020  
ccaaagtagt aaaggaggag aaggccaatg atagcaacc taatgaggaa tcaaagaaaa 1080  
ctgataaaaa ccagaagag tccaagagtc caagcaaac taccgtgcga tgcttggaag 1140  
ctgaagttaa gatgagacag aaatgaggag acacacctga ggctgggttc ttctatgctc 1200  
cttaccctgc ccagctggg gaaatcaaaa gggccaaaga accaaagaag aaagtccacc 1260  
cttggttcct aactggaatc agctcaggac tgccattgga ctatggagtg caccaaagag 1320  
aatgcccctc tcttattgt aacctgtct ggatccatc ctctacctc caaagcttcc 1380  
cacggccttt ctgacctggc tatgtcctaa taatatccca ctgggagaaa ggagttttgc 1440  
aaagtgcag gagctaaaa atctcatcag tatccagtgg taaaaggcc tctggtgt 1500  
ctgaggctag gtgggttgaa agccaaggag tcaactgagac caaggcttct tctactgatt 1560  
ccgcagctca gacctttct tcagctctga aagagaaaca cgtatccac ctgacatgtc 1620  
cttctgagcc cggtaaagc aaaagaatgg cagaaaagtt tagccctga aagccatgga 1680  
gattctcata acttgagacc taatctctgt aaagctaaaa taaagaaata gaacaaggct 1740  
gaggatacga cagtacactg tcagcaggga ctgtaaacac agacagggtc aaagtgtttt 1800  
ctctgaacac attgagttgg aatcactgtt tagaacacac acacttactt tttctggtct 1860  
ctaccactgc tgatattttc tctaggaat atacttttac aagtaacaaa aataaaaaact 1920

cttataaaatt tctatTTTTta tctgagttac agaaatgatt actaaggaag attactcagt 1980  
aatttgTTta aaaagtaata aaattcaaca aacattttaa aaaaaaaaaa 2029

<210> 199

<211> 543

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3120415

<400> 199

ccggcgctgg aggggCGagg accgggtata agaagcctcg tggccttgcc cgggcagccg 60  
caggttcccc gcgcgccccg agcccccgcg ccatgaagct cgcgcgccctc ctggggctct 120  
gcgtggccct gtccctgcagc tccgtgctg ctttcttagt gggctcggcc aagcctgtgg 180  
cccagcctgt cgctgcgctg gagtcggcgg cggaggccgg ggccgggacc ctggccaacc 240  
ccctcggcac cctcaaccgg ctgaagctcc tgctgagcag cctgggcac cccgtgaacc 300  
acctcataga gggctccag aagtgtgtgg ctgagctggg tccccaggcc gtgggggccc 360  
tgaaggccct gaaggccctg ctggggggccc tgacagtgtt tggctgagcc gagactggag 420  
catctacacc tgaggacaag acgctgcca cccgcgagg ctgaaaacc cgcgcgggg 480  
aggaccgtcc atccccctcc cccggccct ctcaataaac gtggttaaga gcaaaaaaaaa 540  
aaa 543

<210> 200

<211> 531

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 126758

<400> 200

gcaagtggaa ccactggctt ggtggatttt gctagatttt tctgattttt aaactcctga 60  
aaaatatccc agataactgt catgaagctg gtaactatct tcctgctggg gaccatcagc 120  
ctttgtagtt actctgctac tgccttcctc atcaacaaag tgccccctcc tgttgacaag 180  
ttggcacctt tacctctgga caacattctt ccctttatgg atccattaaa gcttcttctg 240  
aaaactctgg gcatttctgt tgagcacctt gtggaggggc taaggaagtg tgtaaatgag 300  
ctggggaccag aggccttctga agctgtgaag aaactgctgg aggcgctatc acacttggtg 360  
tgacatcaag ataaagagcg gagtggtgat gggatggaag atgatgctcc taccctccct 420  
gcctgaaacc tgttctacca attatagatc aaatgcccta aaatgtagtg acccgtagaa 480  
aggacaaata aagcaatgaa tacattttaa ctcagaccat cgaatggaaa a 531

<210> 201

<211> 491

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 674760

<400> 201

```

cttctcccat gactgccggc cagtttcctg cacttgtttc tctcgcttta ttgctggacg 60
gtgggagaag ggcaagtgca agacggaatc gagggcacct ctgggtgttc tgtacctctt 120
ttcttcttgc accttgggaa gtggaggacg tgggatggaa gaagggcctg gacctccctc 180
cttcctcctc cccaccttct cctaaggagc ttgccctgca gtaagcccca actttccctt 240
cctcttttcc ctctatcaga gtcgtcgccc accccccttt cccaccgctc ccctaccccc 300
gccttctctg caagccgagg gcgacggtga tccccagctt agtaagaaaa gtaaataggc 360
cgggcgcggt agctcacgcc tggaaatccca gcactgtggg aggccgaggc gggcggtatcg 420
cttgagccca ggagatcagg ttggagacag cctaggcaac atggcgaaac cctgtctcta 480
caaaaaaaaa a
491

```

&lt;210&gt; 202

&lt;211&gt; 1551

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1229438

&lt;400&gt; 202

```

cggggggggc ggccggcgcc cgggcgggac gatgaagcgg cagaacgtgc gcacgctggc 60
gtcatcgtg tgcaccttca cctacctgct ggtggggcgcc gcggtcttcg acgcgctgga 120
gtcggagccc gagctgatcg agcggcagcg gctggagctg cggcagcagg agctgcgggc 180
gcgctacaac ctacgccagg gcggtacga ggagctggag cgcgtcgtgc tgcgcctcaa 240
gccgcacaag gccggcgtgc agtgccgctt cgcgggctcc ttctacttcg ccatcaccgt 300
catcaccacc atcggtctac ggacgcggc acccagcacg gatggcgcca aggtgttctg 360
catgttctac gcgctgctgg gcatcccgtc cagctcgtc atgttccaga gccggggcga 420
gcgcatcaac accttgggtg ggtacctgct gcaccgcgcc aagaaggggc tgggcatgcg 480
gcgcgccgac gtgtccatgg ccaacatggt gctcatcggc ttcttctcgt gcatcagcac 540
gctgtgcatc ggccgcggcg ccttctccca ctacgagcac tggaccttct tccaggccta 600
ctactactgc ttcatcacc tcaccaccat cggcttcggc gactacgtgg cgctgcagaa 660
ggaccagggc ctgcagacgc agccgcagta cgtggccttc agcttcgtct acatccttac 720
gggcctcacg gtcatcggcg ccttccctcaa cctcgtgggt ctgcgttca tgaccatgaa 780
cgccgaggac gagaagcgcg acgcgagca ccgcgcgctg ctcacgcgca acgggcaggc 840
gggcggcgcc ggaggggggt gcagcgcgca cactacggac accgcctcat ccacggcgcc 900
agcgggcggc ggccggcttc gcaacgtcta cgcggagggt ctgcacttcc agtccatgtg 960
ctcgtgcctg tggtaacaaga gccgcgagaa gctgcagtac tccatcccca tgatcatccc 1020
gcgggacctc tccacgtccg acacgtgcgt ggagcagagc cactcgtcgc cgggaggggg 1080
cggccgctac agcgacacgc cctcgcgacg ctgcctgtgc agcggggcgc cacgctccgc 1140
catcagctcg gtgtccacgg gtctgcacag cctgtccacc ttccggggcc tcatgaagcg 1200
caggagctcc gtgtgactgc ccgaggagc ctggagcacc tgggggcgcg gccggggggc 1260
cctgtctggg aggccaggag actgcccctg ctgccttctg cccagtggga cccgcacaa 1320
catccctcac cactctcccc cagcaccccc atctccgact gtgcctgctt gcaccagcg 1380
gcaggaggcc gggctctgag gacccctggg gcccccatcg gagccctgca aattccgaga 1440
aatgtgaaac ttggtggggt caggaggagaa aggcagaagc tgggagcctc ccttcccttt 1500
gaaaatctaa gaagctccca gtcctcagag accctgctgg taccagact a
1551

```

&lt;210&gt; 203

&lt;211&gt; 936

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236935

&lt;400&gt; 203

```
gtcagtttag tgtttgtggc attcccgtg cttttatggc acttcagtca ttttttagca 60
cactttccatc catactacat gtgtcctttt ttccccttaa cttctctaata tgtgtttctt 120
atccttttct ttaaaacccat tgcttcatct gggagtgggtg gttcatgcct tggcctccca 180
aagtgtctggg attacaggcg tgagcaccgc gcccggccaa ctatagtgtt ttcaaaacat 240
gtgtacacat actctatgag gatgcaaatt gagatttcaa caaatatttc tcagtgactt 300
acataaagcc gtgctttatc ttggcgctta gatgaatttt gtttggttgg ttttggtttt 360
ggttttacat atatcctagg aacatagcag gtgatataga gtggtaaaga gcacacgtcc 420
actgttagta ggtattttta tgcacttggt ttctcatcta taaaataagg ataaaattag 480
tgctacctc acaggatatt agggagatgg agagaatgct cagaacacaa cagggcctag 540
cacagaggaa gcacaatgct gaggaacgag aaactgcacc tgtaaattct gcagtcactt 600
taaattataa aacgagtatt tgatgtatga tcataacttt gctaagaagc catcagttat 660
aatggatgca tgaactgtag ccatccagtg agtagtgacc aggatggagg agctttatgg 720
agggggaaga aaggaacctc aaagctttcc gattcatttt gaatcatgag atgtctacat 780
gtaaaaattc tgccttggtg aactttgttt ataattgttt agataatgca ttcacatggt 840
tcagatgtat gaatgtgata tattagttat ttgtttataa atatatattt tataaacata 900
tttataaata tataaatata tatttgggga acatat 936
```

&lt;210&gt; 204

&lt;211&gt; 432

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1359283

&lt;400&gt; 204

```
cgctgtcctg ctaaagcaga ggatcacagc ttttaataaag accctaaata tttatcttgc 60
ctgtgggtcat gtatagctga acaatgcaca gcgaactcat ttagtttcca tgcgttaaac 120
tggtgtaact ctgcttttga gcctaattgga aagcttgggg caggtggagg accggttctt 180
tagcactcac agacgattcc cacaccacac tcccatatcc ggtcttctct gccgagaatt 240
ctccctgccc aagaggtctg ggggtgccctg gacacgtgtg ctcatctcct gtattttggag 300
atctggggct gggaagagaa tgtaaagcaa cctaaacagt aatttaagaa tggagaaaat 360
gggactaaat tattcagaca cgtttgagtg cctactcgct agcaggcatt ttccgctgcc 420
tataattatg ag 432
```

&lt;210&gt; 205

&lt;211&gt; 971

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1450703

&lt;400&gt; 205

```
gggagagagg ataaatagca gcgtggcttc cctggctcct ctctgcatcc ttcccacact 60
tcccagcaat atgcatcttg cacgtctggt cggctcctgc tccctccttc tgctactggg 120
ggccctgtct ggatgggcgg ccagcgatga cccattgag aaggtcattg aagggatcaa 180
ccgagggctg agcaatgcag agagagaggt gggcaaggcc ctggatggca tcaacagtgg 240
aatcacgcat gccggaaggg aagtggagaa ggttttcaac ggacttagca acatggggag 300
ccacaccggc aaggagtggg acaaaggcgt ccaggggctc aaccacggca tggacaagg 360
tgcccatgag atcaaccatg gtattggaca agcaggaaag gaagcagaga agcttggcca 420
tgggggtcaac aacgctgctg gacaggccgg gaaggaagca gacaaagcgg tccaagggtt 480
```

```

ccacactggg gtccaccagg ctgggaagga agcagagaaa cttggccaag gggtaacca 540
tgctgctgac caggctggaa aggaagtgga gaagcttggc caaggtgccc accatgctgc 600
tggccaggcc gggaaggagc tgcagaatgc tcataatggg gtcaaccaag ccagcaagga 660
ggccaaccag ctgctgaatg gcaaccatca aagcggatct tccagccatc aaggaggggc 720
cacaaccacg ccgttagcct ctggggcctc ggtcaacacg cctttcatca accttcccgc 780
cctgtggagg agcgtcgcca acatcatgcc ctaaactggc atccggcctt gctgggagaa 840
taatgtcgcc gttgtcacat cagctgacat gacctggagg ggttgggggt gggggacagg 900
tttctgaaat ccctgaaggg ggttgactg ggatttgtga ataaacttga taaactaaaa 960
aaaaaaaaa a

```

971

&lt;210&gt; 206

&lt;211&gt; 1832

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1910668

&lt;400&gt; 206

```

cccagtttta tctgctcctg agactgagcc cagatcccca aatctaactct gatttacagt 60
tcaaggaagc tgatggggag ctgggcctta cccctgatgt aggaggggca cacagctggg 120
ggtgcagagc ccacctgggt acctgacccc caggggatga aaatgcaagg gtgagctctgc 180
ttgggcctga gaggttgatc tgcaggggca ggctcatctt ttctctcccc tgcttctctc 240
tccttctctc cccagagccc ccttgagccc ctctgcctat gtccctctgc ctctcccca 300
tgccccagt tgctgtggct tgattctgct accctgaccc caccatgtgc caggtggcat 360
ctgccttact gccttccctg aggagctggg acatgctggg cagttgtcag atgtaaaggc 420
acagctggag cagagggcat gtcagtaatg attggtccct ggggaaggtc tggctggctc 480
cagcacagtg aggcatttag gtatctctcg gtgaccgttg gattcctgga agcagtagct 540
gttctgtttg gatctggtag gacagggctc agagggctag gcacggaggg aaggtcagag 600
gagaaggcag gcagggccca gtgagagggg agcatgcctt cccccaccct ggcttgctct 660
tggtcacagg gcggttctgg gcacttgaac tcagggccga agcagaagca caggcccagt 720
cctggctgca agcacaatag cctgaatggg atttcagggt aggcagggtg ggaggggagg 780
ctctctggct ttagttttgt tttgttttcc aaatcaaggc aacttgctcc ctctgccta 840
caggccttgg tcttggcttg tctcacccca gtcggaactc cctaccactt tcaggagagt 900
ggtttttagc ccgtggggct gttctgttcc aagcagtgtg agaacatggc tggtagaggc 960
tctagctgtg tgcggggcct gaaggggagt gggttctcgc ccaaagagca tctgcccatt 1020
tcccaccttc ccttctccca ccagaagctt gcctgagctg tttggacaaa aatccaaacc 1080
ccacttggtt actctggcct ggcttcagct tggaaaccaa tacctaggct tacaggccat 1140
cctgagccag gggcctctgg aaattctctt cctgatggct ctttaggttt gggcacaaaa 1200
tataattgcc tctccctctt cccattttct ctcttgggag caatggtcac agtccctggg 1260
acctgaaaag gtacctaggt ctaggccctt ctcccttctc ccttctctc ccctacccca 1320
gaactttggc tcccttctcc ttctctctct ggtagctcca ggaggcctgt gatccagctc 1380
cctgcctagc atccatgacc tgttggatgt tacctccaat cagtttctctg tcctacctgc 1440
ctctttggct tggacctata tggccatgct ctggctctac ccttgggaag cctgatcccg 1500
gtgtgtggcc cagcttgctt aggccctggg atgctgcac tccaggcaac tatgcacttt 1560
cccggggaga gaaccagtat gagaagtggg ggcagggcac acattcatct ttgtaggaag 1620
gtctggcctg gggtcgggtg aaggagggcc caggtcagtt ctggggctcc agtgacctgc 1680
tttgccattc tctgggtgcc gctgctgctc cctgtttctg gagctggatg ttcccagct 1740
ggcagttgag ctgcctgagc caatgtgtct gtctttggta actgagtga ccataataaa 1800
ggggaacatt tggccctgtg aaaaaaaaaa aa

```

1832

&lt;210&gt; 207

&lt;211&gt; 567

&lt;212&gt; DNA



<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1955143

<400> 207

```
catagatcca taaatcatca tctgttgcaa aaaagcacat taattgattg gttgaatggg 60
gagattgaga tatttccttt ctcttcttct gctcaggtgg gggcaacttt tgggggcaga 120
tgagttctgt tgccacaaaa gttatatagc acatttggtt tgactgaat cagcgattct 180
caatcctggc catgctttag aattatacaa gaaaaatctt caagtatcaa tactcagtc 240
ctatcctact gatccaattc atctatgata aagccagagc attgattttt aagttctgca 300
agtgtattcta atatacagcc aaggctaaga actactgata tgttccaaac actcctat 360
tggagataaa gaagttgagg ctgaggatga gaccttagca cataaagtcc cataactagt 420
aacagaccga agttctgtcc ttacaaataa aaaaaaaaag gggcgccgc cgaacttagt 480
gagcttcgtc gggcccgga atttatttcc cggaccggta ccttgccagg ggttccaagc 540
ttttcactct atagtggagg ccgtatt 567
```

<210> 208

<211> 1303

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1961637

<400> 208

```
gggggacaat tccaccact cgagggtgc cccctcttcc ttagcagacg aaccagtaat 60
gggggcaagg ctggggcatc ccagcccaca caccctggat gccagcaag gccacagaaa 120
gagcctgatg tccatgatcc aggtggctct gagaagcttg gcctggacac ctgagcctgc 180
ggccggtact cctgccttct cccatctat cccaaggcc tctgcctctc agcctcttcc 240
atggtcggtt taggtgctg agttttctgt gcttcccaa gaaccagtgg gatcaatgcc 300
ggcgccctct gtgatggtg ctgactaatc cgggatttca tgagtcagag gcaccacccc 360
tcacccacgc tgctgctgc ttctgacgga tcttggtgct caggctgcct ggctctccga 420
gtgaggacgc agcctccata tttggtgcac tcaggcatgg ctgggacaag ccagctgcc 480
caggggttct cccctggtga ttctgcctg ctttctcatc tcaggggagg cagtggcacc 540
tccctctccc tgctgacatg aagagagcta tgatatgcca ctgctgccaa ctcatcctct 600
gccccacct cgaaaccac agtcccagc ggagggccac tactcatccc cattggtttc 660
ccaggggagg ggtgttgtct ggaaggcag gttcagatgc agccttcag atttagaggc 720
actgggagga cagtggctga gtggaggcgc ccagacctgg gcaggcagca ggctcaggcc 780
cacacctgt gatttttgaa accaaagccc agaagatgat gtttacttct ctctccctgg 840
ctctgccctt ctactgcaa accatgctgt gccttagggc cttctcata gctgttcctc 900
atggccatga ctggaacagg gatgcaacct ctttctacac aagcacagt agttgggtga 960
agtctttttt tttgttgtt ttagacggag tttactctt gttgccagg ctggagtga 1020
gtggcgtgac cttggctcac tgcaacctcc agccagcct cagcctccct agtagctggg 1080
actacaggca cccactacca cgcctggcta attctttgta ttttagtag agatggggtt 1140
tgaccgtgtt agccaggatg gtctcgatct cctgacctcg tgatccacc acctcggcct 1200
cccaaagtgc tgggattata ggtgtgagcc accgcgccg gccgggtgct ggcattctaa 1260
tgttctgtag gtggaatatt tccaataaac acaaggtcgc cac 1303
```

<210> 209

<211> 1355

<212> DNA

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1990762

&lt;400&gt; 209

```
gcagctcttt tctggaaatt tctcagggga tgtatctgaa gctccaggtc tctgagatac 60
tctggagggc cggaccttgt ggagatgtgg ccaaccacat gggcctggag ctgggttcaa 120
accctgactt tggcactact tattagctgt gtgaccttgg gacagttaat taccactctg 180
caggtcagtt tcctcatctg tgagatggat gtaataatag ggtgtgatga gatgatccct 240
agtgaagcat tgggtgttgc gtggccacca ccattgttgt tactgggaga gttttggatt 300
tggaatcccc tgagcaggat tctattctgg ctgtgccatg tgccagctgg gcagctgtag 360
gaagtcaact cctctctgag ccttcacttc ccagtctcta aactggggct cacaaatgtc 420
gcattgcagt ttgggggttg atcttttcta agaattggaca gaaaaaagat ggtcaactgt 480
aatgtgtggt gcatcgtgag ctgtcactcc cgtgtgccct ggtctcctgc tggcctcact 540
gtggtttgac tcagacttgg actttcctgg aattctgaac tttgcctctc taagcaaagc 600
cccgccaggg ggtacactct gccttgtttt ccatggtgcc gtgtttccag ccctatccaa 660
caactggctt ctgacggctt gctttttcac actgctgttc ctgcaaggct gtgtggcccc 720
atggttaagg gtgaggggtc tgcaagggtc agccagatgc gaggtcoggt cctaggtcca 780
ccacttactg gtcaggtgac ctcaagtaag ttgcctaacc aaggcttaac ctcttaggag 840
ctcagttttt ctctctgtaa aatggggata ataatagtag ctacctcagg ggaatagggg 900
atgaaaaaat gtcttatgaa atccccctgg ccctaactgg caaaagccaa ctcagttaac 960
ggggtcccat tatcactgtt gggacctggg cttgtgggag ctcaggagtc ttctcagacc 1020
tcctcattgc tgtgccaggc ggaggagggt tttgtattta ctgagagcaa ttgggccaat 1080
ggcccatagt ccttgagcac ccagctgacc caggccacag aggctgctca tcttggctctg 1140
gtgaccacag gaggctgtgg ctgttgggat gaccctcccc agtgttggtta acaacagtcc 1200
caggccatgt cctgctggcc ttgagttccc ctgtcctctt gtgaatgtcc ctgagccat 1260
ggcctcaagg ttctgaagt tcccaataat gtgacatgct gccagacct cactacactc 1320
cttttttatt ttgagcctgg gtgacagagc aagac 1355
```

&lt;210&gt; 210

&lt;211&gt; 776

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1994131

&lt;400&gt; 210

```
gttcaactgcc atattcctag ggacaagtaa agttccctgt atattgtagg agctaagtgt 60
tgaatgaatg aatggtggct gctattattg cttcaccttc accctccaag agtaatctcc 120
ccattctggt ttatagtttc tgtgctcact gcttgtgata atcgtaagta tatattgttg 180
agaacagtgc ctgttttttc tttccctgaa aacacatact ttgacgttgg ctgacatagt 240
tcaactcagct gttcctaacc actgatccct ctgtatcaca ggtatctcgg gggagctttg 300
tgccttgatg gatcaagttc atcatatgca gcaactcaaaa tggcagcatc cttcggacct 360
caccacgcga aactacgccc gccgacagaa acatctgcaa agatacagtc tgactcagtg 420
ggttgacagg aacatgcgaa gccaccatcg gttccagcgt ctcccagact tctcgtacag 480
ttaatttggt tcatcccatc agcaatgaag gtccctatcc agggctcctgc ttggagcagc 540
atttcatggt cttttgctgt tttgtgcttt gccgattttg gattttatatt ttcacaaaat 600
ttttatttaa aaaactcgtc accttttggg aatgcccatt gccgacttga atttttttgt 660
atggagtcct cctgattttg tgtgtgtgtg tctgtgttta agcacgcgtt cggttggtat 720
agttttttat atgtattttt acattaaatt gaaggtagct gcctcctgga aagcag 776
```

&lt;210&gt; 211

&lt;211&gt; 817

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1997745

&lt;400&gt; 211

```
ggaggcggtta gaggagctgc cttcggaggc tcaggaggatc cctttggagc tgggtgtttc 60
cttggccctg cagcgactg ctcggggctc ccaaggagggt tgtgtgtatg gttcttaatt 120
catcaggaca aagaccccca gcatgtgtgt accctgggac ccgatttctc tgggcccaca 180
tctatctcca atacctcagc ctcagatcag accctttctt ttttgtcttt cttctcttaa 240
tttttaaagt cctcttttct tgagcattcc atctctcttt ttgacctctc caggactggg 300
cttagctgtc cagagccctg ccggagggtg ctgggggctg tccctctgca ggcactgtgt 360
tttcctcagg ggctgtcctc agaacacccc tcctgtctcc tggggctcct caggagacca 420
tttcagctgg agtctcagggt ctcaaaaaca acttctccag gaggccaaaa aaagactggg 480
ttggcttctg gtcctcatga tggcttttat cctcctggga cactttgggt atattcatgg 540
gcattgtttc catctgtctt ttctacctgt gccaccctg ccctgattcc acggctgcct 600
caggcaggca ggcaaggagc taggccgggtg cccggccctg gcagcaagggt gtctttgtgc 660
agttggagat gctgccgttg tggcagagcg tcctgcagcc ccgcttccat cagcaggctc 720
tgggggtggg gctttgcagg ggatgctctc tgatgtttgt tccgttgttt aaataaatg 780
cacttatatt tgttttttt tttgcaaaaa aaaaaaa 817
```

&lt;210&gt; 212

&lt;211&gt; 484

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009035

&lt;400&gt; 212

```
ttttctttta tatgtattat taaatgactg ttactctaca aacatatggt tgttatattt 60
acttttttga taccattata gtgtaggcat ttcccagggt tttttggtta caccattttc 120
ttaatgatat gatgttgag ccagtggatt tattacagtc ttacttatta ttgctctact 180
gttggtcctt tagtttgctt ttactcttc tatgtaatgc tgtaagaaat gactttttcc 240
ataaactatt ttccatatat tggatgtata atttaacaca ttctaaacat taatgtttaa 300
acagacataa agcataaaaa ccgagatata tatttgatca tataaaaaatt taagctgggc 360
acagtggctc ataccctgta tcccagcact ttgggaggcc aagggtgggg tagactgggt 420
gagctcagggt gttcaagacc agcctgggaa catggtgaaa cccaactcta ccaaaaaaaa 480
aaaa
```

&lt;210&gt; 213

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009152

&lt;400&gt; 213

```
cccagtttat taccattaga ccataccttt ttgtccaatc atttaaaaca aatttttata 60
taataagttt tatttgtatg taataaattt tattatataa aaataagttt taatatatat 120
```

```

tatataaaaa gttttaataa atacctaata tattatttta tatgataaaa cttatattaa 180
atgaaatfff atgctgttct cttgtcaatc tgtcttttgt tatcttgctg gtgtgcctgt 240
catgtgaggg actgcaatct gatatgccta tttccacag tcaaagcaat tacaagagaa 300
ttgttacaat taccagttta tgtcaagaga ttttttttta attcactaag gtagagataa 360
ggagaatgta ttaaaatagg atatttttaata tataaatgca tgactgggga ggggggtattg 420
tttttgaata aaatatgagg ttatttgcca tgacaaaaaa aaaaagaagt aggaaaatcc 480
catggaaatt tatgttcctt ctaactttt

```

509

&lt;210&gt; 214

&lt;211&gt; 1130

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061752

&lt;400&gt; 214

```

ggattttatca cattctgcct tgaatcatag ggaacagcat gtgtagtgga atgaacacag 60
gcctctgaat ccaagatatg agtttaaatc ccagctttgg aggtgggttac ttaaagtctc 120
agtgccttca ttcttcttcc tatataaagt agatattaca atatctaact tacagagtca 180
ttgggagcta tacatgcagc gattgggtaa agcacctggc acatggcaag cgattagcaa 240
atgctgggta cttctacttc tttctcttcc cttttcccag tctatcataa tttccttgag 300
agcaggcacc atgtcttatt tacccttgta ttcccacag tacttcccat agtgagttac 360
ccttagtaaa tactcagtaa gttgaattga atttaaatc cctgtaagtc ttaaaatgtg 420
ggattaaatt aagaatatat tgcctggaa ataccctaat gtctattgat ggatgaatgg 480
ataaacaaaa tgtggtatag acataatgga atattattca gccttaaaaa ggaatgaaat 540
tctgacatgt gctacaatat gatgaacctg gaagacatta tatgtgaaat aagccagaca 600
gaaaaggaca aatactatat gattccactt atatgaagta cctagagtag tgtaattcat 660
agaaacagaa agtacagggt gacatccaaa atctgaaatg agaaatgctc caaaaactga 720
aactttttca atgcccacac gatgctcaaa gaaaatgcta attggagcat ttcagatttt 780
ggatttttgg atttgggatg ctcaactggc ataagtgaat tattccaaac tctgaaaaaa 840
tctgaagtct aaaacacttc tgggtctcaag gattttggat aaaggatact caatgtgcaa 900
catgtagaat ggtggttgca aggtgggagg agagaatgga gagttactgt ttaatgatac 960
aatgtttccg tttgggaaga tggaaagttt tgagatgtg tgatgggttat ggttgcgcaa 1020
caatgggaag gtacttagta ctgcttaact gtgcacactt aaaaatggta aaaatgataa 1080
attttgtgta tgtcttaaaa caataaaaga agttttttaa aaaaaaaaaa 1130

```

&lt;210&gt; 215

&lt;211&gt; 1273

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061933

&lt;400&gt; 215

```

attttctccc ttcagcaagc actcatthaag gagtgaggct gagtatttta agatagagtg 60
agatctgtga gtgattgaaa ggtgatattt aaaaacttgg atttcattcc agtgtcaggt 120
ttgggtttta agttcctttg gtccaggga ggggtccaag agccacagtt gccctaaatc 180
tccatcattha agtcttccag caagggttaag tgcagtatgg aaggagaagg ggggaaggga 240
cggtaacggc cccacactcc aggtcgagaa agagtaatta ggaggcctga ggaggggccc 300
aggaaaggct gttgggggtg gctgggggtg gtacccgagc gccttcccct cacctcaacc 360
agagaagagc atccggttgc tttttaaagc ttttagcctg ccctagcaag gacaaagcat 420

```

```
gttagattag agatgcttct gctgatcgca ggggttctta tttgaaaaca tctatgatgg 480
gggtgggggtg ggaggagaca ggttgtgggt atgcaggaaa atcttgtcct aaaaatatat 540
gagtttgggg gtaaggggtg ggatagccaa gcaaaatcag taattatttt aaaatgaaca 600
tatgtatttt tattaacttt tagttaaata cagattttac aacgaggtca gcataagcct 660
aaatctatat agagggctaa ctccaggcatt gtcttgttta tttgtagact ggattaaaaa 720
caacctgtcc tgttttgtca gttcccagct tcttcgttta gaataaatta gaccaaaga 780
agaaacgtgc ttgtctctgt ataccgcag aatgaagtta ctggtgttaa aactggattt 840
tttcatttta ctaggttccg aagagtcag atgcttggt gatgttcaat acgtgatttt 900
ttttttaatt gaatgtgttc attttaaata ctcttaaca tttctagaaa gacttctttc 960
aataaataat ggaatcttag aggaaaagt gttttttaa agctaggga ctctccact 1020
aaaagtaacc attggaacc tcgaatgagg gctaaagtt taatcataag agaaaaggca 1080
gcataatgaa atgtgtacac atacatagtc agtgggccat tttaggaagc cagtggcgtc 1140
tgataagaaa atgttaagag tagtgaggt gaggaaggaa attgtgggga tttgaaatat 1200
tctctttatg ttgtttctct tctgagtcat ggtaaaacaa taaattatca tctctaggtg 1260
gaaaaaaaaaaa aaa 1273
```

&lt;210&gt; 216

&lt;211&gt; 1279

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2081422

&lt;400&gt; 216

```
ctttaacaga aggatggggg atagtcagat agtcggagga agtgggtgat ttgaacaagt 60
tcagagcagg gaggaaggct gtgttgggga cttccagctt gctctcctca tgcataagc 120
cactcattec ctttctctct cccccacccc ttcttccct cactttcttc ctttctcac 180
ttctccttcc cctctgtgc agagctcttg gcaccagtca agctgtccca cccctcaggg 240
cctctcagt gactgatgcc catggctccc tctcctaca ccaaagacc ctggcttgcc 300
catgtctctg atgagaattc aaaggagct gtgtttatat aacgtagagg gatttacctg 360
tggttttcc tttactcact tctcaaac tgtacattta tggcatagga tgcagtcct 420
aaaagtttta ttatcaaac agtaggtggc aagtaattat taccataaat ccagcaggtt 480
ctagagaagc caagtggag gagaaagcag gatagagtc accatgacca ttgattgttg 540
ggcacattct ttctaagaaa cagattaatt ccattgtatc tgttctctgt tatcccatc 600
cagcttatga ttagagtctt gagctcaca cttggctctc taagaggtag tcagtgggtca 660
gcgttccagc ttgaccacag cgtttgggtc tttctttaag tgttgtgttg taatgcttg 720
attataaaag ccttaacacg gcccatttg atcagttccc tgccaactct tgtatcctc 780
tttactaag ctttgttaca ctactagac tgtaacaac ggagaaaaac ctgtgggtac 840
tgaatatgcc atatacaact tgctatttat tctgttccct gtttagaagg ccattggctac 900
ccttaactat ctgaactctt cctgtcctgt aagactgagc tcaactggca taccctatg 960
gtgcttttcc ctaagcctcc ccattcttct tcttcttcc cctcctact ctctacctc 1020
cttttccctc tctccctac tcacctgctt tcttttgcc cctcccat cctcttccc 1080
cttctgttca ttttccatg tcaagaaatt tccagatata taggaatatg atggagaatg 1140
ctgacaggca gttctttgag tagtcaaatt aagatgtaat ggttgaattg tataatggca 1200
atcacataaa ctacatatat aaagcttcta gcttagtaaa ctctaaatgt gtttttttaa 1260
actaaagaat gaggggggg 1279
```

&lt;210&gt; 217

&lt;211&gt; 899

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2101278

&lt;400&gt; 217

```
tggtttggga atgcttcgaa ttttattttt tctactccca attaatcagg agttgatgat 60
cccatgagca ggaccgcctc catgattggg gagcatgcac ttgtgactgc agggtaagag 120
tggaagata ggtttgtgga gtggcaccga caggactgtg attgtgtgtg ggccctgcccc 180
acatttctct ggggatgct tatgtgagag tgggccagt gaaagagtta ccaagccacc 240
cacacccta aactgttct ggatgagaga tgagagcaga ccggcttctc cccatcagt 300
cattgtgcct gttgtacacc cctggaggag ccctggagcc agcccagggtg gggtaacaa 360
tctttttaa ttccatatgg ttgccagctt atttcttca cttgtttact gtaatatctg 420
gcgtgttttt atttatctaa tttgtattc agttataacc atggtagggg tagtgaatat 480
atgacagggtg taatccctgg tctgcagtg gaccttctt tcttttggac aagataatac 540
tgtgagtttc cctccttctc tccctctaatt ttgttttctc tttttccca gcctcttgca 600
tccccttctt tctaccctg tctacaact atcatatgca cagtcttctc tctttgtgtg 660
tgactgttac aaaatttcac ttttcaaat cgaaatcagg tgtttgcctc aatgagggga 720
gatttttttt tttttttttt ttttaaatgc tgagacttca gcagagtact tctcttttgg 780
tggtttcccc caaaaaccca tcagtctggg agagcattgg gagtggaaat catgttgctc 840
gggatgctgg tttctttgaa aattatataa aacgtatgta aaagggtccc ccatttggg 899
```

&lt;210&gt; 218

&lt;211&gt; 645

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2121353

&lt;400&gt; 218

```
caaagtgctg ggattacagg tatgagccac cgcaccgggc ctgttctatt tttctagtta 60
agggaaactga agctcagaga ggtgtcacca gcagggtgtc attcccatgc cagccttgcc 120
ccccggcttt tcccaggcag gctcctgcgt gccactggc tccagcctgg tectctgtct 180
cttggtgctg tcaactcctg tctttgtccc gactctggcc ctgcttacag gggccactac 240
ctgctgggtg ctccataaca agcgtctggc gttgagaccc ctggcatggc aggggctttg 300
gggtctgggt tccacaaggc ttagccatgg cagaacctcg ttttatttta actctttgcc 360
cctacaaaaca aacagcagta cttgccagaa ccattcttgg gattcaggag ctggggcgac 420
tgcccttggc tctggccgca cccaggaggg tggggttggg tctgtgtagt tgccaggccc 480
acacctgcca gcagggggct gactggatcc atgctttact gtgtttaatg ggggtaacag 540
gggtccctac agccctccca gctaaacatt tggaacaaaa caccagccct tttgtagtgg 600
atgcagaata aaattgttaa tccaatcacc tccaaaaaaa aaaaa 645
```

&lt;210&gt; 219

&lt;211&gt; 703

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2241736

&lt;400&gt; 219

```
ccacgcgtcc gctgtaaacc agaaaaatgt tggttatcta gaaaacttga gagagcatgt 60
agattaaactt ttctctttgg agttctaaaa cattaactgg aaagattaga taatatacta 120
aatgtatata gaagtataca gactatacaa agactgaaac aagtcctttt tgcactacaa 180
```

```

ctctataaca ttaccgcaga aatttttggtt ctatgtagca tggacctcct aaggaattct 240
gtttctttta gcattgagat ccctggtgct ctttttttac ctcagaattg gtacaatcat 300
tattaaacgt taatttatat caaacttttt aattgaaaaa aggaaagggg aacttaattg 360
gggataaaatt caggcatcat attattatga tagagtctcc tgagtgggtc gtctataggt 420
aatgaactca ttggtgttat ttcttggaca tcttggcctt ttaatcaaag actgtgtgct 480
gctatttgct atgagcaagg tttctcaaaa gcaaaagggt cttggaccat ttggatcacc 540
tgagttagaa tctctaggta tagggcccag gtatctgcat tttcacaggt ttctttaggt 600
tgactttctg caagctaaag tatgagaacc attggcttgg atgtagtctt aaacttttag 660
gtctgtaaat cttgaaatct tgaactgaag gtcaactatt ggc 703

```

&lt;210&gt; 220

&lt;211&gt; 536

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2271935

&lt;400&gt; 220

```

ctttcatcat aattaaagtg ctgtcaggga aaatggcatg gctgagtttt gctgctgttg 60
aaatgaccct cctcctccac tcctcttcgc ttctctcatt tgctaaagtg gtcctttctc 120
tgctgaaat caggcccttt ggtgatggaa atttttagctt aaagcagagt tctaagcaga 180
atcctaacce tgcgagggtg gggagaaaat caatgttttg agctgggtgc tgtttgacgc 240
gaggtgctgg tgaggccatt ttcacagga ggaacggtgg tgggtggtac ttctgggctt 300
tagatccacg caaggtctcc taaatacaag tcactgtcat ggtacacaaat ttagcaaaac 360
ttggaggtcg attttccccg ttgacttagc tagggtcagg aggaagctgt ttagaagtac 420
agaggttctg catctgggag ggtaaaatcc aaacgcctct catgctcaga gggaaagcat 480
gcctgcatgt ttactatcac tgctggccta cgtgcttgtg tgctgaattt agatgg 536

```

&lt;210&gt; 221

&lt;211&gt; 790

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2295344

&lt;400&gt; 221

```

tccgtccccg gccggtagat tttcttctct ttctaaggct aatggtggta gttttgtttt 60
ttgacgtttt cttataatga gtttttcttt ataattttta atttatgctg taatgtttct 120
tatttacaat gttatctctt aaatctttga gtacattaca tttctcccc tgataatctc 180
ttctaaatta cttctcttag ttggttttct tcccttcctt aatgttagcc attcttcagg 240
tgaagggttaa tcctcaatgt actcttcctg ttttaaggga gggctctaaa ccttgtgggt 300
aggacttacc aacggagttt cattgcatga tgatcttatt gagcttattg gtagccctta 360
tctcagtatc ttttagtttt cttgggctgg tcagatttcc aagagaagac ttttcatttc 420
ctttgtggag ggaaaaggcc ttttaccagc actcttcaag ctgagtaggg gaaagacttc 480
aagcactcag gaagcatgca ttcactttat ttggaacaat acccttactt gtaactgtgc 540
ctcagggtgcc atagtccaca gagacttctt ttacctgtcc agagaataaa attagtgtgc 600
tgttggggta acaaaaagtg tggagctgaa gaggggtacct ataaatgaag ttgttttctg 660
gccgggcgca gtggctcacg cctgtaatcc cagcacttcg ggaggccaag gtggagggat 720
cacttgagtc caggagtttg agaccagcct gggcaacata ctgagactcc gtctctccaa 780
aaaaaaaaa 790

```

<210> 222  
<211> 1045  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2303994

<400> 222  
gggaagtga ggctgcagt aactatgatt ttaccactgc actccagctt gggcaacaag 60  
atgagaccct gtctcaaaaa aaaaaaaaaag ttttctagaa taagcaggat gattgtttta 120  
tttgaagatg gaacaggaaa ctagagtgc tttaaaatac tctgtcttca ttttaacatg 180  
ttgaatggaa taactgcata tcaccatgag tttgttttgc ttttcataca gacttgatg 240  
tgtcatttga gtggtttcca gattggagcg aggttattct gatctaaatg aacagcattt 300  
ttttccttag cctctgtttg ccactctggg tatctctcct atgggcaaag ccattagaaa 360  
tgcataaaac ctcgagacat ggttttttggc aaaaactcca tgactttaaa ctactctttt 420  
tactactgac ctttcacaga gaaaaaatat ttcccttgaa aaaaactggg cttgtcattt 480  
tttcccttgt agctttaagc agagacataa gtgccttgca ttacacatag taaactttct 540  
ttaaaaaaaa aaaaaaagat tttggagact accagggtaa gattccaact tgtccaaaag 600  
ctttctggcc ttacatattt tattataaaa attctcaagt ctggtaatct tctatgtcag 660  
agctagtgat ttcaaaagg ttcacaattc cccaagacaa aagtgatatt cgttcattat 720  
aataaggtta agtgatatgt gattcataac aattttgatg tgaagaaggg aaggacatca 780  
ttgacttaat aatagtatca gtcggtgcaa cagttggcaa catgtgcctt cacactttac 840  
cataaagaga cgggttttgag ggtttgcctt ctaaagtctg caacttcaag aaaaaaatc 900  
gacaccgtgg attgaccttc ccgggtccac taatataaag ccaataaagc ttaaaaacac 960  
cttttgtaac ccatgtaatt taactccggt ccagtggccc tataattcca attaaaaatg 1020  
gttcaatctc ttggaaaaaa aaaaa 1045

<210> 223  
<211> 553  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2497805

<400> 223  
ctggcagatc cggacgggca ggactgggtg tgtcccatga gagcacctcc ttcttggcct 60  
ttcctgtgga ctttgtccca caccacctgc ctgggttccct tccttttagtc acttccagct 120  
ccaggcacag cagttggtga ctcttggtg ggagccgtgt ccaccccggt cctgatactg 180  
ccgtcttctc tttcacagtc ctccaggctt gggccagcct tgggggcagc agagcttctg 240  
gggtgagtgt cgagatcctg tgtcctgaga gcggtagtca gggagagggc tggtcggggc 300  
agggctgccc gggcaggaca caggatgcgg ccggccaggc tggggccaag gtgttcagac 360  
ctggactttg ggctcgtgct ttcttcattg ttgcgccttg ctgcgtgtcc cttggagtct 420  
tcatttggtt ttgctttttt tgtttgtttg ttttcaccta atttttgcca gacttaagct 480  
agttttgctg ctttttgaaa ctagtgaag aatcatttta ttcttgggga taatttgggg 540  
gcttttgaat cca 553

<210> 224  
<211> 706  
<212> DNA  
<213> Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2646362

&lt;400&gt; 224

```
ccgaccccca acctcaagtt gccgccggaa gagcggctca tctgaacgct ggggcctgct 60
gcagccacca acactgcccc ggactgcggg ttgctggctt gtacaccgca gctgccaccg 120
agacaccagc ctctgatggc tcaggaggac ttgtggggag aggctggggg caccatgtg 180
gtgggctctg tgcagcatgt tgccctctgt tggctgtgcc tgcagctcag ggtgctgggg 240
ctcgggaccc accccctgc ttgcggaacc aacttttctc tgtgtgtcca gcaggcccca 300
caacccctc tcctttcttt cagttctccc atgcagccga ggcccgggcc cctcaggact 360
ccaaggagac ggtgcagggc tgcctgcccc tctaggcccc ctctcctgca tctgtctccc 420
ttcattgctg tgtgacctg gggaaaggca gtgccctctc tgggcagtca gatccacca 480
gtgcttaata gcagggaaga aggtacttca aagactctgc ccctgaggtc aagagaggat 540
ggggtattc acttttatat atttatataa aattagtagt gagatgtaac aaaagcttta 600
ttggtgtgtt tgagctgggt ggtgccacat atttgggat ttgaagaagg aggtgagatg 660
tctggatggg gactgggatg ggtagaggat tcagtgatac tccgag 706
```

&lt;210&gt; 225

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 492

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2657146

&lt;400&gt; 225

```
aaattttagt gtattacatt tgcctttact gtttatgtgc agcataaagt tgettttgtt 60
acaattcatg ttgttttgta atggttgatc aaagcaaaga aagacatgtg ttactacgca 120
tgatctgtca atgtttaagg ctgtgtgttg ttctgtgac tttgctaata tgtttttctc 180
ctgacagggtt aacctgccct cttaactcag cagtgggtct agcgtcctat gccgtacaat 240
gtaagtcaca aaggagcat ttacaggatg gacagggtgt tctgatcagt gtgtggagaa 300
agtcactggt tctcctgct tgaccaagtc cctcttcccc aggaatcctg ctgggcagca 360
tatctctggc tgtccagata tgtgtttcta ctcagactgg cactctcctg tagcatgggg 420
atgttagatt aaggaagggt gttaaagggt aaagaatgaa tgaactgtgg tgtgaaattt 480
cttccaagga gnccatccga cagcagaca 509
```

&lt;210&gt; 226

&lt;211&gt; 2153

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2755786

&lt;400&gt; 226

```
gaaggcgggt gctgaggcgg ttccggaggt tctagtgtcg gagttgggtg caggcagggtg 60
ccatgggccc gcttgaggca cactgagggg acgcggggct gggccatggc cggcgctcgg 120
```

```

gccgcgcgcg ccgctgcctc ggccgggggtcc tcggcctctt caggcaacca gccgcctcag 180
gagctggggc ttggggagct gctggaggag ttctcccga ctacgtaccg ggccaaggat 240
ggcagcggga ccggcgggctc taaggttgag cgcattgaga agagatgtct ggagctgttt 300
ggccgagact actgtttcag cgtgattcca aacacgaatg gggatatctg tggccactat 360
ccccggcaca tcgtgttccct ggagtatgag agttctgaga aggagaaaga cacgtttgag 420
agtaccgtac aggtgagcaa gttgcaagac ctcatccacc gcagcaagat ggcccgggtgc 480
agaggacggg ttgtctgccc agtaatcctg ttcaaggga agcacatttg caggctcgcc 540
acactggctg gatggggaga gctgtatgga cgctcaggct acaactattt ttctcagggt 600
gggtgcagatg atgcctgggc agatgtggag gacgtcacgg aggaggactg tgctcttcga 660
agtggtgaca cgcattcttt tgataagggtc agaggctatg acatcaagct gcttcgatac 720
ctgtcagtca aatacatctg tgacctgatg gtggagaaca agaagggtgaa gtttggtatg 780
aatgtaacct cctctgagaa ggtggacaaa gccagcgcct atgccgactt cactctctc 840
tccatcccggt atccaggctg tgaatttttc aaggaatata aagatcgga ttacatggca 900
gaagggtcca tatttaactg gaagcaggac tacgttgatg ccccatgtag catccccgac 960
ttcttgactc actctctgaa cattgactgg agccagtatc agtgttggga tctggtgcaa 1020
caaacacaaa actactgaa gctgctgctt tccttagtta acagtatga tgacagcggg 1080
ctgctggtac actgtatctc aggctgggat cggaaccccc tcttcactc cctcctgcgc 1140
ctttccttgt gggctgatgg gctcatccac acgtccctga agccactga gatcctctac 1200
ctcactgtgg cctatgactg gtctctcttc gggcacatgt tggtagatcg gctcagcaaa 1260
ggggaggaga tttctctctt ctgcttcaat tttttgaagc atattacctc cgaggagtgc 1320
tctgtcttga agaccagag gaggaagagt ttgccagccc gggatggagg cttcaccttg 1380
gaagacatct gcatgctgag acgaaaggac cgtggcagca ccaccagcct tggcagcgac 1440
ttctccctgg tcatggagag ttccccagga gccactggga gcttcaccta tgaggccgtg 1500
gagctgggtc cagcaggagc gccaaactcag gcagcttggc ttgcagccct gagtgtatga 1560
gagactcggc tgcaggaggt gcgtcagcc ttcttggctg cgtacagcag cacagtgggg 1620
cttcgggcag tagccccag tccttccggt gccatcgggg gcctgctgga gcaatttgcc 1680
cgtggtgttg gactccggag catcagcagc aatgccttgt gaagaagcca gccatgaca 1740
ttttcctgct cctctctcag ctgagccctt agcagagaat caaagccatg cctggccgaa 1800
gggttacttc caggctcagg gaaatttcag tccccatct ccatcatgaa catggcagcc 1860
ccaaagctga gcaaggccaa agacagggtt ttccaacccc cagcctcttg actggtgacc 1920
accacccctt cttgtcactg tctccacccc accccatctt tgctgggatt cccatcaact 1980
ctcagaactg tgtgggggtt ccctggggcc ttgtggaagc catgacttca caaagaccct 2040
acctgtcagt tcttgtttct ggggaggagg gatcacctgc actgagaatg aggcagtttg 2100
acacagatca caaaaataaa tcaaagtctt tttgaatagc caaaaaaaaa aaa 2153

```

&lt;210&gt; 227

&lt;211&gt; 791

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2831245

&lt;400&gt; 227

```

ttaactgagg actaagttga tctatgcagg gtctgagtc aaaccctggt gtcaagggtg 60
taagtcaaaa ttattattat tattttttta agaaaacact cttgttacaa tttggacaga 120
gagaatggta tggagatgaa aggttctcgt gtatggcttt tgctcctatt tatgtggaaa 180
gcacgcccta cattctttca aagctgtgtt gtccctttta ttctcagtc ccagaattgt 240
gtgcaaacac actctcttgg ccagggggtt tggtgggtg tgtttccttc tggaaagtct 300
cactagcact cttgagttag ctggcaggag atcccttaaa accatttcca agcagttttt 360
ctcacttccc tataggggct aatcctgtac ttccacttc agttccagct gctgttgctt 420
gggaagaaac aaatttctgc tgtgttctca atctccagac ggtccatgaa aatttaattg 480
ataagaacaa agaggctggg cgcagtggct aacgcctgta atacctgcac tttggggagg 540
tgagggtggg ggatcacctg aggtcagaag ttcgagaaca gcctagccaa catggcgaaa 600
ccctgtctct actaaaaata ccaatttgc tgaacgtgat ggtgggggct gttaacccca 660

```

```

gtacttggga ggctgaggca ggaaatcgct gaactcggga agcaaagggt gcattaaggg 720
tacgagctcg aattcgggtat catgttaaaa ccgtttccgg gttaaattgg tatccgccca 780
caattcccac a
791

```

&lt;210&gt; 228

&lt;211&gt; 870

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3116250

&lt;400&gt; 228

```

cctgttctcg ccctcaaagt ggaacgctgg cctggggacta aagcatagac caccaggctg 60
agtatcctga cctgagtcac ccccagggat caggagcctc cagcagggaa ccttccatta 120
tattcttcaa gcaacttaca gctgcaccga cagttgcgat gaaagttcta atctcttccc 180
tcctcctgtt gctgccacta atgctgatgt ccatgggtctc tagcagcctg aatccagggg 240
tcgccagagg ccacagggac cgaggccagg cttctaggag atggctccag gaaggcggcc 300
aagaatgtga gtgcaaagat tggttcctga gagccccgag aagaaaattc atgacagtgt 360
ctgggctgcc aaagaagcag tgcccctgtg atcatttcaa gggcaatgtg aagaaaacaa 420
gacaccaaag gcaccacaga aagccaaaca agcattccag agcctgccag caatttctca 480
aacaatgtca gctaagaagc tttgctctgc cttttagtaga gctctgagcg cccactcttc 540
caattaaaca ttctcagcca agaagacagt gagcacacct accagacact cttcttctcc 600
cacctcactc tcccactgta cccaccccta aatcattcca gtgctctcaa aaagcatggt 660
tttcaagatc attttgtttg ttgctctctc tagtgtcttc ttctctcgtc agtcttagcc 720
tgtgccctcc ccttaccag gcttaggctt aattacctga aagattccag gaaactgtag 780
cttcctagct agtgtcattt aaccttaaat gcaatcagga aagtagcaaa cagaagtcaa 840
taaatatattt taaatgtcac aaaaaaaaaa
870

```

&lt;210&gt; 229

&lt;211&gt; 764

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3129630

&lt;400&gt; 229

```

gcacctgcga ccacgtgag cagtcatggc gtactccaca gtgcagagag tcgctctggc 60
ttctgggctt gtcctggctc tgtcgctgct gctgcccaag gccttctgt cccgcgggaa 120
gcggcaggag ccgccgccga cacctgaagg aaaattgggc cgatttccac ctatgatgca 180
tcatcaccag gcaccctcag atggccagac tcctggggct cgtttccaga ggtctcacct 240
tgccgaggca tttgcaaagg ccaaaggatc aggtggagggt gctggaggag gaggtagtgg 300
aagaggctctg atggggcaga ttattccaat ctacggtttt gggatttttt tatatatact 360
gtacattcta tttaaggtaa gtagaatcat cctaatacata ttacatcaat gaaaatctaa 420
tatggcgata aaaatcattg tctacattaa aacttcttat agttcataaa attatttcaa 480
atccatcctc tctttaaatc ctgcctcctc ttcattgagg acttaggata gccatgattt 540
cagtttcaca taagaatgtt tactcaatgt ttaagtgtgt tgcccaaaa tcccaacta 600
acaaggcaga actaggggac ttgaccttgg gacctttttg ggtcctaatac tccaggtaag 660
tataaacaat ttcaattggc ctttcccctt gccaaagaaa aaaaaataa aggggcgggg 720
gggttccccg acccccgga tttccggaaa cccttggtaa aacc
764

```

<210> 230  
<211> 540  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 007632

<400> 230  
atcttgtggc gatcatgtat aagctggcct cctgctgttt gcttttcata ggattcttaa 60  
atcctctctt atctcttcct ctccttgact ccagggaaat atcctttcaa ctctcagcac 120  
ctcatgaaga cgcgcgctta actccggagg agctagaaag agcttccctt ctacagatac 180  
tgccagagat gctgggtgca gaaagagggg atattctcag gaaagcagac tcaagtacca 240  
acatttttaa cccaagagga aatttgagaa agtttcagga tttctctgga caagatccta 300  
acattttact gagtcattct ttggccagaa tctggaaacc atacaagaaa cgtgagactc 360  
ctgattgctt ctggaaatac tgtgtctgaa gtgaaataag catctgttag tcagctcaga 420  
aacacccatc ttagaatatg aaaaataaca caatgcttga tttgaaaaca gtgtggagaa 480  
aaactaggca aactacaccc tgttcattgt tacctggaaa ataaatcttc tatgttttgc 540

<210> 231  
<211> 857  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1236968

<400> 231  
cacatttgaa cgcgcatgga cttccttcta cctaaacttt cgaacttttt ttagacacag 60  
gaagtagcaa gaaggagat gccaaagtac aatcaccagg aagatgcctc tctctagtga 120  
cctgggtagt ttgcacggtt tggctggaaa ccacagtccc ccatctctg ccagaacccc 180  
ccatgtggcc actgtcctca gacagtcctt ggagcttgtg gataagcact ggaatggctc 240  
cggctccctc ctctcaaca agaagtttct cggaaagttt gaagcaaaaa ctggtcagag 300  
tgctggagga aaacctcatt ttgtcagaaa aaattcaaca gttggaggaa ggtgctgcca 360  
tctcaattgt gagtgggcaa cagtcacata cttatgatga tcttctgcac aaaaaccaac 420  
agctgaccat gcaggtggct tgcctgaacc aggagcttgc ccagctgaaa aagctggaga 480  
agacagttgc cattctccat gaaagtcaga gatccctggt ggtaactaat gagtatctgc 540  
tgcagcagct gaataaggag ccaaaagggt attccgggaa agcgtcctg cctcctgaga 600  
agggtcacat tctggggaga tcatcgccct ttgggaaaag cacgttgtct tctcctcac 660  
cagtggcaca tgagactggt cagtatctaa tacagagcgt cttggatgct gcccagagc 720  
ctggcttata gagctagcat ggaactcaca ccacagcttc cctgggtccac agaggctctc 780  
accgccattg ccaccagtat ggtggtatgt actcaciaag attaagaaaag aaatgtattc 840  
tgattaaaaa aaaaaaa 857

<210> 232  
<211> 1010  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1334153

&lt;400&gt; 232

```

gggaaccacc ttctgtagga cagtcaccag gccagatcca gaaggcttga ggccctgtgg 60
tccccatcct tgggagaagt cagctccagc accatgaagg gcacccctcgt tgctggatc 120
actgcagtgc ttgttgacgc tgtagaatct ctgagctgcg tgccgtgtaa ttcatgggaa 180
aaatcctgtg tcaacagcat tgccctctgaa tgtccctcac atgccaacac cagctgtatc 240
agctcctcag ccagctcctc tctagagaca ccagtcagat tataccagaa tatgttctgc 300
tcagcggaga actgcagtga ggagacacac attacagcct tcaactgtcca cgtgtctgct 360
gaagaacact ttcattttgt aagccagtgc tgccaaggaa aggaatgcag caacaccagc 420
gatgccctgg accctccctc gaagaacgtg tccagcaacg cagagtgcc tgcttgttat 480
gaatctaata gaacttcctg tctgtgggaag ccctggaaat gctatgaaga agaacagtgt 540
gtctttctag ttgcagaact taagaatgac attgagtcta agagtctcgt gctgaaaggc 600
tggtccaacg tcagtaacgc cacctgtcag ttctgtctg gtgaaaacaa gactcttggg 660
ggagtcatct ttcgaaagt ttagtgtgca aatgtaaaac gcttaacccc cactgtctgca 720
ccaaccactt cccacaacgt gggctccaaa gcttccctct acctcttggc ccttgcacgc 780
ctccttcttc ggggactgct gccctgaggt cctggggctg cactttgccc agcaccat 840
ttctgtctct ctgaggtcca gagcaccctc tgcggtgctg acacctctt tccctgctct 900
gccccgttta actgcccagt aagtgggagt cacaggtctc caggcaatgc cgacagctgc 960
cttgttcttc attattaaag cactgggtca ttcactgcc aaaaaaaaaa 1010

```

&lt;210&gt; 233

&lt;211&gt; 1981

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1396975

&lt;400&gt; 233

```

cagcactttg ggaggtggt ctggaactcc tgatctcagg tgattcacc gcctcagcct 60
tccaaagtgc tgggattata ggtgtgagcc accgcgccc gctggatct gttttcttag 120
cacgcagtga ggaatctttg tacttaaggc cagggaaca aagtcaagag gtcaagggtgt 180
agggccatga ggcctggacc tatgtgcag gcaagggtt ccatccccgc tgccctaggc 240
actctcttcc caaggccagg ttgggcacct ggggaggtca gttcagaaat atctagcaga 300
gacctcttaa acccccatcc cagcacccca tctgttgtt ccagagctg gtctccatg 360
agtgtgctag agccagatag ccgtggcccc ccacctatct cactcacaca cacaggcatc 420
catacaccac agaagacttc ccaaatgagg ccagactcag ggtcacgggg aatgtgcttc 480
tgccccgtga agggcttttg ggaagggggc aacatagtag aggttggaag gagcccccaa 540
acctgtgccc atgcccctcc agccctgctg ttccattctg cttctctcaga gtgcccctgc 600
tgcaccaga ccaccggcca ggagagacct tctctccac tccagcccct ctcactgcc 660
ttcaactaga gctttcacct ttttacatt ccctctgaa ggacacaaat ctgcttttct 720
gccatacac tggcccaagg gctcacctaa cttgggaggg aaggggctgt tggtaacaagg 780
atgattttct gttagactgc cattttgcac ggtctcccc ttccatctg atgtgtcctg 840
ccctcagct ctttgctta tctgtgtcac tgtcacttta gcaaaaatac agcgccatt 900
tgtatcagcc totggtggtt gcttgtgagg tgggactctt gcgggaacag gtggactttg 960
ggaggagtgg gcaggagggg agtggtagt gacgttctcg agctatctga ttaagccatt 1020
ccgttagttc agttgtgccc tggagggcag gggacagggt cagtatctct ggggctgcag 1080
gccctcttgc cttggccctc ctggcatggg gtaaccacca gctcagctct cctcctccag 1140
ctttcctctc tctagcacac ccagccagg gcaaggatgc ccacgggcat agctacagca 1200
accctgctg gatttggtgt ccacaccga gaggccaggc cagatgggaa agggattagc 1260
gcctcttccc tcacactctg ccaggctgcc gggagcttgg gccaggtcta aggtaatgag 1320
gtgctctct tctgtctgga aaaaccggac agactcagaa ccacaaaggc aggtgctgcc 1380
agcctggcgc ctctctctct gcttaggctg ggtgagcttg tccaggcctg tgccctcccc 1440
cttctctctt ctaggctcag tgtatgctta atcaggcatg gtgcatcaga gcgggaagga 1500
gccatcaaca gtgtatactt ctggagcctt ctactgataa acagaggccc cagaagacga 1560
tttgacttac ctgagctccc agctgggact taaaccagc tgtgtctgag tcacaactct 1620

```

```
tcgggggatgc cgtgggtgagc tgggggtgag ctctgtatt ccactcccc caccaccacc 1680
ccactcctgc catatcaggg ctggtctctg tggactcagc ccagggtgc ctctctttg 1740
tcaccccaaa gtggggcagc caggacagc cagggtgtgt tcagaatggg ttcttctgc 1800
agggcaggaa gggcagattg ttaaagggg tgcggcccag accaccctgg tccctctcc 1860
ggcagtgact cagaccaca ctgtgccgtg cagctgtgtg ccctgcacac ccgttgacg 1920
gcgcactgct cacttctggg gggcccttc agaggcactt ttaaagcaaa taaaacattt 1980
a 1981
```

&lt;210&gt; 234

&lt;211&gt; 744

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1501749

&lt;400&gt; 234

```
gcgcccgggt ctccctcgca gcacctcgaa gtgcgcccct cgccctcctg ctgcggcccc 60
gccgccatgg ctgcctcccc cgcgcgccct gctgtcctgg ccctgaccgg gctggcgctg 120
ctcctgctcc tgtgctgggg ccaggtggc ataatggaa ataaactcaa gctgatgctt 180
caaaaacgag aagcacctgt tccaactaag actaaagtgg ccgttgatga gaataaagcc 240
aaagaattcc ttggcagcct gaagcgccag aagcggcagc tgtgggaccg gactcggccc 300
gagggtgcagc agtggtagca gcagtttctc tacatgggct ttgacgaagc gaaatttgaa 360
gatgacatca cctattggct taacagagat cgaaatggac atgaatacta tggcgattac 420
taccaacgtc actatgatga agactctgca attgggtccc ggagccccta cggctttagg 480
catggagcca gcgtcaacta cgatgactac taaccatgac ttgccacacg ctgtacaaga 540
agcaaatagc gattctcttc atgtatctcc taatgcctta cactacttgg tttctgattt 600
gctctatttc agcagatctt ttctacctac tttgtgtgat caaaaaagaa gagttaaac 660
aacacatgta aatgcctttt gatatttcat gggaatgcct ctcattttaa aatagaaata 720
aagcattttg ttaaaaaaaa aaaa 744
```

&lt;210&gt; 235

&lt;211&gt; 979

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1575240

&lt;400&gt; 235

```
gggatgaagc ccagcaagtt cacagggatc cggaagttg tgtggctgga aaccaggca 60
gggctgcacc acagggacca tttgctggag atgcagcact tgccacagcc accaccactg 120
acagcatgac acccaaaaa agggagcctc cagctgcacc cctgctgctg cgagtacttc 180
ctcagctgtc tgccatgagc ttaagggtta gtaccaggag ggaggatatg attgggcaaa 240
cctcaggcat gtgttcattc ttagcttcc agaacatgcg aggagagagc atctggctcc 300
ttgtctcga ggaggagggg gcaggactct gccagaactc actcgataaa agattttccc 360
aaaagggaagg gtgttcagat gacaaaagtc cactacacca ctttccttgg ctatctgatg 420
cacccccata ttcccatgag cgacacctag aaatcaggct ccacactgac ataacacaac 480
catgcctcac aaaaagacag tggtttatcc cttccctagg agaaaagaga ggcaatgcc 540
agctgcttca tcaactgtta atacttcttc cagcccgcga ccaggatat ctgcagggtg 600
ctctccctct gggttggtca tggctctctc tgttctagaa tgtatgggtt aaagtcggct 660
gccacaccat gccctcggca gtgtgggtcca aggaccctg agggctcctc aggtccttcc 720
tttcccaacc ccacgtgggt ttcttcagtc aggataccat actgcaacag accgaaggcg 780
```

```

gaagcagcta tgaggatgca gcagccttct gttaagccag gctttaagga tctgcaaaaa 840
tgtaaaacga tgccactcct actgatgaaa tatattgttt tggaaaatat aggtttaaaa 900
atTTTTTTaa ggtaacatgt aatggatgta tagtcttcaa atggatgaat aaatgttttt 960
cagagttaaa aaaaaaaaaa                                     979

```

&lt;210&gt; 236

&lt;211&gt; 760

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1647884

&lt;400&gt; 236

```

cccgaactgt cgccgcggct ggctcggggt cccggggccga catgggcgcc gccgcgtggg 60
cacggccgct gagcgtgtct ttctgtctgc tgettctgcc gctcccgggg atgcccgcg 120
gctcctggga cccggccgggt tacctgtctct actgcccctg catgggtaag gcctcccaag 180
ccctctgtct agatggagaa actgaggccg ggagaggaaa agccactcct cagatgcgcc 240
cagagacacc ttacagggtc caggagagaa cctcagagcg ggacggggca tgctcttctc 300
ctctctgcct tagttgcaag ggcacagagg ggccaacgtg tccaactttc catttgacag 360
atgagaaaac tgaggctggg agaggttacg tgacttgctt gaggtctaag ccagtccagg 420
gtccagtaaa tggagttagt ggggcaggac ttgatgtcac tgaccacgc tggtcctctg 480
tgatttttca ttgattcagc aaatatttat ggggcaccta ttctgtgccg ggccctgttc 540
tctgtactgg gaataccgca gtgaataaga taaactccgt gtcctttag agccttcatt 600
ttagtggggg aagacaaaca attgagaata agtaggccag gcgcggtggc tcacttctgt 660
aatcccacca ctttgagaga ccgaggcagg atcacttgaa gccaggagct cgagatcagc 720
ctaggcaaca tagtgaaaat ccaatctcaa aaaaaaaaaa 760

```

&lt;210&gt; 237

&lt;211&gt; 1080

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1661144

&lt;400&gt; 237

```

ttttttgtat ttttagtaga gatgggtcta accatgttgc ctaggctggg ctcgaaactcc 60
tgagctcaag cgatcctctt gcctcaacct cccaaagtgc tgggattgca gctgtgagcc 120
accgcacccg gccgcattct tctaaatcac agtacatctg gttcccagtg cccaggctct 180
cagggcagag ggtccagtgt gatcactttg catggcctct ctcccctcct gagcttctgtc 240
cagggcccca gggctgacct ggagaaggaa aatggcagag ggtgaagatg ggggtgtctgg 300
tttggggacc atcctggccc cccttgtcac tgttggcatc tcttctgcac agtggcattg 360
ctgggagggt cttactgtgc ctattcaagg ggctggcagc cgcagcctca ctgcagatca 420
gggacttggc ttcccgggtg accacaggtc caagaacctg cagggtccag cctccccccc 480
atccccagtc ttccccaccc tggcccgggc ctccagggtg agaaacatgc agggccctct 540
ccaggactgt gggaggagtg tgtccctcag actggcctgt gtcctggctc ctcttaccac 600
ctcttccaga ggttgtcacc tgcagctgcc ccaggataaa ggcaaggcca gagaggactc 660
ctgaactcct gtgtgcctgg ggtggcaggg gcaaacatag ccaactgggt gcctgagcgg 720
ggccatgggt aggacaccct tgggtggctt tcccacatca agctgggagg tgacactgag 780
gatgcattag tctgcagcgt atgataaaaa cggcatttca ggccaggcgt ggtggctcat 840
gcctgtcacc ccagcacctt gggaggccga ggtgggcgga tcatatgagg tcaggacttt 900
gagaccagcc tggccaacat ggtgaaaact catctgtact aaaaaaacia aaattatgtg 960

```

ggttgggtgggt gtgcgcctgt aatcccagct acttgggagg ctgaggcagg agaatacatt 1020  
 gaacctggga ggcggaggct acaacgagcc gaaattgcac cactgcactc cagcgctgat 1080

<210> 238

<211> 1129

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1685409

<400> 238

caacgtccga cagaacgagg ggacgtaacg gaggcagggt ggagccgctg ccgtcgccat 60  
 gacccgcggg aaccagcgtg agctcgcccg ccagaagaat atgaaaaagc agagcgactc 120  
 gggttaaggga aagcgccgag atgacgggct ttctgctgcc gcccgcaagc agaggtagcc 180  
 ccagggagggg gagggaaagg gacggtggag acctgggtta gaccaagggt tatagaagga 240  
 aagagagcta cctcagggct tgaatgtgga ctagtctgta ggagcagagt gcattgcttc 300  
 ctctaggggt ttatttcctc cccaccctcc aaattgttag ctcacagcct tacaggaaag 360  
 gacgggggcg ggcgcctgcc ctcagtctga ttctgagcg tccctgggtc tgaccttaag 420  
 ggcaagggca gggagcttca catttcaa atcagttgtg ttacggcagc ccagtacttt 480  
 tggccctcct tgctgttcgg ttctctccc ttctcccaac ctcctcactg gtgttgctgg 540  
 gtgtgttcct caatacagaa tagagaccct tgggcctgtg tcaccagact tctgacctc 600  
 tgggcaacag ccagatggag actggtcgcc ttttgagcct cagctctctt cctcttgctc 660  
 tcctaggggt ggagtacagc agccaaacgc tgaacttagt cccatccact tccatcttat 720  
 cctttgtgcc cttcatcccc ctgcatcttg tcctttttgc cctctggtac ctcccagtgc 780  
 cccatcatct ctacccccag ggactcggag atcatgcagc agaagcagaa aaaggcaaac 840  
 gagaagaagg aggaacccaa gttagctttgt ggcttcgtgt ccaaccctct tgcccttcgc 900  
 ctgtgtgcct ggagccagtc ccaccacgct cgcgtttcct cctgtagtgc tcacaggctc 960  
 cagcaccgat ggcattccct ttgccctgag tctgcagcgg gtcccttttg tgcttccttc 1020  
 ccctcaggta gcctctctcc ccctgggcca ctcccgggg tgaggggggt accccttccc 1080  
 agtgtttttt attcctgtgg ggctcaccac aaagtattaa aagtagctt 1129

<210> 239

<211> 2370

<212> DNA

<213> Homo sapiens

<220>

<221>

<222> 122, 124

<223> a or g or c or t, unknown, or other

<220>

<221> misc\_feature

<223> Incyte Clone No: 1731419

<400> 239

agaaacttg cccaagtttg tgacggttct ggggtatgaaa gaagtcagtg tttcccaagt 60  
 gcctgccatg tgcgaggctc tgtgctgggg cgggtgcatg tgtgcgttgg gggcgtggac 120  
 angnnggggtg ggaaaggcct gtgacatttc ctctggtggt ttccacgaac ccaggcgctca 180  
 cccctcggtg gagataaagt ggagccaccc agctccaccg tgtctcagcc tggggctggc 240  
 ctctgctgct tctggactca gtgaccctgg gctgtcaggg agcttctgag ccttggtttt 300  
 cctgtcgagt aagatggagg taatcgtgtc ttatgggggt gttttgaggg ttaaatgagc 360  
 tgggtggctgt gtgggaaaga gctctgcctc ccgcaggagg gaactgtgct gttcttatta 420



```

ttgtgaactt agtgacaagt gtggcactat taccatttcc cttgtctgcc cccaaccctg 480
gggtcttggg cagagaacag gagttcttgc cattttctcc cagctcccac cttgtgctgg 540
cttgcggttg ctgaggtcat atttgctggg tgaaaggtg caggccagat atgagccagg 600
cctggcagag aggggttttg tcagcagtga tacctgcagt gttctctgca gttgggttgg 660
gctggccctg ctcttgagaa ctctgggtt gtcccttcag gcaaccaggg aaggctcctt 720
ggagcagcag catctccctt taccactcgc cgacaccagc ttccgcctga cccagagaag 780
gagtttgggg acagccacag cacgtccagg gcttccaagg cagctggcag agccaatgag 840
gagaccccaa ccccatccg acggctgcag ctctccctga cgtgtgttac cgcagccctg 900
gtcccagccg ctgtgcttct cagggcctgc ctgcccagcc cggttgataa tgggtgggata 960
gcgggccccg gggacacaat gagggccatt ctgagagcca ggagagcgt gtggggcagt 1020
cctgtcagtc ctatgtgcaa cagctgggat attgtttagg gactgtggc atcaggccgg 1080
ggctctcctc ctctggccct gccctttggg atgagcaagc ccccaaaggc cttcctgggt 1140
tcctctgggt cacgtgccct ggagttaccc ttctgaagga ggtagacttg tcctcctgtc 1200
ctgggtgcct ggggtgcagg ggtgtgaatt gggctatgtc aagatatgct gggcagtact 1260
gtgaggtggg ggcagagggg agaaggtgtc ccaggaggag cttcctgga ggggatgata 1320
gtccagcatg ttctgaagtg ggagtaggtg gcggcaggag tagggtacca gagaatgagt 1380
gagtcaggca gcagcctcca ctgccccttg gacacagggt gccgacagtg tccacctgga 1440
ctggctttgc accccttctg aggtcacagt tgtgtccctt gaaaacttgg gcaggagcac 1500
ctgactggcc cagcttgggt catgccctag gccagcagt gcgggaggcc aggaaagtag 1560
gcttggggag gctggcctct cctccagttt gaagcatggc aggggttccg ggggaggctg 1620
ctggggggcc tgcgagcatg tccagagcag gaatgcttgg ggtggtgtgt gctttgctcg 1680
tctgggctta tctggccgtg gggaagctgg ttgtgcggat gacgttact gagctgtgca 1740
cgcacatcc atggagtctg cgggtgtgag ccttttgccg ctccagggtc acagcctgcc 1800
tcctctgctc agccccctgg ctgaggccct tcctctgccc catgctcttc tcagacagga 1860
atcctgtgga atgtcatctc tttggggagg ccgtctctga ccctgtatgc aaaggccttc 1920
tcccacatta tttttggcac cccactttct tccccgtgaa agcaaattgt ttggtgtctt 1980
tctgtccac tacagtatag gcccggttca gacagaggcc ttgtccacta ggcctgcgct 2040
atctctgcgg agcccagcca aagcaggggc caggcgaatc ttttgttaaa agaacaatgc 2100
gcgctgggca cagtgtcac gcctgtaac ccagcacttt gggagtccga agctggagga 2160
tcacttgaac ccaagagttt gagaccaccc tgggcaacat aaggagaacc catctctaca 2220
caaaattagc tgggcgtggg ggtgtatgcc tgtagtccta gctacttggg aggctaaggt 2280
gggaggtggc tgaggtggga ggatcacttg agcctgggag gttgttgagc tgagagccat 2340
gatcgcgcta ctgggcaata gagcagaacc

```

2370

&lt;210&gt; 240

&lt;211&gt; 981

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2650265

&lt;400&gt; 240

```

cggactgccc tgagggcggg aaaggggtgg cactgggtca gccgaagca cctgacatga 60
gggcggggac cccgaaatgc acacgaagtc cggaaactgg cttctgtgat ttctattcgc 120
cctggtctct gttccctttc gtactcaaag ctctgtcatc caggaggggg aaaccggaga 180
tagggtcttc gggccccggg cagaccctct gtgcgctgc aaaccgttgc agcctgaggc 240
tgtcaggtcc tccccagac acctgcggac cctccctctc ctggcttccc gtctggctcat 300
ggcagatctc tgggtctgcg tagccgggtg tggtctcttt cttgcatttt tgggtttgca 360
ttcgcgtttt tgtggtcttc cagtttttag gaactttact tttgcagttt cctggagaac 420
tgagaaaatt ctttaccggc tggatgtggg ttggcctaag caccagaat attttaccgg 480
aacaacattt tgtgttgag ttgactccct caatggattg gtttacatag gtcaaagagg 540
ggataacatc ccaaagatat tagtggtcac agaggatgga tatttcctac gagcctggaa 600
ttatacagtt gacacacctc atggtatatt tgcagccagt actctatatg aacaatccgt 660
ctggatcacg gatgtaggaa gtggtatgta tagtaatatc tattaatta tcttactgga 720

```

```

aatcacatct ttgcacatgt ccttgtttgt attgttttaa atcagagttg ctgaatctaa 780
ttgtaatttc ttttaacgatt catgaaatca catgttttta acaaacttta ttttgtactt 840
ctgtggaatt aagaaattta acaagggctg gacgccgtgc tcacgcctgt aatcccagca 900
ctttgggagg ccgaggcggg cggatcacga ggtcaggaga tcgagacgat cctggccaac 960
acggtgaaac ccccgctctcc a                                     981

```

&lt;210&gt; 241

&lt;211&gt; 1204

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2677129

&lt;400&gt; 241

```

aggagaggaa ggtaattaca ttaagcatta taatatagtg tgttaaatgc taatgatcat 60
aatcattgaa cccctctcag tccctcatctt atttaaactt ggtatttttag cagacttttt 120
tgcttactg ctattaatta attttttttt ggtctctttc ttccttgctt accctttgtt 180
taacaaccaa atcaactcta gatcaatgaa tgaaataaaa aatctccagt acctacctcg 240
gaccagttaa ccccgcggaag ttctctttga agataggact agagctcatg ctgatcatgt 300
cggtcagggg tttgactggc agagtacggc tgctgttgga gttttgaaag ctgtacaatt 360
tggtgaatgg agtgaccaac ctgcataaac caaagatgtg atttgttttc atgctgagga 420
ttttactgat gttgtacaaa gacttcagtt agatcttcat gaacctccag tttcccagtg 480
cgtacagtgg gtagatgaag ctaaaactaaa ccaaagtagg cgggaaggca ttcgttatgc 540
tagaattcag ctttgcgaca atgatatcta cttcatccct agaaatgtca ttcatcagtt 600
caaaacagtt tcggcggtgt gcagcttagc ctggcatata aggcttaaag agtaccaccc 660
tggtgtggaa gccactcaaa acacagaaag caattctaac atggactgtg gtttaactgg 720
aaagcgagaa ttagaagttg actcccaatg tgtgaggata aaaactgaat ctgaagaagc 780
atgcacagag attcagctgt taacaactgc ttcacatctt tccccacctg catcagaact 840
taatctacag caagatcaga agactcagcc tattccagtt ttaaaagtgg aaagtagact 900
ggactctgac cagcaacaca atctgcaaga acattcaacc acttctgtgt gatatgtaca 960
tattcaaaca cattttttta ctttttttaa ttttgatgtg aagttatagt tttataactg 1020
gcttaagtta agttttattg gagaaatctt gcctataatt ctataaagag aaatgacatt 1080
cacaaatgtc agcatatctt tttacacaga tatgcaagtt agagtgtatc tatccggtag 1140
tacgtatgta taagtgggtc gcgcacttct gttttaaggg tgagggtacat ccactctctc 1200
cgag                                     1204

```

&lt;210&gt; 242

&lt;211&gt; 784

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3151073

&lt;400&gt; 242

```

cacagacaaa ccgtcaacag ctggtctcgc atgtcctttg tccccggtct gctcttgtgt 60
ttcgttctcc tctgtgtgt tagccctgtg taccttccct ctcgttcacc ctccacattt 120
cccatctctg agcccctcag ctttataggg atgtcagctt ggccccaatg tagtcccatt 180
tacagccaga ctctggact tgcctatgag ccatcttcat ttccaaaaag gcgatattgg 240
gtatgtacat tgcatgaaat aaagtgggaa tgtcccagaa gcagaaggac atctgatgca 300
gtccacgcca ataaattggg cttaccttta aaaatcatct gaatatgcag gtcttagggc 360
agagaatata gacagcttaa gattttctaa actacaagtc ccacccaaaa tacggtatatt 420

```

```

tcatgatttc ccaaagggtg accatcagca agactggata tttttcagac ttaagatgac 480
tggttcagtag ctgatgttct ggaaaagatc tgggccttca ccatgaaatc ttaaagtgtga 540
gcagttactg gatgttgaat ttgaaaccta ttcatttctt tttttaaaac aagcttggtc 600
atctctgtgc aatgctataa ttcggaacga aacaaagcac aatgttaata aggtagacac 660
taattcattc ctctgaagag agatctcttc cagacatttt aagccagggc aagaaatgtt 720
taaagatgtt ttctgcagtt gccgtagaaa cactccttag cagtcattct ggctgttggt 780
aaaa
784

```

<210> 243  
 <211> 426  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3170095

```

<400> 243
ctccattaaa ccaccaccag ctccccaagc cacccttca gccatgaagt tectgtcct 60
ggtcttgga gccctcggat tctgaccca ggtgatcca gccagtgcag gtgggtcaaa 120
atgtgtgagt aacacccag gatactgcag gacatgttgc cactgggggg agacagcatt 180
gttcatgtgc aacgcttcca gaaaatgctg catcagctac tccttcctgc cgaagcctga 240
cctaccacag ctcatcggtg accactggca atcaaggaga agaaacacac aaaggaaaga 300
caagaagcaa caaacgaccg taacatcata ataaccactg ctatcgctc caccaactca 360
gagaaatc atttccacag ttccaattcc tctacattg ctgagtacta gccaaaggctc 420
ctcttt
426

```

<210> 244  
 <211> 1732  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221>  
 <222> 1651, 1655  
 <223> a or g or c or t, unknown, or other

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3475168

```

<400> 244
cgggaccaga gcacgttcct ggctgcagag gccacaagtc acgctgtctc tgagagtgga 60
atgtcaccat cgccaggtg gggatttttg tgtgttttgt tctactgtgt acaccagcc 120
cccagcacag cgctgtcca ggacaagtgc ccagtaaaca cttgggaagc aatgcaagcg 180
tctcccagc agctcctgca aacagacccc cgacccaagc ctttccttct gcctccactg 240
ccaccactgc tgctcatctc tgctggcaca gaagtctctt ccctgggtctt ccagaaatcc 300
cctctccaca ctgagccaga gggagctatt aaaactgcgg gccagccac atcagtccac 360
agcaaaagtc tctctaaggg atctctgttg cttggagaat aaaccctcgg attccttctt 420
tggctctcgg ggctcctct ctgacctccc tctgtctcct ctcccagcct tctcctcag 480
tcacctcca gccatgctgg ctctcctctt gctcctgaaa cagcctgaga gccacactgc 540
cccgggccct ttgactggc tgtttcctct gcctggagca cttctcctag gcatccacag 600
ggctccctcc cacaactcct tcgggtgccc acatgggaag ccatccctga ccccccccc 660
gacttccttc tgagcaaggt agggctcttc tacctagtca tgagggcagg gatttttgtc 720
tgttgtgttc tctgtgtgcc ccagtgcca tcccagtgcc tggcagatgg taagtgtctg 780

```

```

acacacattg gctgactgcc tgaatgaaca actctatgag ccgatggcag ataaggacac 840
tgaggctctc tggggtaggt gaccagccca aggccacaca gctggctctga gattaggcca 900
ggagaggagc ccgggttggt cacatcctgg agttggcgtc ttggaaactg catcaggaga 960
ataacaaaga tgagacgcag gctctaaca gtggatacca gtgactctcg ccccgccagc 1020
cccagccctg cagccttggg cccttccagg agtcatggtc tgcttgcctg gggcattcca 1080
ggcttcgacc caggctcctgc actttctatt ttgagcctct tagtcctgag gactgtgtgt 1140
tcccagcagg cggcgcgggc cagaggctga gcctgggtgt ggctgtcacc ctatctgggg 1200
ccagagaccc agattcccgg gcccttaacc tggtggctgc tgagggtctt ggcataagcc 1260
ctgttccctg cttgattgtc tccccttcaa gcccctgccc tggatcgtg tcggcccatc 1320
tcaccttgga ttatatccct gtttggcccc atttgaatcc tggctctgcc ctttccagc 1380
aatgtgacct tgggcaagtc acttcatctc tctggtctca gttcttcac tggaaatggg 1440
acaataagag tacctgtctc tggccatgtg tggtgactca tgctgtaac cccagcgctt 1500
tgggaagccg agccgagaga attgcttgag accaggagtt tgagatcagc cctgggcaac 1560
atagttagac ccctgtctct acaaaattct aaaaaatta gccggttgtg gtggtgtgtg 1620
cctgtagtcc cagctattct agaggctgag ncggnaggat tgcttgagcc cagcagttt 1680
aggctgcagt gagctatgat tatgcccggt aaggccccc aaaaaaaaaa aa 1732

```

&lt;210&gt; 245

&lt;211&gt; 918

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3836893

&lt;400&gt; 245

```

agcctctagg tcattgtggt gccttgtagc tgtcccgga gccctcagca gcagttggag 60
ctggtgcaca ggaaggatga ggaagaccag gctctggggg ctgctgtgga tgctctttgt 120
ctcagaactc cgagctgcaa ctaaattaac tgaggaaaag tatgaactga aagaggggca 180
gacctggat gtgaaatgtg actacacgct agagaagttt gccagcagcc agaaagcttg 240
gcagataata agggacggag agatgccaa gacctggca tgcacagaga ggccttcaaa 300
gaattcccat ccagtccaag tggggaggat cactactaga gactaccatg atcatggttt 360
actgcgctc cgaatggtea acctcaagt ggaagattct ggactgtatc agtgtgtgat 420
ctaccagcct cccaaggagc ctacatgct gttcgatcgc atccgcttg tggtgaccaa 480
gggtttttca gggaccctg gctccaatga gaattctacc cagaatgtgt ataagattcc 540
tcctaccacc actaaggcct tgtgccact ctataccagc cccagaactg tgacccaagc 600
tccacccaag tcaactgccg atgtctccac tcctgactct gaaatcaacc ttacaaatgt 660
gacagatata atcagggttc cgggtgtcaa cattgtcatt ctctggctg gtggattcct 720
gagtaagagc ctggtcttct ctgtcctgtt tgcgtgcacg ctgaggtcat ttgtacccta 780
ggcccacgaa cccacgagaa tgcctctga cttccagcca catccatctg gcagttgtgc 840
caaggaggga gggaggaggt aaaaggcagg gagttaataa catgaattaa atctgtaatc 900
accagctaaa aaaaaaaaaa 918

```

&lt;210&gt; 246

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 4072159

&lt;400&gt; 246

```

gctcacacag ctcccgccca ggtcacccgc catggctctc cctctgcctt ggctctctcg 60

```

```

gtaccatttc cttcgctcc ttctgcccctc ctggtccttg gcaccccagg gctcccatgg 120
gtgctgctcc caaaacccca aagcaagcat ggaagagcag accaactcca gaggaaatgg 180
gaagatgacg tcccccccca ggggcccttg gacccaccgc acagctgagc tggcccagagc 240
tgaagagttg ttggagcagc agctggagct gtaccaggcc ctcttgaag ggcaggagg 300
agcctgggag gcccaagccc tgggtgctcaa gatccagaag ctgaaggaac agatgaggag 360
gcaccaagag agccttggag gaggcgccta agtttcccc agtgcccaca gcaccctccg 420
gcactgaaaa tacacgcacc acccaccagg agccttggga tcataaacac cccagcgtct 480
tcccaggcca gagaaagtgg aagagaccac aaaccgcagg caattggcag gcagtggggg 540
agccagggtct ctgcagtctt agtcccatcc ccttttgatc tcacagcagg cagggcacca 600
caggccttac taggaattca ccctggacca tgccctaaaa taacctcacc ccaaatacaa 660
taaaggagac aggcaa
676

```

&lt;210&gt; 247

&lt;211&gt; 2255

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1003916

&lt;400&gt; 247

```

ccggtgcgctc ctgggtctgt ctgcgcggag ttccccgggg cgcgaggaga ggggactgga 60
gaaagaggag ggcggggcag cggaggggag gaggcggtgc gtgcctcgcc tgccaaaggg 120
agatccgctc ctctgcgtgc gatccccggc gcccgccgc gccacagcg ctccgccaga 180
gctgcgcgcg cggactcgcc gggagtgggg gtctccgctg gtgccagccc gcttctggag 240
accctccgcc tctgccaac cctgctctt ccaggtcggg ccccggggtt ctgcggtgt 300
tagggacaga ggcaaagaag ggcaggacgg tccggttcc cgtggatgtt cccgccgag 360
aaagacagca agttgtgtgt gcgcccggga cgcgggaggg aaggtagccg ccgcccgcca 420
gccatggacc atcatcttta gtgcagagga tggaaagtgt atgccagta agactgaaga 480
tccattctgc attacggaac tgtggattat ctgtgggtcc ctggtgattt cacaccttca 540
ttcactcctg cagtccctga acacttactt ggggtcctca ttgcctatc tggtgaaaga 600
tggcatccag cctgacttgt actggagtaa tctgggcttt gctgtctttt ctttgtgctg 660
ccacctcctg cgtgggggtt tttatgcctt actggctctg gggatcacag ctgggcaagc 720
ctgtgtcctt cgttaccttc cggaggtgct catatcctgt gcatgatgag agtcggcaga 780
tgatgggtgat ggtggaggaa tgtgggcgct atgcctcctt ccagggcatc cccagcgcag 840
aatggaggat ctgcaccata gtgaccggcc tgggttgttg cctcctcctc ctggtggcgc 900
tactgcccct catgggttgc tgtgtttccg acctcatctc caggacagtg ggaagagtgg 960
ctggaggaat tcagtttctt gggggcttgt tgattgggtg tggctgtgcc ctctaccct 1020
tgggctggga cagtgggaa gtccggcaga cttgtggcta cacttctggc cagtttgacc 1080
tggggaagtg tgaatcggc tgggcctact actgcacggg agcaggtgcc actgccgcca 1140
tgctgctgtg cacgtggctg gcttgctttt cgggcaagaa acagaagcac taccatact 1200
gagatggagc taccaagagc agacagagga gaagatgggc caaaggggct tggagagggtc 1260
aaaacatcca cctaccttca aaaggtggga tagtagttct aatccaatac aatgctaata 1320
aatgaaacc cgataaaatc aggaacatga tataggaagg aaggattgta ggagatttgt 1380
gggggaaaaa aaaggagagt atagaatgat ggagaaaaat ggaccaaagg ctaaaaatat 1440
tgcagggcac cgggtgttcc tattccacag agtattgtta atgtacaaca cacacacaca 1500
cacacacaca cacacacaca caaatctac atatacaaac aagggttttg 1560
gttttagttt tttttttta aggtgaggac tcagaaaatc aaagggttag tagaaacagt 1620
gttatgttgg gaagcagggt acccccaaag atgttccctg taggtcacgg cactcccaaa 1680
agcacacaag cacatacaga catatgcac cccacacag cctatgcaca aacgtggatt 1740
atcgcacaga ctgggaggtt tagtgggtgca tttctcctct gttttctttt taatatacat 1800
ttaaaataca gtattatcac tttataaaac atacattaag cctaataaat ggaccaataa 1860
gccaaactat cagtattttg tatatcctgc ataaactcta atttagttcc tcaacatatt 1920
ttcagtgttt atgcagacct ttagagttaa gcctttgtat ttccatgtta ttccacaata 1980
tgcaatatct ctctgagtag cttctgctat gatattctta tgaagaaaag gggcaacttt 2040

```

```

ctgtccacta taggagagaa ttcagccgaa gatatgagag taatgagaga cattttccag 2100
tcattggatc gtgttttctt ttgtccatta ttgtactgtg ctgtaccaca tttattttcta 2160
tattcatttt gtaaaaaaatt taaaagtgtc attttgtttg tatttgaaaa tctctgtgaa 2220
taaattctct ctttgatcaa tagcaaaaaa aaaaaa 2255

```

&lt;210&gt; 248

&lt;211&gt; 1223

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2093492

&lt;400&gt; 248

```

gacgcttcac cagcgctcctg gtggtgtcca gtctctcacc cctgtgctg ctgctctgga 60
gggaactcac aggcattccag ccaggcacat ccctgtcac cctgatgggc ttcaggctgg 120
agggcatttt cccagcggcg ctgctgcccc tgttgctgac catgattctt ttcctggggc 180
cactgatgca gctctctatg gattgccctt gtgacctggc agatgggctg aagggtgttc 240
tggtcccccg ctccctgggccc cgctgcctca cagacatgcg ttggctgctg aaccaagtga 300
tcgtccccgct gacagaggag ctggtgttcc gggcctgtat gctgcccatt ttagcaccgt 360
gcatgggccc gggtccctgt gtgttcacct gcccgtctct ttttgagatt gccatttttc 420
accatattat tgagcagctg cgtttccgcc agagcagcgt ggggaacatc ttcttgtctg 480
ctgctgtcca gttctcctac acagctgtct tcggtgccta cactgcttcc ctcttcatcc 540
gcaaggagca cctgattggg ccggttctct gccattcctt ctgcaattac atgggtttcc 600
cagctgtttg cggtggcctg gagcaccac agaggcggcc cctgctggca ggctatgcc 660
tggtgtgtgg actcttctct ctctgtctcc agcccctcac ggaccccaag ctctacggca 720
gccttccccct ttgtgtgctt ttggagcggg caggggactc agaggctccc ctgtgtctct 780
gacctatgct cctggatacg ctatgaactc tcaccggctc ccagccctc cccaccaagg 840
ggtactgcag gggaagggtc ggctggggtc cccgagatct cagggaatttt ttaggggat 900
tgaagccaga gctagttgctg tcccagggac caagagaaag aagcagatat ccaaagggtg 960
cagccccctt tgaaagggtt gtttacgagc agctgtgagt gaggggacaa ggggcaggct 1020
ccaggagcca cactcctctt tctcacttt ggactgctgc ttctcttagc tctctgcctc 1080
ctgaaaagct gctcggggtt ttttatttat aaaacctctc cccaccccc accccccaac 1140
ttcctgggtt ttctcattgt ctttttgcac cagtactttg tattgggata ttaaagagat 1200
ttaacttggt taaaaaaaaa aaa 1223

```

&lt;210&gt; 249

&lt;211&gt; 1188

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2108789

&lt;400&gt; 249

```

gccccctcca gcctgccaaag aaaacggtag gggagcatga tggggccttt gaggcagggt 60
cgcagggaca agctcagctt taggcacat ctgttcccat cgcgcctgct gctgtgacct 120
gttttggaag actggtgtgt accgaggcgc tgactgcacg gctgaccgcc tgctcgtgcc 180
ttcattctgc agcggcatgg tccctcccat tctggctcca cctgcagcct ccctgggtgg 240
cctaggtctc cccgaccaag agacctcct ctcatgatca ctggtacctg ggggcctgaa 300
ttctggcccc cggtcccca cacagctggg actggcctgg atggctgtcc tggtagcccc 360
tgccccacct gacagaggga gctgggctc ccctcactc ctgtaactcc cgccttcacc 420
agactcgagg acacctggc cctgctgagg catacagagc ttcagcccag cacagaagca 480

```

```

agacaaaatc agtgggtctt agagttttaga aaacaagaca gactctcaga tgaaagatct 540
gacaagcacc gtggccagtc acagggagag acttgatgtc tggcctttta attcctcttc 600
tgccagggtg ggtcctggga cctctaattgt gggcatgtcg tccaccccag gacgagccat 660
cagggacaga cccccaccc ccaaggctgc agccacacca tgtttcaggc ttggggctgg 720
ggcaggcttg ggctcaatcc tgggcacca ggggcagccc acccctaacc tggctcctac 780
ccaccttgcc cttgaaggat gggcctgctg cacgtctccc tcctccaccc cataccacac 840
tgggggggtct gagccacccc cctcagcccc gttcgggtca gaccgacccc cactccatcc 900
ccagacctgc agcacaagtgc cgcgggcctg tcctccagg ggcttgggag actccattg 960
caatcagtag cgagcagccg gggccacag accctcatgc actctcttac gtgccattct 1020
ccccagactt tttttgtact taatgtatga aagatccaaa ctaatatgtc tgtaaaaagg 1080
agagacaaat taatatagct tattctataa atatatctgt atataaaggt ttctgtatat 1140
tgtatagagc tgtgtataaa ctggatgtag aagcacaaaa aaaaaaaa 1188

```

&lt;210&gt; 250

&lt;211&gt; 1792

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2171401

&lt;400&gt; 250

```

cgccgctggg gccggccgc acggcttcat ctgagggcgc acggcccgcg accgagcgtg 60
cggactggcc tcccaagcgt ggggcgacaa gctgccggag ctgcaatggg ccgcggtctg 120
ggattcttgt ttggcctcct gggcgccgtg tggctgctca gctcgggcca cggagaggag 180
cagcccccg agacagcggc acagaggtgc ttctgccagg ttagtggtta cttggatgat 240
tgtacctgtg atgttgaaac cattgataga ttttaataact acaggctttt cccaagacta 300
caaaaacttc ttgaaagtga ctactttagg tattacaagg taaacctgaa gaggccgtgt 360
cctttctgga atgacatcag ccagtgtgga agaagggact gtgctgtcaa accatgtcaa 420
tctgatgaag ttcctgatgg aattaaatct gcgagctaca agtattctga agaagccaat 480
aatctcattg aagaatgtga acaagctgaa cgacttggag cagtggatga atctctgagt 540
gaggaaacac agaaggctgt tcttcagtgg accaagcatg atgattcttc agataacttc 600
tgtgaagctg atgacattca gtcccctgaa gctgaatatg tagatttgct tcttaatcct 660
gagcgctaca ctgggttaca gggaccagat gcttggaata tatggaatgt catctacgaa 720
gaaaactgtt ttaagccaca gacaattaaa agacctttaa atcctttggc ttctgggtcaa 780
gggacaagtg aagagaacac tttttacagt tggctagaag gtctctgtgt agaaaaaaga 840
gcattctaca gacttatatc tggcctacat gcaagcatta atgtgcattt gagtgcaga 900
tatcttttac aagagacctg gttagaaaag aaatggggac acaacattac agaatttcaa 960
cagcgatttg atggaatttt gactgaagga gaaggctcaa gaaggcttaa gaacttgat 1020
tttctctact taatagaact aagggtctta tccaaagtgt taccattctt cgagcgccca 1080
gattttcaac tctttactgg aaataaaatt caggatgagg aaaacaaaat gttacttctg 1140
gaaatacttc atgaaatcaa gtcatttctt ttgcattttg atgagaattc attttttgct 1200
ggggataaaa aagaagcaca caaactaaag gaggactttc gactgcattt tagaaatatt 1260
tcaagaatta tggattgtgt tggttgtttt aaatgtcgtc tgtggggaaa gcttcagact 1320
cagggtttg gactgctct gaagatctta ttttctgaga aattgatagc aaatatgcca 1380
gaaagtggac ctagttaga attccatcta accagacaag aaatagtatc attattcaac 1440
gcatttggaa gaatttctac aagtgtgaaa gaattagaaa acttcaggaa cttgttacag 1500
aatattcatt aaagaaaaca agctgatatg tgcctgtttc tggacaatgg aggcgaaaga 1560
gtggaatttc attcaaaggc ataatagcaa tgacagtctt aagccaaaca ttttatataa 1620
agttgctttt gtaaaggaga atttatattgt ttaagtaaa cacattttta aaaattgtgt 1680
taagtctatg tataatacta ctgtgagtaa aagtaatact ttaataatgt ggtacaaatt 1740
ttaagttta atattgaata aaaggaggat tatcaaattc aaaaaaaaaa aa 1792

```

&lt;210&gt; 251

&lt;211&gt; 2005

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2212530

&lt;400&gt; 251

```

gcgaggcgagg aggaggtgag gctccggcgc acacccaaac cgcgctgcgc ccgctccttc 60
cgggccccgg agatggcgcc tccaccggga tgagctagcc agcctgggca ataccagagg 120
cggccctcgg cgcgcgcagg ggaccgagct ggtcgcccc accgggtttg atttctgatg 180
actctggcct gagttccagg atgggttttt cttgggacca gacatgaaca aaagttgacc 240
tcatgagcac ttcaacctct ccagctgcc a tgctcctccg gaggtgcgcg cgaactctcct 300
ggggcagcac tgctgtccag ctcttcatcc taacagtggg gacgtttggc ctgctggccc 360
ccctggcctg tcaccgactt ctacactctt acttctatct gcgccattgg catctgaacc 420
aaatgagcca agagttcctg cagcaaagct tgaaagaggg tgaggtgcc ctccactatt 480
ttgaggagct tccctctgcc aatggctcag tgccattgt ctggcaggcc acccccggc 540
cctggctggg gatcaccatc atcactgtgg acaggcagcc tggcttccac tacgtcctgc 600
aggttgtgtc ccagttccac cggcttcttc agcaatgtgg cccccagtgc gaggggcacc 660
aactcttcct gtgcaacgtg gagcgtagtg tgagccattt tgatgccaag ttgctctcca 720
agtatgtccc tgtggccaat cgctatgagg gcaactgagga tgattatggg gatgaccctt 780
cgaccaatc gtttgagaaa gagaagcagg actatgtcta ttgcctggag tcatccctgc 840
agacctacaa cccagactac gtcctgatgg tagaagacga tgctgtacca gaagagcaga 900
tcttcccagt cttggagcac ctctgcggg ctgccttctc tgagccacat ctccagagatg 960
ccctttatct caagctgtat caccocgaga ggctccagca ctacatcaat ccagagccca 1020
tgcggtacct ggaatgggtt ggtgtaggca tggctgggg gcccttacta acctggatat 1080
acatgaggtt tgccagccgc ccagggttta gctggcctgt aatgctcttc ttctccctgt 1140
atagcatggg tctggtggag ctggtgggtc ggcactattt cctggaactg cggcggtgta 1200
gtccttccct gtacagtgtg gttcctgcct ctcaagtgtg caccocagcc atgctcttcc 1260
cggcacctgc ggcccgcggg accctcacct acctgtccca agtgactgc cacaagggt 1320
ttggcaagga catggcactg tactcgctgt tgagggccaa gggagagagg gcctatgtag 1380
tggagccgaa cctcgtgaaa cacatcgggc tcttctccag tctccggtac aactttcatc 1440
ccagtctcct ctagggtgcc aagagatgcc ttccggaagt tggccacttc ttgaagattc 1500
aaatatttat ctctttatct agacatgggt gcctgcagg atttactgt ttactgttgt 1560
tagagatata ggcactgggg cagctgagga acctcaatat gttaagagcc ttggctttgg 1620
tagcctcctg gcaggagcag cagtttgcca caggtecgga cctctccctc cacacagcca 1680
cactgcctca tgcagtctga cccacccagt gaggtgcat ttgaacactg attatattct 1740
ccatttggtt ttaagctctg ctttgtgtta gagcttgtga ctgccaaaaa ttttgtgcac 1800
agtgatatga ctgttttagg atcttaaggg tagaattttg tgaaaggtga gatcctttgg 1860
aattgagttc tttctcattg ggtatgaaaa tggatgtatg tttagaatat atgcccacg 1920
aggcaggacc atgtggatag attccatttg tttccttgac ctgatgtaat aaaaactgat 1980
aaaagccgtg cagtgcggc catct
2005

```

&lt;210&gt; 252

&lt;211&gt; 471

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2253036

&lt;400&gt; 252

```

tgggtatgtc tcatggagag gtgctttcac tgcttccctg ttcacctagt cttcaatctg 60
gtccagagtt tcagcccat ctctggagtt gagtccctgc ttctccctca atgtgacaaa 120

```



```

tggttgccaa  tggtatatcg  cagttgtgat  gcaagcagag  gcttggtaaa  tgcctgcata  180
ctgggggtttg  tcctcttgga  atgctcattt  gtgggagccc  tgaacaacta  tgtaagaagt  240
ctggctaccc  tgctggagag  aacacatggt  ggggaagagac  taaaattatg  tgaagagagt  300
caggccagcc  atcccagctt  ctctgctgag  ccccgccatc  agccaacctg  ccagctgaat  360
gcaaccgtaa  gagtgatcac  cagcaagatc  actagaaaaa  ccacctaact  gagcccaccc  420
tggattgaac  aatcataaac  aaataaaatg  gttattgttt  taaaaaaaaa  a  471

```

&lt;210&gt; 253

&lt;211&gt; 3775

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2280161

&lt;400&gt; 253

```

tccctgagag  gtgtccactg  atgtctcttc  ctcatctcat  ttagcagctc  ttagttttgtg  60
aagaatctgt  agatgctcaa  agtataattg  ccccgaggaa  tttatgctaa  tcacaacctc  120
ttcttcagac  accaagtcta  ccttgaatgg  gtttgctgtg  atatggcact  tcagggtctcc  180
ttttccatct  gccaatatca  gactgcctgt  gtccccagag  catgaaatca  gccttacagt  240
gcttggett  ctgttgagga  catccggaac  ttcaaactct  ggttttagag  gagtctcttc  300
gttaatttta  agcctgaaaa  tgtttccttc  tataccataa  atttcagcca  ggagaggaac  360
cttacttgct  tcattgatga  tttggaacct  ggtgctgtct  tcatctgttg  tgactgaatc  420
caataatgcc  cgataggtgg  acttcttgga  aagccactgt  ttctgacgcc  tgtaaatgc  480
gatcttggtt  cagtctctga  aaatgttttt  atctacagct  tcactctcaa  cacttatttc  540
ctctttcact  gctgcttcca  tggcttctct  gtcactccga  ccagctccca  gctctcagga  600
caagggccct  gggcgatctt  ttaaaaaagc  cgattgggtg  tctttctaaa  attacaacca  660
gtacttcac  gtcaagtttc  tgggaaggga  gtccccctca  gattctcatg  gagtgaacaa  720
tcttgactct  tgctcctgga  atttttcagg  cccaaactag  cgtttctaca  atgattttatt  780
tggcaaat  gtcttgatta  tgggtggctg  atgaggaacg  tgcttttgtt  aggaaccgaa  840
actgggcggc  ggtgagggcg  tgtacgcaat  gagtccgga  gagggtgaaa  tgctttcgg  900
aggcactcca  cggctgtgaa  gatggcgggc  gctgcgtggc  ttcagggtgt  gctgtcatt  960
cttctgcttc  tgggagctca  cccgtcacca  ctgtcgtttt  tcagtgcggg  accggcaacc  1020
gtagctgctg  ccgaccggtc  caaatggcac  attccgatac  cgtcggggaa  aaattatttt  1080
agttttgga  agatcctctt  cagaaatacc  actatcttcc  tgaagtttga  tggagaacct  1140
tgtgacctgt  ctttgaatat  aacctggtat  ctgaaaagcg  ctgattgtta  caatgaaatc  1200
tataacttca  aggcagaaga  agtagagttg  tatttgga  aacttaagga  aaaaagaggc  1260
ttgtctggga  aatatcaaac  atcatcaaaa  ttgtccaga  actgcagtga  actctttaa  1320
acacagacct  tttctggaga  ttttatgcat  cgactgctc  ttttaggaga  aaaacaggag  1380
gctaaggaga  atggaacaaa  ccttaccttt  attggagaca  aaaccgcaat  gcatgaacca  1440
ttgcaaacct  ggcaagatgc  accatacatt  tttattgtac  atattggcat  ttcactctca  1500
aaggaatcat  caaaagaaaa  ttcactgagt  aatcttttta  ccatgactgt  tgaagtgaag  1560
ggtccctatg  aatacctcac  actgaagac  tatcccttga  tgattttttt  catgggtgatg  1620
tgtattgtat  atgtcctgtt  tgggtgtctg  tggctggcat  ggtctgcctg  ctactggaga  1680
gatctcctga  gaattcagtt  ttggattggt  gctgtcatct  tccctgggaat  gcttgagaaa  1740
gctgtcttct  atgcggaatt  tcagaatata  cgatacaaag  gagaatctgt  ccagggtgct  1800
ttgatccttg  cagagctgct  ttcagcagtg  aaacgctcac  tggctcgaac  cctgggtcatc  1860
atagtcagtc  tgggatatgg  catcgtcaag  ccacgccttg  gagtactct  tcataagggt  1920
gtagtagcag  gagccctcta  tctttgttct  tctggcatgg  aaggggtcct  cagagttact  1980
gggtattttt  cttatccctt  gactctgata  gtaaacctgg  cctctcagc  agttgacgcc  2040
tgtgttattt  tatggatatt  tattagcctg  actcaaacaa  tgaagctatt  aaaacttcgg  2100
aggaacattg  taaaactctc  tttgtatcgg  catttcacca  acacgcttat  tttggcagtg  2160
gcagcatcca  ttgtgtttat  catctggaca  accatgaagt  tcagaatagt  gacatgtcag  2220
tcggactggc  gggagctgtg  ggtagacgat  gccatctggc  gcttgctgtt  ctccatgatc  2280
ctctttgtca  tcatgggtct  ctggcgacca  tctgcaacaa  accagagggt  tgccttttca  2340

```

```

ccattgtctg aggaagagga ggaggatgaa caaaaggagc ctatgctgaa agaaagcttt 2400
gaagggaatga aaatgagaag taccaaacaa gaacccaatg gaaatagtaa agttaacaaa 2460
gcacaggaag atgatttgaa gtgggtagaa gagaatgttc cttcttctgt gacagatgta 2520
gcacttccag ccttctctgga ttcagatgag gaacgaatga tcacacactt tgaaaggtcc 2580
aaaatggagt aaggaatggg aagatttgca gttaaagatg gctaccatca gggaagagat 2640
cagcatctgt gtcagtcttc tgtacggctc catgggatta aaggaagcaa tgacatcctg 2700
atctgttcct tgatctttgg gcattggagt tggcgagagg tgtcagaaca aagagaacat 2760
cttactgaaa acaagttcat aagatgagaa aaatctacga gcttcttatt tacaacactg 2820
ctgccccctt tctcccaga ctctgacatg gatgttcatt caacttaagt gtgttggtcc 2880
tgaactttct gtaatgtttc attttttaaa tctgacaaac taaaaagttt aacgtcttct 2940
aaaagattgt catcaacacc ataatatgta atctccagga gcaactgcct gtaattttta 3000
tttatttagg gagttacata ggtgatggg gaaattgtta actaccttct attttctctg 3060
gaagtcaagg ttacatcttg cagaggttgt tttgagaaaa aagggccctt ctgagttaag 3120
gagccatagt tctatcaatg atcaaaagaa aaaaaaaaaa aagagaaact gttacagtat 3180
gattcagatc atttaaaaaa gcaaaatcaa gtgcaatttt gtttacaacat ggtgtatatt 3240
aaagattttt ctatttcaga tgtactttaa agagaaatat tagcttaact cttttgacat 3300
ctgctattgt gacacatccc attgctggca atgtgggtgca cactccgaaa cttttaacta 3360
ctgttttgta agcctccaag ggtggcattg cagggtcctt aggcaatgtt ttgtttgcct 3420
ttatgcagag aggtgctcca agtgctgtga ttgagcaccg tgctagagga actgtaatgc 3480
ttcagaagtt gtagcttata caaaggaaac aggtcctgct ggcttaattt aaacagttat 3540
tgcataaagt agcgtggagg ccctggactg ctgctcgttc tttaggatgg actgttctg 3600
tatctggtat tgggttagag actgttaata agggacatca caaggtgatg ggattcattt 3660
gaagcactct atttctgttt taatggtttt atccaatttt gccttcccaa gatttttgtt 3720
ctacataaaa agttcatgcc actttttaat ataaaaaat ttaacaaaaa aaaaa 3775

```

&lt;210&gt; 254

&lt;211&gt; 1856

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2287485

&lt;400&gt; 254

```

cggccgcacc cggccggagc ggagggcaga gcgcgcgccc agttgcccgg gcaccaaate 60
ggagcgcggc gtgcgggagg gccagagca ggactggaaa tgcctgggcc gcgcgcctc 120
ctgctcagat acctgttccc ggccctcctg cttcacgggc tgggagaggg ttctgccctc 180
cttcatccag acagcaggtc tcctcctagg tccttagaga aaagtgcctg gagggctttt 240
aaggagtcac agtgccatca catgctcaaa catctccaca atggtgcaag gatcacagt 300
cagatgccac ctacaatcga gggccactgg gtctccacag gctgtgaagt aaggtcaggc 360
ccagagttca tcacaaggtc ctacagattc taccacaata acaccttcaa ggcctaccaa 420
ttttattatg gcagcaaccg gtgcacaaat cccacttata ctctcatcat ccggggcgaag 480
atccgcctcc gccaggcctc ctggatcatc cgagggggca cggaagccga ctaccagctg 540
cacaacgtcc aggtgatctg ccacacagag gcggtggccg agaagctggg ccagcagggtg 600
aaccgcacat gcccgggctt cctcgcagac ggggggtcctt ggggtgcagg cgtggcctat 660
gacctctggc gagaggagaa cggctgtgag tgcaccaagg ccgtgaactt tgccatgcat 720
gaacttcagc tcattccgggt ggagaagcag taccttcacc acaacctcga ccacctgggtc 780
gaggagctct tccttggtga cattcacact gatgccacc agaggatgtt ctaccggccc 840
tccagttacc agccccctct gcagaatgcc aagaaccag accatgcctg catcgctgt 900
cggatcatct atcggtcaga cgagcaccac cctcccatcc tgcccccaa ggcagacctg 960
accatcggcc tgcacgggga gtgggtgagc cagcgtgtg aggtgcgccc cgaagtcctc 1020
ttcctcacc gccacttcat cttccatgac aacaacaaca cctgggaggg ccactactac 1080
cactactcag acccgggtgt caagcaccac accttctcca tctacgcccg gggccgctac 1140
agccgcggcg tcctctcgtc cagggtcatg ggaggcacc agttcgtgtt caaagtgaat 1200
cacatgaagg tcacccccat ggatgcggcc acagcctcac tgctcaacgt cttcaacggg 1260

```

```

aatgagtgcg gggccgaggg ctcttgccag gtgggcatcc agcaggatgt gacccacacc 1320
aatggctgcg tggccctggg catcaaaacta cctcacacgg agtacgagat cttcaaaatg 1380
gaacaggatg cccggggggcg ctatctgctg ttcaacgggc agaggcccag cgacgggtcc 1440
agcccagaca ggccagagaa gagagccacg tcctaccaga tgcccttggt ccagtgtgcc 1500
tcctcttcgc cgagggcaga ggacctcgca gaagacagtg gaagcagcct gtatggccgg 1560
gcccctggga ggcacacctg gtccctgctg ctggctgcac ttgacctgct tgtccctctg 1620
ctgcattgga acatccgcag atagaagttt tagaaagttc tatttttcca aaccaggatt 1680
ccttactatt gacagatttt ctttaccaaa agaaaagaca tttattcttt tgatgcactt 1740
gaatgccaga gaactgtcct tctttttctc ctctccctcc ctcccagccc ctgagtcattg 1800
aacagcaagg agtgtttgaa gtttctgctt tgaactccgt ccagcctgat ccctgg 1856

```

<210> 255

<211> 1545

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Inocyte Clone No: 2380344

<400> 255

```

ggctggactg gaactcctgg tcccaagtga tccaccgcgc tcagcctccc aagggtgctgt 60
gattataggt gtaagccacc gtgtctggcc tctgaacaac tttttcagca actaaaaaag 120
ccacaggagt tgaactgcta ggattctgac tatgctgtgg tggctagtgc tcctactcct 180
acctacatta aaatctgttt tttgttctct tgtaactagc ctttaccttc ctaacacaga 240
ggatctgtca ctgtggctct ggcccaaacc tgaccttcac tctggaacga gaacaggagt 300
ttctaccac accgtcccct cgaagccggg gacagcctca ccttgctggc ctctcgctgg 360
agcagtgcgc tcaccaactg tctcacgtct ggaggcactg actcgggcag tgcaggtagc 420
tgagcctctt ggtagctgcg gctttcaagg tgggccttgc cctggccgta gaagggtattg 480
acaagcccga agatttcata ggcatgggt cccactgccc aggcacagc cttgctgtag 540
tcaatcactg cctgggggcc aggacgggccc gtggacacct gctcagaagc agtgggtgag 600
acatcacgct gccgccccat ctaacctttt catgtcctgc acatcacctg atccatgggc 660
taatctgaac tctgtcccaa ggaaccaga gcttgagtga gctgtggctc agaccagaa 720
gggtctgct tagaccacct ggtttatgtg acaggacttg cattctcctg gaacatgagg 780
gaacgcccga ggaaagcaaa gtggccaggg aaggaaactg tgccaaatta tgggtcagaa 840
aagatggagg tgttgggtta tcacaaggca tcgagtctcc tgcattcagt ggacatgtgg 900
gggaagggct gccgatggcg catgacacac tcgggactca cctctggggc catcagacag 960
ccgtttccgc cccgatccac gtaccagctg ctgaagggca actgcaggcc gatgctctca 1020
tcagccaggc agcagccaaa atctgcgatc accagccagg ggcagccgctc tgggaaggag 1080
caagcaaaagt gaccatttct cctcccctcc ttcctctga gaggccctcc tatgtcccta 1140
ctaaagccac cagcaagaca tagctgacag gggctaattg ctgagtgttg gcccaggagg 1200
tcagcaaggc ctgagagctg atcagaaggg cctgctgtgc gaacacggaa atgcctccag 1260
tctctgtgcg cgatgccttg ttgaaccaga tgggtccacgc cttccagcag ctgcagcagc 1320
atcatggcgg cgaggcgggg gctgggtgtg ttcacacaaa ggaagaagag tgacctccct 1380
ggaagaagat ggaattctgc cagcggccag gcttcaaacc tgaactgcac cgctggctcc 1440
tccctggctc tccagcctgc ccgcctactc tgcggctttt aagactttgc caatcccat 1500
agggagccag gtcctcaaaa taaacctgcc tctatataga cacat 1545

```

<210> 256

<211> 1671

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

&lt;223&gt; Incyte Clone No: 2383171

&lt;400&gt; 256

```
gaattcggac gctctctggg ccaatatggc agcgcccagc aacaagacag agctggcctg 60
gagtcgcggg ctggccgcgt gagtaggtga ttgtctgaca agcagaggca tgagctgggt 120
ccaggccacc ctactggccc gaggcctctg tagggcctgg ggaggcacct gcggggccgc 180
cctcacagga acctccatct ctcaggtecc tcgccggctc cctcggggcc tccactgcag 240
cgcagctgcc catagctctg aacagtcctt gggtcccagc ccaccggaac cccggcagag 300
gccccaccaag gctctgggtg ccttttagga cctgtttggg caggcgccctg gtggggaacg 360
ggacaaggcg agcttcctgc agacgggtgca gaaatttgcg gagcacagcg tgcgtaagcg 420
gggccacatt gacttcatct acctggccct gcgcaagatg cgggagtatg gtgtcgagcg 480
ggacctgggt gtgtacaacc agctgctcaa catcttcccc aaggaggtct tccggcctcg 540
caacatcatc cagcgcctct tcgtccacta ccctcggcag caggagtgtg ggattgctgt 600
cctggagcag atggagaacc acgggtgtgat gcccaacaag gagacggagt tcctgctgat 660
tcagatcttt ggacgcaaaa gctaccccat gctcaagttg gtgcgcctga agctgtggtt 720
ccctcgattc atgaacgtca accccttccc agtgccccgg gacctgcccc aggaccctgt 780
ggagctggcc atgtttggcc tgcggcacat ggagcctgac cttagtgcga gggtcaccat 840
ctaccaggtt cctttgcccc aagactcaac aggtgcagca gatccccccc agccccacat 900
cgtaggaatc cagagtcccg atcagcagcg cgccctggcc cgccacaatc cagcccggcc 960
tgtctttgtt gagggcccct tctccctgtg gctccgcaac aagtgtgtgt attaccacat 1020
cctcagagct gacttgctgc ccccgagga gagggaaagt gaagagacgc cggaggagtg 1080
gaacctctac taccgatgc agctggacct ggagtatgtg aggagtggct gggacaacta 1140
cgagtttgac atcaatgaag tggaggaagg ccctgtcttc gccatgtgca tggcgggtgc 1200
tcagtaccag gcgacgatgg ctaagtggat ccagggcctg caggagacca acccaaccct 1260
ggcccagatc cccgtggtct tcgcctcgc cgggtccacc cgggagctcc agacatcctc 1320
tgcagggctg gaggagccgc ccctgccga ggaccaccag gaagaagacg acaacctgca 1380
gcgacagcag cagggccaga gctagtctga gccggcgcca gggcacgggc tgtggcccga 1440
ggaggcggtg gactgaaggc atgagatgcc ctttgagtgt acagcaaatc aatgttttcc 1500
tgcttggggc tctcttccct catctctagc agtatggcat cccctcccca ggatctcggg 1560
ctgccagcga tgggcaggcg agaccctcc agaactctga ggcgctctg gttctccgaa 1620
ttcaaataaa aaggggaggg agcgctgttg gttgtgcgca aaaaaaaaaa a 1671
```

&lt;210&gt; 257

&lt;211&gt; 792

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2396046

&lt;400&gt; 257

```
aatttttaggg agaattgtggg ggggtgggggt gttactttcc attttacaca tatttgtatt 60
ttcagatttt caacaataac agtattcaat acataatcag aaaaaagaga tgtggaggag 120
gaggagagaa acttccaag gagtcacctt gggtgctgct ggctcctaata tagtgtaacc 180
tgtaaatcac atgttgctcg gtgttagagc ggtccctctg tgctctgcct ggcagggcgc 240
tgttgacctg gtctccctcg ctattttctat ttgcaagcat gggctttctt cccagcagaa 300
tctggttcct gggaagagta atgttccaaa ggcctctgat atgcctcgat gccctcctgt 360
ctccagagc cccaacctca ctccctttcc ccaccataca aaacacacct cccaggggtc 420
acatttgggg gtcccgcctc ctgctccaat gccatggtgt cccaagcac agggctttgg 480
cctgagttgt cagtctctgg atgcatttga ggggcagcta ggggtgtggc ggggggtcca 540
agcagctggg gagccgagac tcagaatcat tcacacactt ctatttggag cttttgtgga 600
agtttccaga attccataat attcacctcc tgaatggtgg ctgcccctta tcagccaggg 660
ctgggggttc cagtgccttc ggagagcttg ctttagagtc ttggagagac ggccatgggtc 720
tgcgtttgta tgtctgtcac atcttaccat catcacaaat tgaatataca acattaccta 780
attgtgtgat ca 792
```

<210> 258  
<211> 3045  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2456587

<400> 258  
gtgagagggg ctgatggaag ctgataggca ggactggagt gttagcacca gtactggatg 60  
tgacagcagg cagaggagca cttagcagct tattcagtggt ccgattctga ttccggcaag 120  
gatccaagca tggaaatgctg ccgtcgggca actcctggca cactgctcct ctttctggct 180  
ttcctgctcc tgagttccag gaccgcacgc tccgaggagg accgggacgg cctatgggat 240  
gcctggggcc catggagtga atgctcacgc acctgcgggg gaggggcctc ctactctctg 300  
aggcgctgcc tgagcagcaa gagctgtgaa ggaagaaata tccgatacag aacatgcagt 360  
aatgtggact gcccaccaga agcaggtgat ttccgagctc agcaatgctc agctcataat 420  
gatgtcaagc accatggcca gttttatgaa tggcttcctg tgtctaataa ccctgacaac 480  
ccatgttcac tcaagtcca agccaaagga acaaccctgg ttgttgaact agcacctaag 540  
gtcttagatg gtacgcgttg ctatacagaa tctttggata tgtgcatcag tggtttatgc 600  
caaattgttg gctgcgatca ccagctggga agcaccgtca aggaagataa ctgtggggtc 660  
tgcaacggag atgggtccac ctgccggctg gtccgagggc agtataaata ccagctctcc 720  
gcaaccaaag cggtatgata tgtggttgca attccctatg gaagtagaca tattcgctct 780  
gtcttaaaag gtctgatca cttatatctg gaaacaaaaa cctccagggg gactaaagggt 840  
gaaaacagtc tcagctccac aggaactttc cttgtggaca attctagtgt ggacttccag 900  
aaatttccag acaaagagat actgagaatg gctggaccac tcacagcaga tttcattgtc 960  
aagattcgta actcgggctc cgctgacagt acagtcaggt tcatcttcta tcaacccatc 1020  
atccaccgat ggaggagac ggatttcttt ccttgctcag caacctgtgg aggaggttat 1080  
cagctgacat cggctgagtg ctacgatctg aggagcaacc gtgtggttgc tgaccaatac 1140  
tgtcactatt acccagagaa catcaaacc ccaacccaagc ttcaggagtg caacttggat 1200  
cctgttccag ccagtgcagg atacaagcag atcatgcctt atgacctcta ccatcccctt 1260  
cctcgttggg aggccacccc atggaccgag tgcctcctct cgtgtggggg gggcatccag 1320  
agccggggcag tttcctgtgt ggaggaggac atccaggggc atgtcacttc agtgggaag 1380  
tggaatgca tgtacacccc taagatgccc atcgcgacg cctgcaacat ttttgactgc 1440  
cctaaatggc tggcacagga gtggtctccg tgcacagtga cgtgtggcca gggcctcaga 1500  
taccgtgttg tctctgcat cgaccatcga ggaatgcaca caggaggctg tagcccaaaa 1560  
acaaagcccc acataaaaga ggaatgcata gtaccactc cctgctataa acccaaagag 1620  
aaacttccag tcgaggccaa gttgccatgg ttcaaacaag ctcaagagct agaagaagga 1680  
gctgctgtgt cagaggagcc ctgcgttcac ccagaggcct ggtcggcctg cacagtcacc 1740  
tgtggtgttg ggacccaggt gcgaatagtc aggtgccagg tgcctcctgtc tttctctcag 1800  
tccgtggctg acctgcctat tgacgagtg gaaggccca agccagcatc ccagcgtgcc 1860  
tgttatgcag gcccatgcag cggggaaatt cctgagttca acccagacga gacagatggg 1920  
ctctttggtg gcctgcagga tttcgacgag ctgtatgact gggagtatga ggggttcacc 1980  
aagtgtccg agtcctgttg aggaggtgtc caggaggctg tggtagctg cttgaacaaa 2040  
cagactcggg agccttgcgt aggagaacct gtgcgtgacc accgccggcc cccacagctc 2100  
ctgaagtcct gcaatttgga tccctgcca gcaagtcctg tcatctagga agaagcagta 2160  
tcgactcagc atggaacgcc tgcaacgttc tttgttaggc aaccaagagg cctggccttc 2220  
catcctgctg tcaccaacta gctctgtggc ctagggcgag gtgtctgccc tttatgtttc 2280  
cacatctgca aagtgaactg gttgtacctg atgatctgag atcccatgac ttgctcacat 2340  
gtcccatgat tctttatttt gtaggcagaa gcattaaaca gctactcctg ctgctgtgtg 2400  
ctaatacttc ctgtaatttc tgttctgctt atttgccatt atttgaaaaa catgcaaaaag 2460  
ggtctttcta accacattcc tgtgtgtgaa caacacccaa atgctgaggc agtgccgagg 2520  
agtcagtgcc tgggacttgc ttaaaactgc tgggactcgt ggtccctaaa cccttctttg 2580  
agcaccaaaa cgaataggac atgagatgtt acttctcatt ctcaaagta taactatgtt 2640  
taagttacaa aaggttaggt tatcctgtga cccttttgtt gactcacaga caagaacagt 2700  
tgttgagctt aatgttgtcg catttgcctc agataaactc aattctctga tttccacca 2760

```

gccaaactgtc aagccaacag gcaagacctc tcaactgggca cagccaggag tttcttgggt 2820
cgaccataca cattgaaaca tttgtagaag gttgctaatt gcaacaataa aggggaccaa 2880
agtataatgg cctaactctca tccaagagtc aaaacagatt ttccccctaa aaatgataat 2940
tgtatagagg tgcctttcct gtggaatatc tcaactctgat gtcagagaaa aatctctcct 3000
tcccttctcc tgggtgttcaa tgtgagacag aaaataaaaat gtgtg 3045

```

&lt;210&gt; 259

&lt;211&gt; 2445

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2484813

&lt;400&gt; 259

```

gcatcttggc aggggtccggg gacgtggact atttcgcaca ccacaccacg gggaggggatt 60
tttttctatt ttccctacga aaaacagatc tttttaagga tgggtgctgct ccactgggtgc 120
ctgctgtggc tctgttttcc actcagctca aggaccaga agttacccac ccgggatgag 180
gaacttttcc agatgcagat ccgggacaag gcattttttc atgattcgtc agtaattcca 240
gatggagctg aaattagcag ttatctcttt agagatacac ctaaaaggta tttctttgtg 300
gttgaagaag acaatactcc attatcagtc acagtgcgc cctgtgatgc gcctttggag 360
tggaagctga gcctccagga gctgccagag gacaggagcg gggaaggctc aggtgatctg 420
gaacctcttg agcagcagaa gcagcagatc attaatgagg aaggcactga gttattctcc 480
tacaaaggca atgatgttga gtattttata tcgtctagtt cccatccgg tttatatcag 540
ttggatcttc tttcaacaga gaaagacaca catttcaaag tatatgccac cacaactcca 600
gaatctgac agccataccc tgagttaccc tatgacccaa gagtagatgt gacctcactg 660
gggcgcacca cggtcacttt ggcctggaaa ccaagcccca ctgcctcttt gctgaaacaa 720
ccatttcagt actgtgtggt catcaacaaa gagcacaatt tcaaaagtct ctgtgcagt 780
gaagcaaaac tgagtgcaga tgatgctttt atgatggcac cgaaacctgg tctggacttc 840
agcccccttg actttgccc ctttggattt cttctgata attcaggtaa agaacgcagt 900
ttccaggcaa agccttctcc aaaactgggg cgtcatgtct actccaggcc caaggttgat 960
attcagaaaa tctgcatagg aaacaagaac atcttcaccg tctctgatct gaaacccgac 1020
acgcagtact actttgacgt atttgtggtc aacatcaaca gcaacatgag caccgcttat 1080
gtaggtagct ttgccaggac caaggaagaa gccaaacaga agacagtcga gctaaaagat 1140
gggaagataa cagatgtatt tggtaaaagg aaggagcaa agtttctacg gtttgcacca 1200
gtctcttctc accaaaaagt cacttctttt attcactctt gtctggatgc tgtccaaatc 1260
caagtgcaga gagatgggaa acttcttctg tctcagaatg tggaaggcat tcagcagttt 1320
cagcttagag gaaaacctaa agctaaatac ctctgttcgac tgaaaggaaa caagaaagga 1380
gcatctatgt tgaaaattct agctaccaca aggcctacta agcagtcatt tccctctctt 1440
cctgaagaca caagaatcaa agcctttgac aagctccgta cctgttcctc ggccaccgtg 1500
gcttggctag gcaactcagga aaggaacaag ttttgcattc acaaaaaaga agtggatgat 1560
aactacaatg aagaccagaa gaaaagagag caaaaccaat gtctaggacc agatataagg 1620
aagaagtcag aaaaggtcct ctgtaaatat tttcacagtc aaaacctgca gaaagcagtg 1680
accacagaaa caattaaagg tcttcagcct ggcaaatctt acctgctgga tgtttatgtc 1740
ataggacatg gggggcactc tgtaaagtat cagagtaagg ttgtgaaaac tagaaagttc 1800
tgtagtttac cttcttatag agatatatta tgtagaactc caggagggac attaaatcac 1860
tttaagtata aactgactac tcccacagtt gagagaagtt gtgacctgta cttgtactat 1920
ggaaggaaag atatcaacgt gtgtatatgt atgtttatat aagtaactct tgaaggagac 1980
ttgttctagc gtgcccctag gtacctaagt tgtgtctgat gccgggttgg gtcaaagata 2040
gagggcttct tgaaggaaact tgccattcct tgctttgacc actgcatgaa ctgcttctaa 2100
attattttat tacctaaaaa tttaaaatat gccattcatt gcacacacc acaaatgcaa 2160
atcattcttc tctatagatg ctaggatata tataaattat ttataaatt cttgttttaa 2220
atgtcagtggt ttctatgatt gtaaaactatt aaattctttt cctattaaag tacagatcta 2280
atctaagtat tattaagttg atagccctct agtcagttat attgctattg taaattcttg 2340
ttgtgtgagt aaaaatgtta aatactatat gtatctcatg tacaaagttg acatacatta 2400

```

tattcatgta cataaaatta aagagattag attatatagt gttca

2445

<210> 260

<211> 672

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2493851

<400> 260

```
cccacgggcg cccagcctag gagtcgtccc ccaggcaatc cccagtactc ctgatgctgg 60
agagccagcc acactgcaca gtgccccggg ggcggtttct accaccctaa ggggtattct 120
tggctccagg catcagagtc catgtggctt gtggggccct ctttctttc atgcccactg 180
gggaaggttc caccagcagg gctgttactg gcggggctct ctgggagggg ggcaagaagg 240
ccagccacac caaggcactg gagctccacg actcctggcc ttcgattgga ggccctctc 300
tgccagctct gcccttggg gggcaccagg caggactgcc agccgctctc ctggcagggtg 360
acatcagcct tcaagctcac tgtgccctca ccatttcctg ctcccccaag gtccctggta 420
tgtcttctct tgggtatctt cccaggacag gcactggcac tggagccctg gcacttggtt 480
ctgggttcca tgcttcccag gtgtgatggt gaatgctgag tgtcagcttg actggattga 540
aggatgcaaa gtattgtcac tgggtgtgtc tgtgagggtg ttgccagagg agattcccat 600
ttgagtcagt gggctgggag aggcagaccc accctcaatc cagggtggga ccacctaate 660
ggctgccagc aa                                     672
```

<210> 261

<211> 1183

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2495719

<400> 261

```
gagagaaatg atgtgacagg agcaagcgaa ctacaacccc gccccgccgt tcctgccccca 60
ccactgcggc ggcggggcgt acgttccgga agcggaaatg gacgagaggt cagggtaggt 120
ttttgaagat ggcggccctc aaggctctgg tgtccggctg tgggcggctt ctccgtgggc 180
tactagcggg cccggcagcg accagctggt ctgggcttcc agctcggggg ttcagggaag 240
tggtggagac ccaagaaggg aagacaacta taattgaagg ccgtatcaca gcgactccca 300
aggagagtcc aaatcctcct aaccctctg gccagtgcc catctgccgt tggaaactga 360
agcacaagta taactatgac gatgttctgc tgcttagcca gttcatccgg cctcatggag 420
gcatgctgcc ccgaaagatc acaggcctat gccaggaaga acaccgcaag atcgaggagt 480
gtgtgaagat ggcccaccga gcaggctctat taccaaatca caggcctcgg ctctctgaag 540
gagttgttcc gaagagcaaa ccccaactca accggtacct gacgcgctgg gctcctggct 600
ccgtcaagcc catctacaaa aaaggccccc gctggaacag ggtgcgcatg cccgtggggg 660
cacccttct gagggacaat gtctgctact caagaacacc ttggaagctg tatcactgac 720
agagagcagt gcttccagag ttctcctgct acctgtgctg gggagtagga ggcccactca 780
caagcccttg gccacaacta tactcctgtc ccacccacc acgatggcct ggtccctcca 840
acatgcatgg acaggggaca gtgggactaa cttcagtacc cttggcctgc acagtagcaa 900
tgctgggagc tagaggcagg cagggcagtt gggctccctg ccagctgcta tggggcttag 960
gccatgctca gtgctgggga caggagtttt gcccaacgca gtgtcataaa ctgggttcat 1020
gggcttacct attgggtgtg cgctcactgc ttgggaagtg caggggggtc tgggcacatt 1080
gccagctggg tgctgagcat tgagtcactg atctcttggt atggggccaa tgagtcaatt 1140
gaattcatgg gccaaacagg tcccatcctc ttcaaaaaaa aaa 1183
```

<210> 262  
<211> 1266  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2614153

<400> 262  
gcctgaccac gcagttcttg ggtctgtgct gctggcctgg ggttgtggtt gaggcgggt 60  
ctccgctcct gtgcccggga agatgggtgct aggtgggtgc ccggttagtt acttacttct 120  
gtgcggccag gcggttttgc tgctggggaa ttacttctg ctgcattgtg tgtctcggag 180  
ccactcgcaa aatgcgaccg ctgagcctga gctcacatcc gctggcgccg cccagccgga 240  
gggccccggg ggtgctgcga gctgggaata tggcgacccc cactctccgg tcatcctctg 300  
ctcttaccta cctgatgaat ttatagaatg tgaagacca gtggatcatg ttggaaatgc 360  
aactgcatcc caggaacttg gttatggttg tctcaagttc ggcggtcagg cctacagcga 420  
cgtggaacac acttcagtcc agtgccatgc cttagatgga attgagtgtg ccagtcctag 480  
gacctttcta cgagaaaata aaccttgat aaagtatacc ggacactact tcataaccac 540  
tttactctac tccttcttcc tgggatgttt tgggtgtggat cgattctgtt tgggacacac 600  
tggcactgca gtagggaagc tgttgacgct tggaggactt gggatttggg ggtttgttga 660  
ccttattttg ctaattactg gagggctgat gccaaagtat ggcagcaact ggtgcactgt 720  
ttactaaaaa gagctgccat catggcccag ggaggcgggt gaaagctccg tcttctgaat 780  
tcatctctac aggtcaaaaa ctctctttg atatcagacc tgatgttatt ttccttcttt 840  
tggaggcat ttgtttggtt aagaaggctt ctttggactt tggaatttca acccagattt 900  
taccttgacg acggaatgac aagcaaaaag tgttgtgggg aatcaaattt gttcctttcc 960  
tcatgcacaa aacataaagg atagtggcga gtttacaagc tgtggatggg tttccatagt 1020  
cttcttttct gtacattgct atatcttcag tcctttggag caagtggacc taacaagttg 1080  
agcaaaatga atatttggtt ccattgttct cttgtgacct tgagtcttca tgcaaggaga 1140  
tctgaagctg aacaatgaaa atcttcagca gaaatagaaa tggccgtgga ttgtaataca 1200  
cactgaaatt ctgactttct gaatttaaat gtagaataaa ttttaccacac ttggaaaaaa 1260  
aaaaaa 1266

<210> 263  
<211> 1093  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2655184

<400> 263  
gatggcttgt ttttcatttt ttttgtgctt tttggccat ctattaataa aaatgaaccc 60  
cgttacagag tcaccatcat gtctcttctc accaccctct gaatctgcat tagccagtca 120  
actagccctt tcagcgtcat gtgaccagcg cgcgccatcc agcttggttg gtgtcgtttc 180  
acatgaccca ggctggccag tcgtcaggtt gcaccgccct ttgggtcccc agcatgctgt 240  
tttctctcag ccttctctcc aaccttaacc aaatcggcag cagccacctc gaccgcccac 300  
acattcctgg ccaatcagct cagctgttta ttaccaaat gtcttcacaa caactacagc 360  
agcagccttc ggctaacaaa aaagcaggaa aaatccacaa caccctcttc gccaaccaac 420  
taaatccaac gcaacatctg gcaaaacctt ttcagcaaat tcttcctggc cgtcagtcgg 480  
gcagcctcac ctaccattt ctactgtgtt gaaacccaaa actaatctcc aagaaggaga 540  
agcttctctc gcagccggag caggtccctt tctagagata ggagaagaga gagatcgctg 600  
tctcgggaga gaaatcacia gccgtccgga tccttctcta ggtctcgtag tcgatctagg 660  
tcaaatgaaa ggaaatagaa gacagtttgc aagagaagtg gtgtacagga aattacttca 720



```

tttgacagga gtatgtacag aaaattcaag ttttgtttga gacttcataa gcttgggtgca 780
ttttaagat gtttttagctg ttcaaactctg tttgtctctt gaaacagtga cacaaagggtg 840
taattctcta tggtttgaaa tggatcatatc gaggcagtga ataccaagaa ttgttacttt 900
acaatgttcc cttaaagcaaa attgaatttg ctttgaactt ttagttatgc acagactgat 960
aataaacctc taaacctgcc cagcggaagt gtgttttttt taaatttaaa tacagaacca 1020
ctggcaaaaa ttgaactaag atttactttt ttttccatag ctgggatata ggggggatcc 1080
tctagagtcg acc
1093

```

&lt;210&gt; 264

&lt;211&gt; 1056

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2848362

&lt;400&gt; 264

```

gcctgacatg cctgatcctc tcttttctgc agttcaaggg aaagacgaga tcttgcacaa 60
ggcactctgc ttctgccctt ggctggggaa ggggtggcatg gagcctctcc ggctgctcat 120
cttactcttt gtcacagagc tgtccggagc ccacaacacc acagtgttcc agggcggtggc 180
gggccagtcc ctgcaggtgt cttgccctta tgactccatg aagcactggg ggaggcgcaa 240
ggcctgggtgc cgccagctgg gagagaaggc cccatgccag cgtgtggtca gcacgcacaa 300
cttgtggctg ctgtccttcc tgaggaggtg gaatgggagc acagccatca cagacgatac 360
cctgggtggc actctcacca ttacgctgcg gaatctacaa ccccatgatg cgggtctcta 420
ccagtgccag agcctccatg gcagtggagc tgacaccctc aggaaggtcc tggaggaggt 480
gctggcagac cccctggatc accgggatgc tggagatctc tgggtccccg gggagtctga 540
gagcttcgag gatgcccatg tggagcacag catctccagg agcctcttgg aaggagaaat 600
ccccttccca cccacttcca tccttctcct cctggcctgc atctttctca tcaagattct 660
agcagccagc gccctctggg ctgcagcctg gcattggacag aagccaggga cacatccacc 720
cagtgaactg gactgtggcc atgaccagg gtatcagctc caaactctgc cagggtgag 780
agacacgtga aggaagatga tgggaggaaa agccaggag aagtcccacc agggaccagc 840
ccagcctgca tacttgccac ttggccacca ggactccttg ttctgctctg gcaagagact 900
actctgcctg aacactgctt ctcttgacc ctggaagcag ggactgggtg agggagtggg 960
gaggtggtaa gaacacctga caacttctga atattggaca ttttaaacac ttacaaataa 1020
atccaagact gtcattatta gctggaaaaa aaaaaa
1056

```

&lt;210&gt; 265

&lt;211&gt; 1183

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2849906

&lt;400&gt; 265

```

ggagctcagc cgagggtctg acaaagacct tcctggcctg cccagacag agctgaggac 60
ccctggcctg gggcttgggc ctcggtctca caggatgggg ctgccagtgt cctggggccc 120
tcctgccctc tgggttctag ggtgctgcgc cctgctctc tcgctgtggg cgctgtgcac 180
agcctgccgc agggccgagg acgctgtagc cccaggaag agggcgcgga ggcagcgggc 240
gaggctgcag ggcagtgcga cggcgcgga agcgtcccta ctgaggcgga cccacctctg 300
ctccctcagc aagtcggaca ccagactgca cgagctgcac cggggccgc gcagcagcag 360
ggccctgcgg cctgccagca tggatctcct gcgcccacac tggctggagg tgtccaggga 420
catcaccgga ccgcaggcag cccctctgc cttccacac caggagctgc cccgggtctc 480

```

```

gccggcagct gcagccaccg caggggtgctg tggcctcgag gccacctatt ccaacgtggg 540
gctggcgggc cttcccgggg tcagcctggc ggccagccct gtggtggccg agtatgccc 600
cgtccagaag cgcaaggga cccatcgag tcccaagag ccacagcagg ggaagactga 660
ggtgaccccg gccgctcagg tggacgtcct gtactccagg gtctgcaagc ctaaaaggag 720
ggaccagga cccaccacag acccgctgga cccaagggc caggagcga ttctggccct 780
ggcgggtgac ctggcctacc agaccctccc gctcaggggc ctggatgtgg acagcggccc 840
cctggaaaac gtgtatgaga gcatccggga gctgggggac cctgctggca ggagcagcac 900
gtgcggggct gggacgcccc ctgcttcag ctgcccagc ctaggagggg gctggagacc 960
cctccctgct tccctgcccc gaacactcaa ggacctgtgc tccttcctcc agagtggagg 1020
ccgtcccccg cccgcccccg cctcacagct gcagcgcca gtcccaggtc cccgggccc 1080
cagcccgtag ggtccgtgag gtcctggccg ctctgacagc cgcggcctcc ccgggcatcc 1140
tagagaaggc ccgctgctaa ataaagcgcc acgcagagt atc 1183

```

&lt;210&gt; 266

&lt;211&gt; 840

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2899137

&lt;400&gt; 266

```

gcatgtcatg gccgcctcca tggccccggg aggcgtgagt gccagggttc tactgcaggc 60
tgccaggggc acctggtgga acagacctgg gggcacttcc gggtcggggg agggggtggc 120
gctgggggaca accagaaagt ttcaagcgac aggcctcgcg ccggtggag aggaggacgc 180
ggcgcgcccc gagcgccccg gggacgtggt gaacgtggtg ttcgtagacc gctcaggcca 240
gcggatccca gtgagtggca gagtccggga caatgttctt cacctggccc agcgccacgg 300
ggtggacctg gaaggggcct gtgaagcctc cctggcctgc tccacctgcc atgtgtatgt 360
gagtgaagac cacctggatc tcctgcctcc tcccaggag agggaagacg acatgctaga 420
catggcccc ctcctccagg agaactcgcg gctgggctgc cagattgtgc tgacaccgga 480
gctggaagga gcggaattca ccctgccccaa gatcaccagg aacttctacg tggatggcca 540
tgtccccaag cccactgac atgaacacct ggaccattcc acattgccat ggccccaggg 600
ccagattga ggggaatagc aggtgccagc cctgcccaga gtgcggacag gcccgggaga 660
gacgtggaag cccctgtgaa ggacaacacc cctgcttggg agagagtccc atgtccaggc 720
tctggtgggg acagggcccc tagtggggtg gccttcccc ggccccctgag aatcagggtt 780
tgagtaggag tggactcata ttggagctgc aataaatcga taacacagga aaaaaaaaaa 840

```

&lt;210&gt; 267

&lt;211&gt; 606

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2986229

&lt;400&gt; 267

```

aataatgttt gagacagaag agaccattgg ctagtattta gcaattatca tagttatttg 60
atztatatta aaaagcattt gtctttccac taaaacataa aggggaataag ggcctagagt 120
tatatgagtt aatagtaatt atagtcaagc tgggggttaa aatttgttgt agatgatgca 180
tacttgggga taattaagag taccatctaa ttttctgtca ctttagaaag gaacaagtgg 240
caactttgtt gactatgtgg agaaagccag atgttcttta ctcagtaata cctgttactt 300
ctcttttttt ccttttagca ctgaacctac cagatgtatt tgggttggtc gtcctcccat 360
tggaactgaa actacggatc ttccgacttc tggatgttcg ttccgtcttg tctttgtctg 420

```

```

cggtttgtcg tgacctcttt actgcttcaa atgaccact cctgtggagg tttttatata 480
tgcgtgattt tcgaggtgat ttccgtaatg acatattcac aagaaagggc tcttattgtc 540
ttgattactc agctcaccaa aagtttttag ttgtaggatt tttctgttgc aaatgattac 600
aataaa 606

```

<210> 268

<211> 1025

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3222081

<400> 268

```

gtccttcgag ctactccgtc tggccccgcc tttctctgc tctctgaac ctttaggctt 60
gtctcggccc atttgaagac caggaagttg atcaatcccg aggctgctga gagacgggtg 120
cgcgattggg acagtcgcca gggatggctg agcgtgaaga tgcagcgggt gtccgggctg 180
ctctcctgga cgctgagcag agtcctgtgg ctctccggcc tctctgagcc gggagctgcc 240
cggcagcccc ggatcatgga agagaaagcg ctagaggttt atgatttgat tagaactatc 300
cgggacccag aaaagcccaa tactttagaa gaactggaag tggctctcga aagttgtgtg 360
gaagttcagg agataaatga agaagaatat ctggttatta tcaggttcac gccaacagta 420
cctcattgct ctttggcgac tcttattggg ctgtgcttaa gagtaaaact tcagcgatgt 480
ttaccattta aacataagtt ggaaatctac atttctgaag gaaccactc aacagaagaa 540
gacatcaata agcagataaa tgacaaagag cgagtggcag ctgcaatgga aaacccaac 600
ttacgggaaa ttgtggaaca gtgtgcctt gaacctgact gatagctgtt ttaagagcca 660
ctggcctgta attgtttgat atatttgtt aaactctttg tataatgtca gagactcatg 720
tttaatacat aggtgatttg tacctcagag cattttttaa aggattctt ccaagcgaga 780
tttaattata aggtagtacc taatttggtc aatgtataac attctcagga tttgtaacac 840
ttaaattgat agacagaata atattttcta gttattatgt gtaagatgag ttgctatttt 900
tctgatgctc attctgatac aactatTTTT cgtgtcaa atctactgtg cccaaatgta 960
ctcaatttaa atcattactc tgtaaaataa ataagcagat gattcttata atgaaaaaaa 1020
aaaaa 1025

```

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C12N 15/12, C07K 14/47, C12N 15/11, C12Q 1/68, C07K 16/18, G01N 33/68, A61K 38/17</b>		<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 00/00610</b> <b>(43) International Publication Date:</b> 6 January 2000 (06.01.00)																												
<b>(21) International Application Number:</b> PCT/US99/14484 <b>(22) International Filing Date:</b> 25 June 1999 (25.06.99)  <b>(30) Priority Data:</b> <table><tr><td>60/090,762</td><td>26 June 1998 (26.06.98)</td><td>US</td></tr><tr><td>60/094,983</td><td>31 July 1998 (31.07.98)</td><td>US</td></tr><tr><td>60/102,686</td><td>1 October 1998 (01.10.98)</td><td>US</td></tr><tr><td>60/112,129</td><td>11 December 1998 (11.12.98)</td><td>US</td></tr></table> <b>(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Applications</b> <table><tr><td>US</td><td>60/090,762 (CIP)</td></tr><tr><td>Filed on</td><td>26 June 1998 (26.06.98)</td></tr><tr><td>US</td><td>60/094,983 (CIP)</td></tr><tr><td>Filed on</td><td>31 July 1998 (31.07.98)</td></tr><tr><td>US</td><td>60/102,686 (CIP)</td></tr><tr><td>Filed on</td><td>1 October 1998 (01.10.98)</td></tr><tr><td>US</td><td>60/112,129 (CIP)</td></tr><tr><td>Filed on</td><td>11 December 1998 (11.12.98)</td></tr></table> <b>(71) Applicant (for all designated States except US):</b> INCYTE PHARMACEUTICALS, INC. [US/US]; 3174 Porter Drive, Palo Alto, CA 94304 (US).		60/090,762	26 June 1998 (26.06.98)	US	60/094,983	31 July 1998 (31.07.98)	US	60/102,686	1 October 1998 (01.10.98)	US	60/112,129	11 December 1998 (11.12.98)	US	US	60/090,762 (CIP)	Filed on	26 June 1998 (26.06.98)	US	60/094,983 (CIP)	Filed on	31 July 1998 (31.07.98)	US	60/102,686 (CIP)	Filed on	1 October 1998 (01.10.98)	US	60/112,129 (CIP)	Filed on	11 December 1998 (11.12.98)	<b>(72) Inventors; and (75) Inventors/Applicants (for US only):</b> LAL, Preeti [IN/US]; 2382 Lass Drive, Santa Clara, CA 95054 (US). TANG, Y., Tom [CN/US]; 4230 Ranwick Court, San Jose, CA 95118 (US). GORGONE, Gina, A. [US/US]; 1253 Pinecrest Drive, Boulder Creek, CA 95006 (US). CORLEY, Neil, C. [US/US]; 1240 Dale Avenue #30, Mountain View, CA 94040 (US). GUEGLER, Karl, J. [CH/US]; 1048 Oakland Avenue, Menlo Park, CA 94025 (US). BAUGHN, Mariah, R. [US/US]; 14244 Santiago Road, San Leandro, CA 94577 (US). AKERBLOM, Ingrid, E. [US/US]; 1234 Johnson Street, Redwood City, CA 94061 (US). AU-YOUNG, Janice [US/US]; 1419 Kains Avenue, Berkeley, CA 94702 (US). YUE, Henry [US/US]; 826 Lois Avenue, Sunnyvale, CA 94087 (US). PATTERSON, Chandra [US/US]; 490 Sherwood Way #1, Menlo Park, CA 94025 (US). REDDY, Roopa [IN/US]; 1233 W. McKinley Drive, Sunnyvale, CA 94086 (US). HILLMAN, Jennifer, L. [US/US]; 230 Monroe Drive #12, Mountain View, CA 94040 (US). BANDMAN, Olga [US/US]; 366 Anna Avenue, Mountain View, CA 94043 (US).  <b>(74) Agents:</b> BILLINGS, Lucy, J. et al.; Incyte Pharmaceuticals, Inc., 3174 Porter Drive, Palo Alto, CA 94304 (US).  <b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>  <b>(88) Date of publication of the international search report:</b> 29 June 2000 (29.06.00)	
60/090,762	26 June 1998 (26.06.98)	US																													
60/094,983	31 July 1998 (31.07.98)	US																													
60/102,686	1 October 1998 (01.10.98)	US																													
60/112,129	11 December 1998 (11.12.98)	US																													
US	60/090,762 (CIP)																														
Filed on	26 June 1998 (26.06.98)																														
US	60/094,983 (CIP)																														
Filed on	31 July 1998 (31.07.98)																														
US	60/102,686 (CIP)																														
Filed on	1 October 1998 (01.10.98)																														
US	60/112,129 (CIP)																														
Filed on	11 December 1998 (11.12.98)																														
<b>(54) Title:</b> HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS																															
<b>(57) Abstract</b> <p>The invention provides human signal peptide-containing proteins (HSPP) and polynucleotides which indentify and encode HSPP. The invention also provides expression vectors, host cells, antibodies, agonists, and antagonists. The invention also provides methods for diagnosing, treating, or preventing disorders associated with expression of HSPP.</p>																															

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

# INTERNATIONAL SEARCH REPORT

International Application No.  
PCT/US 99/14484

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC 6 C12N15/12 C07K14/47 C12N15/11 C12Q1/68 C07K16/18 G01N33/68 A61K38/17		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) IPC 6 C12N C07K C12Q G01N A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	HUDSON T.: "Human STS." EMBL DATABASE ENTRY HS578357, ACCESSION NUMBER G22578, 1 June 1996 (1996-06-01), XP002125359 abstract	5
A	--- TASHIRO K. ET AL.: "SIGNAL SEQUENCE TRAP: A CLONING STRATEGY FOR SECRETED PROTEINS AND TYPE I MEMBRANE PROTEINS" SCIENCE, vol. 261, 1993, pages 600-603, XP002911163 ISSN: 0036-8075 the whole document	1-16, 19
A	--- EP 0 607 054 A (HONJO TASUKU ;ONO PHARMACEUTICAL CO (JP)) 20 July 1994 (1994-07-20) the whole document ---	1-16, 19
-/-		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search  <div style="text-align: center; font-weight: bold;">20 December 1999</div>		Date of mailing of the international search report  <div style="text-align: center; font-weight: bold;">05. 04 2000</div>
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer  <div style="text-align: center; font-weight: bold;">Mandl, B</div>

# INTERNATIONAL SEARCH REPORT

Inter-  
Application No  
PCT/US 99/14484

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JACOBS K. A. ET AL: "A genetic selection for isolating cDNAs encoding secreted proteins" GENE, vol. 198, 1997, pages 289-296, XP002102962 ISSN: 0378-1119 the whole document ---	1-16,19
A	WALLIN E. ET AL.: "Properties of N-terminal tails in G-protein coupled receptors: a statistical study" PROTEIN ENGINEERING, vol. 8, no. 7, 1995, pages 693-698, XP002102961 ISSN: 0269-2139 the whole document -----	1-16,19

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/ 14484

## Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claim 19 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☒ Claims Nos.: 17, 18, 20  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

see additional sheet, subject 1.

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.



**FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210**

Further defect(s) under Article 17(2)(a):

Continuation of Box 3.

Claims Nos.: 17,18,20

Claims 17,18 and 20 refer to antagonists and agonists of the polypeptides without giving a true technical characterization. Moreover, no such specific compounds are defined in the application. In consequence, the scope of said claims is ambiguous and vague, and their subject-matter is not sufficiently disclosed and supported (Art. 5 and 6, PCT). No search can be carried out for such purely speculative claims whose wording is, in fact, a mere recitation of the results to be achieved.

The applicant's attention is drawn to the fact that claims, or parts of, claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

## INVENTION 1: Claims 1-20 (all partially)

A polypeptide comprising the amino acid sequence of SEQ.ID.1 and variants having at least 90% amino acid sequence identity therewith; the polynucleotide encoding said polypeptide (as represented by SEQ.ID.135) and variants having at least 90% sequence identity with said polynucleotide; a polynucleotide that hybridizes therewith or a polynucleotide that is complementary thereto; a method for detecting said polynucleotide, an expression vector comprising said polynucleotide; a host cell comprising said vector; a method for producing said polypeptide; a pharmaceutical composition comprising said polypeptide; a purified antibody, agonist or antagonist specific for said polypeptide; and a method for treating or preventing a disorder associated with decreased or increased expression of said polypeptide.

## INVENTIONS 2-134: Claims 1-20 (all partially)

Idem as subject 1 but limited to one DNA sequence selected from SEQ.IDs. 136-268 at a time and the corresponding polypeptide, where invention 2 is limited to SEQ.IDs. 136 and 2, invention 3 is limited to SEQ.IDs. 137 and 3 ....., and invention 134 is limited to SEQ.IDs. 268 and 134.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/14484

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0607054 A	20-07-1994	CA 2113363 A	15-07-1994
		JP 2879303 B	05-04-1999
		JP 6315380 A	15-11-1994
		JP 11308993 A	09-11-1999
		US 5525486 A	11-06-1996
-----			

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**